

RQ-2019- 05-13-26

Data Management (to be completed by field personnel)

- ☒ Date sampled Date: 5/14/19 initials: JP
- ☒ Entered into MAT Date: 5/15/19 initials: JP
- ☒ In SMP Tracker Date: 5/15/19 initials: JP
- ☐ RQ Sheet – from LIMS (display/print request)

Ready for folder system (top)

LIMS processing (to be completed by field/office personnel)

- ☐ Field Sheets scanned into local folder and
initialed/dated on Field Sheets Date: _____ initials: _____
- ☐ New Field IDs created (when appropriate) Date: _____ initials: _____ ☐ NA
- ☐ Field parameters entered into LIMS Date: _____ initials: _____
- ☐ Date submitted for QA/QC Date: _____ initials: _____
- ☐ Create entry in SMP Station Creation File if new station is used

Digital Archiving

- ☐ Digital field Sheets put into archive Date: _____ initials: _____
- ☐ Photos put into archive Date: _____ initials: _____ ☐ NA
- ☐ Lab results put into archive (CB/WB) Date: _____ initials: _____

WINS processing (Cheryl/Whitney)

- ☐ Field parameters QA/QC in LIMS Date: _____ initials: _____
- ☐ Data migrated to WINS Date: _____ initials: _____
- ☐ Update "Data Tracker" in SMP Tracker

Notes:

Date of Request: 15-APR-2019
 Created By: KING_M On: 15-APR-2019
 Modified By: JASROTIA_P On: 25-APR-2019
 Customer: NW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Northwest District
 Sampling Event: Escambia River Run

Send Coolers To:

Phone: 850-595-0605
 160 Government Center
 Suite 208
 Pensacola, FL 32502-5794
 Attn: Michael King

Program Module Number: 1306
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 25-APR-2019
 Biology Request Reviewed By: JASROTIA_P On: 25-APR-2019
 Sampling Kit Required: YES Ship on: 07-MAY-2019
 Sampling Kit Shipped: YES On: 06-MAY-2019
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 13-MAY-2019
 Received By: REAVES_S On: 15-MAY-2019

Send Final Report To:

160 Government Center
 Suite 208
 Pensacola, FL 32502-5794
 Attn: Cheryl Bunch

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: (WBID 10A) Freshwater Kit With Metals, Contract Lab Bacteria
 Group B: (WBID 10D) Freshwater Kit with Metals
 Group C: (WBID 10B) Freshwater Kit, Contract Lab Bacteria
 Group D: (WBID 10F)
 Marine water Kit with metals, Pesitcides, Deployment

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
Total Alkalinity		
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
Turbidity		
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
Chloride		
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Fluoride		
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
Sulfate		
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
TDS		
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
TSS		
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Chlorophyll-a, Corrected		

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
TDS		
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
TSS		
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Chlorophyll-a, Corrected		
Chlorophyll-a, Uncorrected		
Phaeophytin-a		
Bottle Type: TEST HAS NO	Number of Bottles: 1	Preserved With: ICE
NW-UWF-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method by UWF Laboratory in Pensacola
Escherichia Coli-Quanti-Tray		
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
Ammonia-N		
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
NO2NO3-N		
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
Total-P		
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Kjeldahl Nitrogen		
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Organic Carbon		
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
O-Phosphate-P		

Bottle Group D (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
Total Alkalinity		
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
Turbidity		
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
Chloride		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Fluoride		
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
TSS		
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Chlorophyll-a, Corrected		
Chlorophyll-a, Uncorrected		
Phaeophytin-a		
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: CH2CICOOH Pre-Preserved
W-CARB-AA	Template: DEFAULT	(EPA 8321B) Carbamates in water matrices by HPLC/MS/MS
3-Hydroxycarbofuran		
Aldicarb		
Aldicarb Sulfone		
Aldicarb Sulfoxide		
Carbaryl		
Carbofuran		
Methiocarb		
Methomyl		
Oxamyl		

Bottle Group D (Water) With 1 Samples:

Bottle Type: BG-500ML Number of Bottles: 1 Preserved With: CH₂ClCOOH Pre-Preserved
 W-CARB-AA Template: DEFAULT (EPA 8321B) Carbamates in water matrices by HPLC/MS/MS
 Propoxur

Bottle Type: BG-500ML Number of Bottles: 4 Preserved With: ICE
 W-CT-CI-R Template: DEFAULT (EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization

Chlordane
 Toxaphene

W-PCL-SQ-R Template: DEFAULT (EPA 8270D) Organochlorine pesticides in water matrices by GC/MS-SIM

*Bifenthrin
 *Cis-Nonachlor
 *Ethalfuralin
 *Hexachlorobenzene
 *Trans-Nonachlor

Aldrin
 Alpha-BHC
 Alpha-Chlordane
 Beta-BHC
 Carbophenothion
 Chlorothalonil
 Cypermethrin
 DDD-p,p'
 DDE-p,p'
 DDT-p,p'
 Delta-BHC
 Dicofol
 Dieldrin
 Endosulfan I
 Endosulfan II
 Endosulfan Sulfate
 Endrin
 Endrin Aldehyde
 Endrin Ketone
 Gamma-BHC
 Gamma-Chlordane
 Heptachlor
 Heptachlor Epoxide
 Methoxychlor
 Mirex
 Permethrin
 Trifluralin

Bottle Type: BG-500ML Number of Bottles: 1 Preserved With: ICE
 W-E8321-DI Template: DEFAULT (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

*Acesulfame K
 *AMPA
 *Endothall
 *Glufosinate
 *Glyphosate
 *Sucralose

W-E8321-MS Template: DEFAULT (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

*Acetaminophen
 *Carbamazepine
 *Fluridone
 *Hydrocodone
 *Ibuprofen
 *Imazapyr
 *Naproxen
 *Primidone
 *Pyraclostrobin
 *Triclopyr
 2,4-D

Bottle Group D (Water) With 1 Samples:

Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bentazon Diuron Fenuron Imidacloprid Linuron MCPP		
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICP	Template: S-METALS	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Iron Manganese Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Aluminum Antimony Arsenic Cadmium Chromium Copper Lead Nickel Selenium Silver Thallium		
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
Ammonia-N		
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
NO2NO3-N		
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
Total-P		
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Kjeldahl Nitrogen		
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Organic Carbon		
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
O-Phosphate-P		
Bottle Type: BG-1L	Number of Bottles: 4	Preserved With: ICE
W-PSNP-TQ	Template:	(EPA 8270E) Organonitrogen and phosphorus pesticides in water matrices by GC/MS/MS
Acetochlor Alachlor Ametryn Atrazine Atrazine Desethyl Azinphos Methyl Bromacil Butylate Chlorpyrifos Ethyl Chlorpyrifos Methyl Cyanazine Demeton Diazinon Disulfoton EPTC Ethion Ethoprop Fenamiphos		

Bottle Group D (Water) With 1 Samples:

Bottle Type: BG-1L

Number of Bottles: 4

Preserved With: ICE

W-PSNP-TQ Template:

(EPA 8270E) Organonitrogen and phosphorus pesticides in water matrices by GC/MS/MS

Fipronil

Fipronil Sulfide

Fipronil Sulfone

Fonofos

Hexazinone

Malathion

Metalaxyl

Metolachlor

Metribuzin

Mevinphos

Molinate

Norflurazon

Parathion Ethyl

Parathion Methyl

Pendimethalin

Phorate

Prometon

Prometryn

Simazine

Terbufos

Terbutylazine

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?

Yes / No

WIN Station Name: Escambia River upstream of Mitchell Creek

Date: 5/14/2019
(mm/dd/yyyy)

WIN/ Field ID: G4NW0404

WBID: 10B

Latitude: 30.863119

County: Escambia

ORG ID: 21FLPNS

Longitude: -87.306206
(Decimal Degrees)

Receiving Body of Water: Escambia Bay

RQ-2019-05-13-26
(Decimal Degrees)

Sampling Team Members		WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jimmy Pitts			X	X	X	
Myranda Clark		X		X		

Sampling Equipment		
☒ Sample Container	☐ Van Dorn	☐ Pole
☐ Carboy	☒ Syringe	
☐ Dipper	☐ Other	
Depth Measured with ProDS5		
Equipment ID		

Collection Method		
☐ Wading	☐ Canoe/Kayak	
☐ From Shore	☐ Electric Motor	
☐ Other	☒ Gasoline Motor	

Water Level: Dry/ Pooled/ Low / Normal / High / Flooded

Meter ID# 154179

Matrix: Fresh / Marine / DI

Photos: Yes / No Flow: No Flow / Intestinal / Flowing / NA Tide: Rising/ Falling/ Slack NA Tide Times: High Low

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (umhos/cm)	Temp. (C°)
EST	9:20	3.43	0.3	0.5	7.01	79.7	6.74	0.03	61.5	22.2
CEN			"0"		"0"	"0"	"0"	"0"	"0"	"0"

Biological Samples Collected: None HA SCI RPS Algae ID LVS LVI Other:

SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☒ H2SO4	SA8197090	7/16/19	☒ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO3			☐ <2
Filtered Nutrients	☒ W-P04-F ☒ Field Filtered 0.45 um Filter	☒ Ice			
Chlorophyll	☒ CHLSUITE-W	☒ Ice			
Physical/Aggregate (Fresh)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CH-IC / W-COLOR / W-SO4-IC / W-TDS	☒ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☐ MI-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☒ E Coli ☐ F Coli ☐ Enterococci	☒ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD	☐ Ice			
Tracers	☐ W-E8321-DI ☐ W-E8321-MS	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-E8321-DI ☐ W-PCL-SQ-R ☐ WE8321-MS ☐ W-CARB-AA	☐ Ice			
Phytoplankton	☐ QTY-QN-C ☐ PKD-QN-C	☐ Ice			

Notes: Launch mystic springs
couldn't get bottom readings due to high flow

Place Label Here

Signature: Myranda Clark Date: 5/14/2019

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT:

Scan/Save Field Sheets Migrate Data to WIN: Verify Data In WIN:

(Initials/Date)

(Initials/Date)

(Initials/Date)

(Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
SMP CONTINUOUS MONITORING SHEET

August 2017

PAGE ____ OF ____

Data Qualified?

Yes / No

STORET Station Name: Escambia R. 100m upstream of Hwy 90 Bridge
STORET Station ID: 64NW0009
Field ID: 64NW0009
County: Escambia

WBID: 10F
ORG ID: 21 FL PMS
RQ: 2019-05-13-26

Meter ID#: 123456 "62L"

Pre-Deployment Setup

Date: 5/7/19 Performed by: James PMS

Parameters Recorded: ☒ Date ☒ Time ☒ Temp. (C) ☒ Sp. Cond. ☒ DOSAT ☒ DO (mg/L) ☒ pH ☒ Depth

Sampling Interval (min): 15 Free Memory (days): 174/42 Expected Battery Life: 20/203 Programmed Duration: 9 days

Sonde Filename: ESC3 Reset Clock? (Y or N)

Programmed Start Date/Time: 5/8/2019 (mm/dd/yyyy) 1515 (hh:mm:ss) Cent. / East Wipers Park Correctly? Yes

Programmed End Date/Time: 5/17/2019 (mm/dd/yyyy) 1515 (hh:mm:ss) Cent. / East Calibration Date 5/7/19

Deployment

Date: 5/8/19 Time Into Water: 1310 Time Zone: Cent. / East.

Deployed Sonde Latitude: 30.548760 Deployed By: James PMS
Deployed Sonde Longitude: -87.196400 (print all staff present) Sophia Slade

Notes: (how to get to, landmarks, site considerations & concerns, etc.)

West side Hwy 90 bridge channel gate

Photos: Yes / No

Retrieval

Date: 5/14/19 Time Out Of Water: 1115 Time Zone: Cent. / East.

Mounting left or removed? Removed Retrieved By: James PMS
Myranda Clark

Notes: (significant fouling, signs of human disturbance, site considerations and concerns, etc.)

Post-Deployment

Date: 5/15/19 Performed by: James PMS

Data File Downloaded? Yes / No Archived Filename: 05142019 - data

Meter Verification Date: 5/14/19

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there is qualified data on this name.

Meter ID: 123476 "GIL"

RQ: 2019-05-13-26

Project: Continuous Mon.

- Notes: (1) Always wait for meter to stabilize before recording any readings.
 (2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
 (3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Circle/Fill In: Lab Calibration or Calibration/Verification on Site

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification 5/6/19

DO DEPSO FT 1500	Name	Date	Time of Day	Temp °C	DO Gain mV/L	DO Charge mV/L	DO Gain mV/L	DO Charge mV/L	DO Gain mV/L	DO Charge mV/L	P/F	L/F
Calibr.											P/F	L/F
ICV											P/F	L/F
CCV	J. Pines	5/7/19	1525	23.7	8.46	8.38	98.9	—	1.02	—	P/F	L/F
CCV	J. Pines	5/14/19	1420	21.7	8.794	8.85	100.5	—	—	—	P/F	L/F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15; DO charge N/A.

Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec Conductivity FT 1200	Name	Date	Time of Day	Temp °C	DO Gain mV/L	DO Charge mV/L	DO Gain mV/L	DO Charge mV/L	DO Gain mV/L	DO Charge mV/L	P/F	L/F
Calibr.	J. Pines	5/7/19	1527	19.01/6A	1/2020	1000	1000	—	—	—	P/F	L/F
ICV	↓	↓	1529	18.05/7A	5/2019	100	104	—	—	—	P/F	L/F
CCV	J. Pines	5/14/19	1422	18.05/7D	5/2019	10,000	10,292	—	—	—	P/F	L/F
CCV											P/F	L/F

Conductivity Acceptance criteria $\pm 5\%$

pH DEPSO FT 1000	Name	Date	Time of Day	Temp °C	DO Gain mV/L	DO Charge mV/L	DO Gain mV/L	DO Charge mV/L	DO Gain mV/L	DO Charge mV/L	P/F	L/F
Calibr.	J. Pines	5/7/19	1531	28.1/803	10/2020	7.0	7.0	-7.5	—	—	P/F	L/F
Calibr.			1533	48/2966	11/2020	4.0	4.0	177.8	—	—	P/F	L/F
Calibr.			1535	28.4/620	10/2019	10.0	10.0	-181.5	—	—	P/F	L/F
ICV	↓	↓	1537	28.4/620	11/2019	10.0	10.0	—	—	—	P/F	L/F
CCV	J. Pines	5/14/19	1422	48/2966	11/2020	4.0	4.2	—	—	—	P/F	L/F
CCV											P/F	L/F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ;

mV pH 4 Range $+180 \pm 50$;

mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 174.0, slope from 4 to 7 183.3 (both must be between 165 and 180 mV)

Is meter equipped with depth sensor? Yes / No If yes, list date of last quarterly depth verification

Depth Sensor DEPSO FT 1000	Name	Date	Time of Day	Temp °C	DO Gain mV/L	DO Charge mV/L	DO Gain mV/L	DO Charge mV/L	DO Gain mV/L	DO Charge mV/L	P/F	L/F
Pressure mode in air	J. Pines	5/7/19	1539	0.00	0.00	—	—	—	—	—	P/F	L/F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?

Yes / No

WIN Station Name:

Escambia River 100 Meters upstream of HWY 90 Bridge

Date:

5/14/2019

(mm/dd/yyyy)

WIN/ Field ID: G4NW0009

WBID: 10F

Latitude:

(Decimal Degrees)

County: Escambia

ORG ID: 21FLPNS

Longitude:

(Decimal Degrees)

Receiving Body of Water: Escambia Bay

RQ-2019-05-13-26

Sampling Team Members					WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jimmy Pitts						X		X	X
Myranda Clark					X		X		

Sampling Equipment		
☒ Sample Container	☐ Van Dorn	☐ Pole
☐ Carboy	☒ Syringe	
☐ Dipper	☐ Other	
Depth Measured with <u>PROPSS</u>		
Equipment ID		

Collection Method		
☐ Wading	☐ Canoe/Kayak	
☐ From Shore	☐ Electric Motor	
☐ Other	☒ Gasoline Motor	

Water Level: Dry/ Pooled/ Low / Normal / High / Flooded

Meter ID# 120846 "GILL"

Matrix: Fresh / Marine / DI

Photos: Yes / No

Flow: No Flow / Intestinal / Flowing / NA

Tide: Rising/ Falling/ Slack/ NA

Tide Times: High Low

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (µmhos/cm)	Temp. (C°)
EST	11:30	6.27	0.3	0.8	<u>6.35</u>	71.9	6.36	0.04	93	21.46
CEN			5.73		3.98	50.5	6.66	14.78	24329	20.97

Biological Samples Collected: None HA SCI RPS Algae ID LVS LVI Other:

SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☒ H2SO4	SA8197090	7/16/19	☒ <2
Metals	☒ W-ICPMS ☒ W-ICP	☒ Ice ☒ HNO3	NA8344060	10/10/19	☒ <2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter	☒ Ice			
Chlorophyll	☒ CHLSUITE-W	☒ Ice			
Physical/Aggregate (Fresh)	☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W-TDS	☐ Ice			
Physical/Aggregate (Marine)	☒ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☒ Ice			
Macroinvertebrates	☐ ME-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☐ E Coli ☐ F Coli ☐ Enterococci	☐ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD	☐ Ice			
Tracers	☒ W-E8321-DI ☒ W-E8321-MS	☒ Ice			
Pesticides	☒ W-PSNP-TQ ☒ W-CT-CL-R ☒ W-E8321-DI ☒ W-PCL-SQ-R ☒ W-E8321-MS ☒ W-CAR3-AA	☒ Ice			
Phytoplankton	☐ DTY-QN-C ☐ PKD-QN-C	☐ Ice			

Notes:

Place Label Here

Signature: [Signature] Date: 5/14/19

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT:

Scan/Save Field Sheets (Initials/Date) Migrate Data to WIN: (Initials/Date) Verify Data In WIN: (Initials/Date)

