

RQ-2019-05-27-13

Data Management (to be completed by field personnel)

- ☒ Date sampled Date: 5/30/19 initials: OP
- ☒ Entered into MAT Date: 6/3/19 initials: OP
- ☒ In SMP Tracker Date: 6/3/19 initials: OP
- ☒ RQ Sheet – from LIMS (display/print request)

Ready for folder system (top)

LIMS processing (to be completed by field/office personnel)

- ☐ Field Sheets scanned into local folder and
initialed/dated on Field Sheets Date: _____ initials: _____
- ☐ New Field IDs created (when appropriate) Date: _____ initials: _____ ☐ NA
- ☐ Field parameters entered into LIMS Date: _____ initials: _____
- ☐ Date submitted for QA/QC Date: _____ initials: _____
- ☐ Create entry in SMP Station Creation File if new station is used

Digital Archiving

- ☐ Digital field Sheets put into archive Date: _____ initials: _____
- ☐ Photos put into archive Date: _____ initials: _____ ☐ NA
- ☐ Lab results put into archive (CB/WB) Date: _____ initials: _____

WINS processing (Cheryl/Whitney)

- ☐ Field parameters QA/QC in LIMS Date: _____ initials: _____
- ☐ Data migrated to WINS Date: _____ initials: _____
- ☐ Update "Data Tracker" in SMP Tracker

Notes:

Date of Request: 17-APR-2019
Created By: KING_M On: 17-APR-2019
Modified By: JASROTIA_P On: 10-MAY-2019
Customer: NW-DIST
Project: SMP
Division: Division of Environmental Assessment and Restoration
District: Northwest District
Sampling Event: Perdido/Bridge

Send Coolers To:

Phone: 850-287-0382
160 Government Center
Suite 208A
Pensacola, FL 32502-5794
Attn: Michael King

Program Module Number:

Priority: 3
Event Status: R
Criminal Investigation: NO
Chemistry Request Reviewed By: WATTS_J On: 10-MAY-2019
Biology Request Reviewed By: JASROTIA_P On: 10-MAY-2019
Sampling Kit Required: YES Ship on: 17-MAY-2019
Sampling Kit Shipped: YES On: 15-MAY-2019
Sampling Kit Packed By: REYNOLDS_T
Preservatives Needed: NO
Date to Receive Samples: 27-MAY-2019
Received By: SHAIK_A On: 31-MAY-2019

Send Final Report To:

160 Government Center
Suite 208
Pensacola, FL 32502-5794
Attn: Cheryl Bunch

Report Type: Final Only
FTP Data: NO
QC Report: YES
Date Log: NO
Authorization Log: NO

Comments: Group A: (WBID 872B) Marinewater, metals
Nutrients, Pesticides, Bacteria

Group B: (WBID 935, 797A) Marinewater
Nutrients

Group C: (WBID 846CB, 848DA) Bacteria, Tracers, Markers

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
Total Alkalinity		
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
Turbidity		
W-BR-IC	Template: DEFAULT	(EPA 300.0) Bromide in aqueous matrices
Bromide		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Fluoride		
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
TSS		

Bottle Type: BG-1L	Number of Bottles: 4	Preserved With: ICE
W-PSNP-TQ	Template: DEFAULT	(EPA 8270E) Organonitrogen and phosphorus pesticides in water matrices by GC/MS/MS
*Dimethenamid		
*Dithiopyr		
*Fipronil Desulfinyl		
*Oxadiazon		
*Prodiamine		
*Tebuconazole		
Acetochlor		
Alachlor		

Bottle Group A (Water) With 1 Samples:

Bottle Type: BG-1L Number of Bottles: 4 Preserved With: ICE
 W-PSNP-TQ Template: DEFAULT (EPA 8270E) Organonitrogen and phosphorus pesticides in water matrices by GC/MS/MS

Ametryn
 Atrazine
 Atrazine Desethyl
 Azinphos Methyl
 Bromacil
 Butylate
 Chlorpyrifos Ethyl
 Chlorpyrifos Methyl
 Cyanazine
 Demeton
 Diazinon
 Disulfoton
 EPTC
 Ethion
 Ethoprop
 Fenamiphos
 Fipronil
 Fipronil Sulfide
 Fipronil Sulfone
 Fonofos
 Hexazinone
 Malathion
 Metalaxyl
 Metolachlor
 Metribuzin
 Mevinphos
 Molinate
 Norflurazon
 Parathion Ethyl
 Parathion Methyl
 Pendimethalin
 Phorate
 Prometon
 Prometryn
 Simazine
 Terbufos
 Terbutylazine

Bottle Type: BP-1L Number of Bottles: 1 Preserved With: ICE
 CHLSUITE-W Template: DEFAULT (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Chlorophyll-a, Corrected
 Chlorophyll-a, Uncorrected
 Phaeophytin-a

Bottle Type: TEST HAS NO Number of Bottles: 1 Preserved With: ICE
 NW-UWF-ENQ Template: DEFAULT (Enterolert/QT) Enterococci by Enterolert/QT by UWF in Pensacola
 Enterococci-Quanti-Tray

Bottle Type: BG-500ML Number of Bottles: 1 Preserved With: CH₂ClCOOH Pre-Preserved
 W-CARB-AA Template: DEFAULT (EPA 8321B) Carbamates in water matrices by HPLC/MS/MS

3-Hydroxycarbofuran
 Aldicarb
 Aldicarb Sulfone
 Aldicarb Sulfoxide
 Carbaryl
 Carbofuran
 Methiocarb
 Methomyl
 Oxamyl
 Propoxur

Bottle Type: BG-500ML Number of Bottles: 4 Preserved With: ICE

Bottle Group A (Water) With 1 Samples:

Bottle Type: BG-500ML Number of Bottles: 4 Preserved With: ICE
 W-CT-CI-R Template: DEFAULT (EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization

Chlordane

Toxaphene

W-PCL-SQ-R Template: DEFAULT (EPA 8270E) Organochlorine pesticides in water matrices by GC/MS-SIM

*Bifenthrin

*Cis-Nonachlor

*Ethalfuralin

*Hexachlorobenzene

*Trans-Nonachlor

Aldrin

Alpha-BHC

Alpha-Chlordane

Beta-BHC

Carbophenothion

Chlorothalonil

Cypermethrin

DDD-p,p'

DDE-p,p'

DDT-p,p'

Delta-BHC

Dicofol

Dieldrin

Endosulfan I

Endosulfan II

Endosulfan Sulfate

Endrin

Endrin Aldehyde

Endrin Ketone

Gamma-BHC

Gamma-Chlordane

Heptachlor

Heptachlor Epoxide

Methoxychlor

Mirex

Permethrin

Trifluralin

Bottle Type: BG-500ML Number of Bottles: 1 Preserved With: ICE
 W-E8321-DI Template: DEFAULT (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

*Acesulfame K

*AMPA

*Endothall

*Glufosinate

*Glyphosate

*Sucralose

W-E8321-MS Template: (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

*Acetaminophen

*Carbamazepine

*Fluridone

*Hydrocodone

*Ibuprofen

*Imazapyr

*Naproxen

*Primidone

*Pyraclostrobin

*Triclopyr

2,4-D

Bentazon

Diuron

Fenuron

Bottle Group A (Water) With 1 Samples:

Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-MS	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Imidacloprid		
Linuron		
MCP		
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO ₃
W-ICP	Template: S-METALS	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Iron		
Manganese		
Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Aluminum		
Antimony		
Arsenic		
Cadmium		
Chromium		
Copper		
Lead		
Nickel		
Selenium		
Silver		
Thallium		
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
Ammonia-N		
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
NO ₂ NO ₃ -N		
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
Total-P		
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Kjeldahl Nitrogen		
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Organic Carbon		
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
O-Phosphate-P		

Bottle Group B (Water) With 2 Samples:

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
Total Alkalinity		
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
Turbidity		
W-BR-IC	Template: DEFAULT	(EPA 300.0) Bromide in aqueous matrices
Bromide		
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
Chloride		
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Fluoride		
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
Sulfate		
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
TDS		
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
TSS		
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE

Bottle Group B (Water) With 2 Samples:

Bottle Type: BP-1L Number of Bottles: 2 Preserved With: ICE
 CHLSUITE-W Template: DEFAULT (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Chlorophyll-a, Corrected
 Chlorophyll-a, Uncorrected
 Phaeophytin-a

Bottle Type: P-500ML Number of Bottles: 2 Preserved With: ICE And H2SO4
 W-NH3 Template: DEFAULT (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
 Ammonia-N
 W-NO2NO3 Template: DEFAULT (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
 NO2NO3-N
 W-S-A-TP Template: DEFAULT (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
 Total-P
 W-TKN Template: DEFAULT (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
 Kjeldahl Nitrogen
 W-TOC Template: DEFAULT (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
 Organic Carbon

Bottle Type: P-125ML Number of Bottles: 2 Preserved With: FILTER-ICE
 W-PO4-F Template: DEFAULT (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
 O-Phosphate-P

Bottle Group C (Water) With 2 Samples:

Bottle Type: TEST HAS NO Number of Bottles: 2 Preserved With: ICE
 NW-UWF-ENQ Template: DEFAULT (Enterolert/QT) Enterococci by Enterolert/QT by UWF in Pensacola
 Enterococci-Quanti-Tray

Bottle Type: QPCR-P-500ML Number of Bottles: 2 Preserved With: ICE
 PCR-FILTER Template: DEFAULT (SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
 *HF183 - Human Source Marker

Bottle Type: BG-500ML Number of Bottles: 2 Preserved With: ICE
 W-E8321-DI Template: DEFAULT (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

*Acesulfame K
 *AMPA
 *Endothall
 *Glufosinate
 *Glyphosate
 *Sucralose

W-E8321-MS Template: (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

*Acetaminophen
 *Carbamazepine
 *Fluridone
 *Hydrocodone
 *Ibuprofen
 *Imazapyr
 *Naproxen
 *Primidone
 *Pyraclostrobin
 *Triclopyr
 2,4-D
 Bentazon
 Diuron
 Fenuron
 Imidacloprid
 Linuron
 MCPP

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?
Yes / No

WIN Station Name: Sanders Beach south of Sanders Beach Park

Date: 05/30/19
(mm/dd/yyyy)

WIN/ Field ID: G4NW0484

WBID: 848DA

Latitude: 30.39969

County: Escambia

ORG ID: 21FLPNS

Longitude: -87.2364629
(Decimal Degrees)

Receiving Body of Water: Pensacola Bay

RQ-2019- 05-27-13
(Decimal Degrees)

Sampling Team Members					WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
<i>S. Stoll</i> <i>J. Pitt</i>									

Sampling Equipment	
☒ Sample Container	☐ Van Dorn ☒ Pole
☐ Carboy	☐ Syringe
☐ Dipper	☐ Other
Depth Measured with _____	
Equipment ID _____	

Collection Method	
☐ Wading	☐ Canoe/Kayak
☐ From Shore	☐ Electric Motor
☒ Other <i>Dock</i>	☐ Gasoline Motor

Water Level: Dry/ Pooled/ Low / Normal / High / Flooded
Photos: Yes / No / Flow: No Flow / Intestinal / Flowing / NA
Meter ID# 154174 Matrix: Fresh / Marine / DI
Tide: Rising/ Falling/ Slack/ NA Tide Times: High Low

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (µmhos/cm)	Temp. (C°)
EST	0840	1.0	0.3	1.0	6.50	89.4	7.54	12.31	20699	28.4
CEN				5						

Biological Samples Collected: None HA SCI RPS Algae ID LVS LVI Other:
SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☐ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☐ Ice ☐ H2SO4			☐ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO3			☐ <2
Filtered Nutrients	☐ W-PO4-F ☐ Field Filtered 0.45 µm Filter	☐ Ice			
Chlorophyll	☐ CHLSUITE-W	☐ Ice			
Physical/Aggregate (Fresh)	☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W-TDS	☐ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☐ MI-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☐ E Coli ☐ F Coli ☒ Enterococci	☒ Ice			
Molecular	☒ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD	☒ Ice			
Tracers	☒ W-E8321-DI ☒ W-E8321-MS	☒ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-E8321-DI ☐ W-PCL-SQ-R ☐ WE8321-MS ☐ W-CARB-AA	☐ Ice			
Phytoplankton	☐ DTY-QN-C ☐ PKD-QN-C	☐ Ice			

Notes: _____
Place Label Here

Signature: *S. Stoll* Date: 5/30/19

LIMS EVENT ID: _____ WIN Import ID: _____
Enter Field Parameters, Verify Station ID in LIMS DMT: _____ QC Station ID, Field Parameters in LIMS DMT: _____
Scan/Save Field Sheets _____ Migrate Data to WIN: _____ Verify Data in WIN: _____
(Initials/Date) (Initials/Date) (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

Data Qualified?

Yes / No

January 2019

WIN Station Name: Bayou Chico

Date: 05/31/19
(mm/dd/yyyy)

WIN/ Field ID: G4NW0483

WBID: 846CB

Latitude: 30.40552

(Decimal Degrees)

County: Escambia

ORG ID: 21FLPNS

Longitude: -87.256994

(Decimal Degrees)

Receiving Body of Water: Pensacola Bay

RQ-2019-05-27-13

Sampling Team Members					WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
8. Shole J. PITTs									

Sampling Equipment		
☒ Sample Container	☐ Van Dorn	☐ Pole
☐ Carboy	☐ Syringe	
☐ Dipper	☐ Other	
Depth Measured with _____		
Equipment ID _____		

Collection Method	
☐ Wading	☐ Canoe/Kayak
☐ From Shore	☐ Electric Motor
☐ Other	☒ Gasoline Motor

Water Level: Dry/ Pooled/ Low / Normal / High / Flooded

Meter ID# 154175

Matrix: Fresh / Marine / DIPhotos: Yes / No / Flow: No Flow / Intestinal / Flowing / NA / Tide: Rising/ Falling/ Slack/ NA / Tide Times: High / Low

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT _h)	Sp COND (µmhos/cm)	Temp. (C°)
EST	0905	2.9	0.3	1.3	7.53	105.6	7.93	12.73	21371	29.8
<u>CEN</u>			2.4		4.57	67.4	7.41	18.07	29450	31.1

Biological Samples Collected: None HA SCI RPS Algae ID LVS LVI Other:

SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☐ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☐ Ice ☐ H ₂ SO ₄			☐ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO ₃			☐ <2
Filtered Nutrients	☐ W-PO4-F ☐ Field Filtered 0.45 µm Filter	☐ Ice			
Chlorophyll	☐ CHLSUITE-W	☐ Ice			
Physical/Aggregate (Fresh)	☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W-TDS	☐ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☐ ME-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☐ E Coli ☐ F Coli ☒ Enterococci	☒ Ice			
Molecular	☒ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD	☒ Ice			
Tracers	☒ W-E8321-DI ☐ W-E8321-MS	☒ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-E8321-DI ☐ W-PCL-SQ-R ☐ W-E8321-MS ☐ W-CARB-AA	☐ Ice			
Phytoplankton	☐ DTY-QN-C ☐ PKD-QN-C	☐ Ice			

Notes:	Place Label Here
Signature: <u>[Signature]</u>	Date: 5/30/19

LIMS EVENT ID: WIN Import ID: Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT: Scan/Save Field Sheets Migrate Data to WIN: Verify Data In WIN:



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?

Yes / No

WIN Station Name: Bridge Creek (Tidal Portion)

Date:

(mm/dd/yyyy)

WIN/ Field ID: G5NW0129

WBID: 872B

Latitude: 30.40798

(Decimal Degrees)

County: Escambia

ORG ID: 21FLPNS

Longitude: -87.375109

(Decimal Degrees)

Receiving Body of Water: Perdido Bay

RQ-2019-05-27-13

Sampling Team Members					WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
S. Slade									
J. Pitts									

Sampling Equipment		
☒ Sample Container	☐ Van Dorn	☐ Pole
☐ Carboy	☐ Syringe	
☐ Dipper	☐ Other	
Depth Measured with		
Equipment ID		

Collection Method	
☐ Wading	☐ Canoe/Kayak
☐ From Shore	☐ Electric Motor
☐ Other	☒ Gasoline Motor

Water Level: Day / Pooled / Low / Normal / High / Flooded

Meter ID# 154175

Matrix: Fresh / Marine / DI

Photos: Yes / No

Flow: No Flow / Intestinal / Flowing / NA

Tide: Rising / Falling / Slack / NA

Tide Times: High Low

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (µmhos/cm)	Temp. (C°)
EST	1030	1.5	0.3	1.5	5.35	72.6	6.85	5.15	9285	30.6
CEM			1.0	5	3.79	52.5	6.74	6.11	10895	31.2

Biological Samples Collected: None HA SCI RPS Algae ID LVS LVI Other:

SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☐ H2SO4			☐ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO3			☐ <2
Filtered Nutrients	☒ W-PO4-F ☐ Field Filtered 0.45 µm Filter	☒ Ice			
Chlorophyll	☒ CHLSUITE-W	☒ Ice			
Physical/Aggregate (Fresh)	☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W-TDS	☐ Ice			
Physical/Aggregate (Marine)	☒ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☒ Ice			
Macroinvertebrates	☐ MI-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☐ E Coli ☐ F Coli ☒ Enterococci	☒ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD	☐ Ice			
Tracers	☒ W-E8321-DI ☒ W-E8321-MS	☒ Ice			
Pesticides	☒ W-PSNP-TQ ☒ W-CT-CL-R ☒ W-E8321-DI ☒ W-PCL-SQ-R ☒ W-E8321-MS ☒ W-CARB-AA	☒ Ice			
Phytoplankton	☐ DTY-QN-C ☐ PKD-QN-C	☐ Ice			

Notes:	Place Label Here
Signature: <u>[Signature]</u>	Date: <u>5/30/19</u>

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT:

Scan/Save Field Sheets Migrate Data to WIN: Verify Data In WIN:



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?

Yes / No

WIN Station Name: Perdido Bay (lower segment) off DuPont point

Date: 05/30/19
(mm/dd/yyyy)

WIN/ Field ID: G5NW0130

WBID: 797A

Latitude: 30.36671

(Decimal Degrees)

County: Escambia

ORG ID:

Longitude: -87.4496278

(Decimal Degrees)

Receiving Body of Water: Gulf of Mexico

RQ-2019- 05-27-13

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check

Sampling Equipment	
☐ Sample Container	☒ Van Dorn ☐ Pole
☐ Carboy	☒ Syringe
☐ Dipper	☐ Other
Depth Measured with _____	
Equipment ID _____	
Collection Method	
☐ Wading	☐ Canoe/Kayak
☐ From Shore	☐ Electric Motor
☐ Other	☒ Gasoline Motor

Water Level: Dry/ Pooled/ Low / Normal / High / Flooded

Meter ID# 154179

Matrix: Fresh / Marine / DI

Photos: Yes / No

Flow: No Flow / Intestinal / Flowing / NA

Tide: Rising/ Falling/ Slack/ NA

Tide Times: High Low

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT _h)	Sp COND (µmhos/cm)	Temp. (C°)
EST	1110	0.3	0.3	20	7.07	99.5	7.74	12.34	20759	30.0
CEN		3.6	3.1		3.89	55.7	7.31	15.47	25516	30.1

Biological Samples Collected: None HA SCI RPS Algae ID LVS LVI Other:

SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☐ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☐ Ice ☐ H ₂ SO ₄			☐ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO ₃			☐ <2
Filtered Nutrients	☐ W-PO4-F ☐ Field Filtered 0.45 µm Filter	☐ Ice			
Chlorophyll	☐ CHLSUITE-W	☐ Ice			
Physical/Aggregate (Fresh)	☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W-TDS	☐ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☐ MI-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☐ E Coli ☐ F Coli ☐ Enterococci	☐ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD	☐ Ice			
Tracers	☐ W-E8321-DI ☐ W-E8321-MS	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-E8321-DI ☐ W-PCL-SQ-R ☐ WE8321-MS ☐ W-CARB-AA	☐ Ice			
Phytoplankton	☐ DTY-QN-C ☐ PKD-QN-C	☐ Ice			

Notes:	Place Label Here
--------	------------------

Signature: _____ Date: _____

LIMS EVENT ID: _____ WIN Import ID: _____

Enter Field Parameters, Verify Station ID in LIMS DMT: _____ QC Station ID, Field Parameters in LIMS DMT: _____

Scan/Save Field Sheets _____ Migrate Data to WIN: _____ Verify Data in WIN: _____

Project: _____ FDEP _____
Method of transport: _____ Drop off _____ on ice by automobile _____

Page 1 of 1
Date/Time: 5/30/19 1415
Date/Time: 5/30/2019 1415

Sampler's initials :

Method of transport: Drop off on ice by automobile

Samples delivered by: J. P. N. S. of FDEP

Sample received by: James Bond of WRL

Instructions: Fill in all fields except "Lab ID" on sample transport form completely. Each sample container must use a separate line. Place this form in a waterproof bag and place it with the samples for transport. If a field log or other chain of custody is attached, that information may be referenced on this form and the log or COC attached.

[illegible]

Comments sample container lot# # 18145

Contact organization	FDEP
Florida Department of Transportation	
Florida Department of Banking and Finance	
Florida Department of Corrections	
Florida Department of Environmental Protection	
Florida Department of Health	
Florida Department of Insurance	
Florida Department of Law Enforcement	
Florida Department of Natural Resources	
Florida Department of Parks and Recreation	
Florida Department of Transportation	
Florida Department of Banking and Finance	
Florida Department of Corrections	
Florida Department of Environmental Protection	
Florida Department of Health	
Florida Department of Insurance	
Florida Department of Law Enforcement	
Florida Department of Natural Resources	
Florida Department of Parks and Recreation	

FDEP

Contact name Michael King

Phone: (850) 595-8300

Address 160 W Governmental Street, suite 208, Pensacola, FL 32502

Sampler's name: Jared PHS

¹Matrix: SW = surface water, PW = pore water, GW = ground water, S = soil/sediment, X =

³ Recorded using IRT-2

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID: 154179

RQ: 2019-05-27-13

Project: S.M.P

- Notes: (1) Always wait for meter to stabilize before recording any readings.
 (2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
 (3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification 1/11/19

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro-meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.											P / F	L / F
ICV											P / F	L / F
CCV	J. P. JTS	5/30/19	0720	25.2	764.4	8.233	8.23	99.3	—	—	(P) F	(L) F
CCV	J. P. JTS	5/30/19	1305	28.0	764.4	7.828	7.82	99.1	—	—	(P) F	(L) F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ hos/cm	Meter Reading μ hos/cm	Pass / Fail	Lab / Field
Calibr.	J. P. JTS	5/30/19	0722	190116A	1/2020	1000	1000	(P) F	(L) F
ICV		↓	0724	180517A	5/2019	100	101	(P) F	(L) F
CCV	J. P. JTS	5/30/19	1307	190509B	5/2020	50,000	50,650	(P) F	(L) F
CCV								P / F	L / F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	J. P. JTS	5/30/19	0726	2801803	10/2020	7.	25.0	7.0	-52.8	(P) F	(L) F
Calibr.			0728	2902818	1/2021	4.	25.3	4.0	129.6	(P) F	(L) F
Calibr.			0730	4904E09	9/2020	10.	25.2	10.0	-223.1	(P) F	(L) F
ICV			0732	4904E09	9/2020	10	25.2	10.0	—	(P) F	(L) F
CCV	J. P. JTS	5/30/19	1309	2902818	1/2021	4.0	24.8	4.0	—	(P) F	(L) F
CCV										P / F	L / F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ;

mV pH 4 Range $+180 \pm 50$;

mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 170.3, slope from 4 to 7 182.4 (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES NO / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: 1/11/19

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: ; Date of last verification:

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	J. P. JTS	5/30/19	0734	0.00	0.00	(P) F	(L) F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS: