

RQ-2019-06-10-28

Field Personnel processing steps

☐ New Field IDs created (when using a new station) Date: _____ initials: _____ ☒ NA

☐ Create entry in SMPStationCreationFile if new station is used

\\fidep1\wqap\NW ROC\TMDL\WIN_Station Creation

☒ Date sampled Date: 6/11/19 initials: NM

☐ Update MAT Date: _____ initials: _____

☒ Update "SMP Tracker" Date: 6/13/19 initials: NM

☐ Photos put into archive Date: _____ initials: _____ ☒ NA

☒ RQ Sheet – from LIMS (display/print request)

☒ Field Sheets initialed/dated @ "Scan/Save Field Sheets" then scanned and saved into:

Scans_ToBeProcessed Date: 6/13/19 initials: NM

☒ Update "Data Tracker"

\\publicfiles\pubfds\DEAR\WQAPmonitoring\StrategicMonitoring\2019\21FLPNS

Ready for folder system (top)

LIMS processing (to be completed by LIMS data personnel) (MC)

☐ Field parameters entered into LIMS Date: _____ initials: _____

☐ Digital RQ packet put into

SMP 2019/Data/Scanned Field Sheets Date: _____ initials: _____

☐ Digital field Sheets put into archive Date: _____ initials: _____

☐ Date submitted for QA/QC Date: _____ initials: _____

☐ Update "Data Tracker"

Database processing (Cheryl)

☐ Field parameters QA/QC in LIMS Date: _____ initials: _____

☐ Lab results put into archive (CB) Date: _____ initials: _____

☐ Data migrated to WINS Date: _____ initials: _____

☐ Update "Data Tracker"

Notes:

Date of Request: 20-MAY-2019
 Created By: KING_M On: 20-MAY-2019
 Modified By: JASROTIA_P On: 22-MAY-2019
 Customer: NW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Northwest District NWROC
 Sampling Event: CHOCTAWHATCHEE NORTH RUN

Send Coolers To:

Phone: 850-595-00605
 160 Government Center
 Suite 208
 Pensacola, FL 32502-5794
 Attn: Michael King

Program Module Number:

Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 22-MAY-2019
 Biology Request Reviewed By: JASROTIA_P On: 22-MAY-2019
 Sampling Kit Required: YES Ship on: 31-MAY-2019
 Sampling Kit Shipped: YES On: 29-MAY-2019
 Sampling Kit Packed By: KLUG_K
 Preservatives Needed: NO
 Date to Receive Samples: 10-JUN-2019
 Received By: REYNOLDS_T On: 12-JUN-2019

Send Final Report To:

160 Government Center
 Suite 208
 Pensacola, FL 32502-5794
 Attn: Cheryl Bunch

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: Freshwater
 (WBID 49 49C 49E 951) Nutrients, Metals, Contract Lab Bacteria

Bottle Group A (Water) With 4 Samples:

Bottle Type: P-1L	Number of Bottles: 4	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
Total Alkalinity		
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
Turbidity		
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
Chloride		
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Fluoride		
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
Sulfate		
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
TDS		
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
TSS		
Bottle Type: BP-1L	Number of Bottles: 4	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Chlorophyll-a, Corrected		
Chlorophyll-a, Uncorrected		
Phaeophytin-a		
Bottle Type: TEST HAS NO	Number of Bottles: 4	Preserved With: ICE
NW-UWF-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Colilert-18/QT by UWF in Pensacola

Bottle Group A (Water) With 4 Samples:

Bottle Type: TEST HAS NO	Number of Bottles: 4	Preserved With: ICE
NW-UWF-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Colilert-18/QT by UWF in Pensacola
Escherichia Coli-Quanti-Tray		
Bottle Type: P-500ML	Number of Bottles: 4	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Barium		
Calcium		
Iron		
Magnesium		
Potassium		
Sodium		
Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
*Boron		
Aluminum		
Antimony		
Arsenic		
Cadmium		
Chromium		
Copper		
Lead		
Nickel		
Selenium		
Silver		
Thallium		
Bottle Type: P-500ML	Number of Bottles: 4	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
Ammonia-N		
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
NO2NO3-N		
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
Total-P		
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Kjeldahl Nitrogen		
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Organic Carbon		
Bottle Type: P-125ML	Number of Bottles: 4	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
O-Phosphate-P		

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID:

154179

RQ:

2019-06-10-28

Project:

SMP

- Notes: (1) Always wait for meter to stabilize before recording any readings.
 (2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
 (3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro-meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.											P / F	L / F
ICV											P / F	L / F
CCV	NM	6/11/19	0700	24.7	716	8.309	8.30	99.2			P	L
CCV	✓	✓	1500	28.1	762	8.248	8.25	99.3			P	L

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ mhos/cm	Meter Reading μ mhos/cm	Pass / Fail	Lab / Field
Calibr.	NM	6/11/19	0705	190116A	1/20	1000	1000	P / F	L / F
ICV	✓	✓	0710	190405C	1/20	100	104	P / F	L / F
CCV	✓	✓	1505	190116A	1/20	1000	995	P / F	L / F
CCV								P / F	L / F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	NM	6/11/19	0712	2811803	1/20	7.		7.0		P / F	L / F
Calibr.			0714	290218	1/21	4.		4.0	123.4	P / F	L / F
Calibr.			0716	4904E09	9/20	10.		10.0		P / F	L / F
ICV			0718	290218	1/21	4.0	24.1	4.00	122.2	P / F	L / F
CCV			1510	2811803	10/20	7.0	24.5	7.09	-60.0	P / F	L / F
CCV										P / F	L / F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ; mV pH 4 Range $+180 \pm 50$; mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 _____, slope from 4 to 7 _____ (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification:

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: _____; Date of last verification: _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	NM	6/11/19	0720	0.00	0.00	P / F	L / F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?

Yes ☒ No ☐

WIN Station Name: Choctawhatchee River South of Carlisle Lake

Date: 06/11/2019
(mm/dd/yyyy)

WIN/ Field ID: G3NW0130

WBID: 49E

Latitude: 30.613300

County: Walton

ORG ID: 21FLPNS

Longitude: -85.907440
(Decimal Degrees)

Receiving Body of Water: Choctawhatchee Bay

RQ-2019-06-10-28
(Decimal Degrees)

Sampling Team Members					WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
SS NM									

Sampling Equipment		
☒ Sample Container	☐ Van Dorn	☐ Pole
☐ Carboy	☒ Syringe	
☐ Dipper	☐ Other	
Depth Measured with _____		
Equipment ID _____		

Collection Method		
☐ Wading	☐ Canoe/Kayak	
☐ From Shore	☐ Electric Motor	
☐ Other	☒ Gasoline Motor	

Water Level: Dry/ Pooled/ Low / Normal / High / Flooded
Photos: Yes/ No / Flow: No Flow / Intestinal / Flowing / NA
Meter ID# 5419 Matrix: Fresh / Marine / DI
Tide: Rising/ Falling/ Slack/ NA Tide Times: High Low

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (µmhos/cm)	Temp. (C°)
EST		2.8	0.2	0.4	6.42	78.1	6.59	0.06	122.2	25.7
<u>CEN</u>	<u>0950</u>		<u>2.3</u>		6.42	78.1	6.46	0.06	122.2	25.6

Biological Samples Collected: None HA SCI RPS Algae ID LVS LVI Other:
SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / ☒ W-NO2NO3 / ☒ W-TKN / ☒ W-TOC / ☒ W-S-A-TP	☒ Ice ☒ H2SO4	8197090	6/7/19	☐ <2
Metals	☒ W-ICPMS ☒ W-JCP	☒ Ice ☒ HNO3	8344050	12/10/19	☐ <2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter	☒ Ice	169R633		
Chlorophyll	☒ CHLSUITE-W	☒ Ice			
Physical/Aggregate (Fresh)	☒ Alkalinity / ☒ W-F / ☒ W-TSS / ☒ TURBIDITY / ☒ W-CHC / ☒ W-COLOR / ☒ W-SO4-IC / ☒ W-TDS	☒ Ice			
Physical/Aggregate (Marine)	☒ Alkalinity / ☒ W-BR-IC / ☒ W-F / ☒ W-TSS / ☒ TURBIDITY	☒ Ice			
Macroinvertebrates	☒ ME-FW-QLDC	☐ Formalin			
Periphyton	☒ ALGAE-ID	☐ Ice			
Microbiology	☒ E Coli ☐ F Coli ☐ Enterococci	☒ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD	☐ Ice			
Tracers	☐ W-E8321-DI ☐ W-E8321-MS	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-E8321-DI ☐ W-PCL-SQ-R ☐ WE8321-MS ☐ W-CARB-AA	☐ Ice			
Phytoplankton	☐ DTY-QN-C ☐ PKD-QN-C				

Notes:

Field/WIN ID: G3NW0130

Location: Choctawhatchee River South of Carlisle Lake

Signature: [Signature] Date: 6/11/19

LIMS EVENT ID: _____ WIN Import ID: _____
Enter Field Parameters, Verify Station ID in LIMS DMT: _____ QC Station ID, Field Parameters in LIMS DMT: _____
Scan/Save Field Sheets _____ Migrate Data to WIN: _____ Verify Data in WIN: _____
(Initials/Date) (Initials/Date) (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?

Yes / No

WIN Station Name: Sister River Mouth

Date: 06/11/2019
(mm/dd/yyyy)

WIN/ Field ID: G3NW0154

WBID: 951

Latitude: 30.39612

County: Walton

ORG ID: 21FLPNS

Longitude: -86.051034
(Decimal Degrees)

Receiving Body of Water: Choctawhatchee River

RQ-2019- 06-10-28
(Decimal Degrees)

Sampling Team Members					WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
SS AM									

Sampling Equipment		
☒ Sample Container	☐ Van Dorn	☐ Pole
☐ Carboy	☒ Syringe	
☐ Dipper	☐ Other	

Depth Measured with _____
Equipment ID _____

Collection Method		
☐ Wading	☐ Canoe/Kayak	
☐ From Shore	☐ Electric Motor	
☐ Other	☒ Gasoline Motor	

Water Level: Dry/ Pooled/ Low / Normal / High / Flooded
Photos: Yes / No / Flow: No Flow / Intestinal / Flowing / NA
Meter ID# 154179
Matrix: Fresh Marine / DI
Tide: Rising/ Falling/ Slack/ NA
Tide Times: High Low

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (µmhos/cm)	Temp. (C°)
EST			0.2	0.8	3.91	49.0	6.20	0.03	69.5	26.9
CEN	11/10	9.2	8.7		3.73	45.0	6.17	0.03	71.1	25.2

Biological Samples Collected: None HA SCI RPS Algae ID LVS LVI Other:

SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☒ H2SO4	8197090	7/16/19	☐ <2
Metals	☒ W-JCPMS ☒ W-ICP	☒ Ice ☒ HNO3	8344050	12/10/19	☐ <2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter	☒ Ice	16716633		
Chlorophyll	☒ CHLSUITE-W	☒ Ice			
Physical/Aggregate (Fresh)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CH-IC / W-COLOR / W-SO4-IC / W-TDS	☒ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☒ W-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☒ E Coli ☐ F Coli ☐ Enterococci	☒ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD	☐ Ice			
Tracers	☐ W-E8321-DI ☐ W-E8321-MS	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-E8321-DI ☐ W-PCL-SQ-R ☐ W-E8321-MS ☐ W-CARB-AA	☐ Ice			
Phytoplankton	☐ DTY-QN-C ☐ PKD-QN-C				

Place Preservative Sticker(s) Here
(If Available)

Notes:

Field/WIN ID: G3NW0154

Location: SISTER RIVER MOUTH

Signature: [Signature] Date: 6/11/19

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT:

Scan/Save Field Sheets Migrate Data to WIN: Verify Data In WIN:



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?

Yes ☒ No ☐

WIN Station Name: Choctawhatchee River upstream of Holmes Creek Date: 06/11/2019

WIN/ Field ID: G3NW0129 WBID: 49C Latitude: 30.49838

County: Walton ORG ID: 21FLPNS Longitude: -85.86235

Receiving Body of Water: Choctawhatchee Bay RQ-2019- 06-10-28

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check	Sampling Equipment		
						☒ Sample Container	☐ Van Dorn	☐ Pole
						☐ Carboy	☒ Syringe	
						☐ Dipper	☐ Other	
						Depth Measured with		
						Equipment ID		
						Collection Method		
						☐ Wading	☐ Canoe/Kayak	
						☐ From Shore	☐ Electric Motor	
						☐ Other	☐ Gasoline Motor	

Water Level: Dry/ Pooled/ Low / Normal / High / Flooded Meter ID# 154129 Matrix: Fresh Marine / DI

Photos: Yes / No Flow: No Flow / Intestinal Flowing / NA Tide: Rising/ Falling/ Slack/ NA Tide Times: High Low

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT _h)	Sp COND (μmhos/cm)	Temp. (C°)
EST			0.2	0.5	5.95	73.0	6.64	0.04	84.2	26.2
CEN	1230	2.1	1.46		5.90	72.4	6.63	0.04	84.3	26.1

Biological Samples Collected: None HA SCI RPS Algae ID LVS LVI Other:

SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☒ H ₂ SO ₄	819290	7/16/19	☐ <2
Metals	☒ W-ICPMS ☒ W-ICP	☒ Ice ☒ HNO ₃	8344450	12/10/19	☐ <2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 μm Filter	☒ Ice	16918633		
Chlorophyll	☒ CHLSUITE-W	☒ Ice			
Physical/Aggregate (Fresh)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W-TDS	☒ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☐ ML-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☒ E Coll ☐ F Coll ☐ Enterococci	☒ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULLZ ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD	☐ Ice			
Tracers	☐ W-E8321-DI ☐ W-E8321-MS	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-E8321-DI ☐ W-PCL-SQ-R ☐ WE8321-MS ☐ W-CARB-AA	☐ Ice			
Phytoplankton	☐ DTY-QN-C ☐ PKD-QN-C				

Notes:

Field/WIN ID: G3NW0129

Location: Choctawhatchee River upstream of Holmes Creek

Signature: Date: 6/11/19

LIMS EVENT ID: WIN Import ID: Enter Field Parameters, Verify Station ID in LIMS DMT: QC Station ID, Field Parameters in LIMS DMT: Scan/Save Field Sheets Migrate Data to WIN: Verify Data in WIN: