

RQ-2019-11-18-29

Field Personnel processing steps

☐ New Field IDs created (when using a new station) Date: _____ initials: _____ ☒ NA

☐ Create entry in SMPStationCreationFile if new station is used

\\Fidep1\wqap\NW ROC\TMDL\WIN_Station Creation

☒ Date sampled Date: 11/20/19 initials: NM

☒ Update "SMP Tracker" Date: 11/21/19 initials: NM

☐ Photos put into archive Date: _____ initials: _____ ☒ NA

☒ Copy of Calibration Log for YSI used

☒ Field Sheets initialed/dated @ "Scan/Save Field Sheets" then scanned and saved into:

Scans_ToBeProcessed Date: 11/21/19 initials: NM

Scan order; Cover Sheet, Calibration Log, Field Sheets, Tallahassee Submittal Sheets, Overflow Lab COC

☒ Update "Data Tracker"

\\publicfiles\pubfds\DEAR\WQAPmonitoring\StrategicMonitoring\2019\21FLPNS

Ready for folder system (top)

LIMS processing (to be completed by LIMS data personnel) (MC)

☐ Field parameters entered into LIMS Date: _____ initials: _____

☐ Digital RQ packet put into

SMP 2019/Data/Scanned Field Sheets Date: _____ initials: _____

☐ Digital field Sheets put into archive Date: _____ initials: _____

☐ Date submitted for QA/QC Date: _____ initials: _____

☐ Update "Data Tracker"

Database processing (Cheryl)

☐ Field parameters QA/QC in LIMS Date: _____ initials: _____

☐ Lab results put into archive (CB) Date: _____ initials: _____

☐ Data migrated to WINS Date: _____ initials: _____

☐ Update "Data Tracker"

Notes:

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID: **155077**

RQ: **2019-11-18-29/31**

Project: **SNP**

- Notes: (1) Always wait for meter to stabilize before recording any readings.
 (2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
 (3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification **10/17/19**

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro- meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	NM	11/20/19	0648	21.3	765	8.9	8.92	100.1			P / F	L / F
ICV											P / F	L / F
CCV	NM	11/20/19	0645	21.4	765	8.9	8.92	100.1			P / F	L / F
CCV	✓	✓	1600	21.5	767	8.9	8.93	100.1			P / F	L / F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ mhos/cm	Meter Reading μ mhos/cm	Pass / Fail	Lab / Field
Calibr.	NM	11/20/19	0650	190116A	1/20	1000	1000	P / F	L / F
ICV			0655	190577A	1/20	100	104	P / F	L / F
CCV			1605	190509B	5/20	50000	49500	P / F	L / F
CCV								P / F	L / F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	NM	11/20/19	0700	19045E	10/20	7.	21.3	7.0		P / F	L / F
Calibr.			0702	4902DS	2/21	4.	21.3	4.0		P / F	L / F
Calibr.			0704	4904E09	9/20	10.	21.3	10.0		P / F	L / F
ICV			0706	4902DS	2/21	4.0	21.3	4.11	164.4	P / F	L / F
CCV			1608	4904E09	9/20	10.0	21.2	9.97	173.9	P / F	L / F
CCV										P / F	L / F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ; mV pH 4 Range $+180 \pm 50$; mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 _____, slope from 4 to 7 _____ (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? **YES** / NO / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: **10/17/19**

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: _____; Date of last verification: _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	NM	11/20/19	0710	0.00	0.00	P / F	L / F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:

2 RQS 11-18-29
11-18-31



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?

Yes / No

WIN Station Name: **Mack Bayou**

Date: **11/20/19**
(mm/dd/yyyy)

WIN/ Field ID: **G3NW0128**

WBID: **937**

Latitude: **30.40073**

(Decimal Degrees)

County: **Okaloosa**

ORG ID: **21FLPNS**

Longitude: **-86.30338**

(Decimal Degrees)

Receiving Body of Water: **Choctawhatchee Bay**

RQ-2018- **11-18-29**

Sampling Team Members

MIKE KING
NATHAN MARKER

Sampling Equipment

- ☒ Sample Container ☐ Van Dorn ☐ Pole
☐ Carboy ☒ Syringe
☐ Dipper ☐ Other

Depth Measured with _____
Equipment ID _____

Collection Method

- ☐ Wading ☐ Canoe/Kayak
☐ From Shore ☐ Electric Motor
☐ Other ☒ Gasoline Motor

Water Level: Dry/ Pooled/ Low / **Normal** / High / Flooded

Meter ID# **155071**

Matrix: Fresh **Marine** / DI

Photos: Yes / **No**

Flow: No Flow / Intertidal / Flowing / **NA**

Tide: Rising / Falling / Slack / **NA**

Tide Times: High **7:07 AM** Low **5:29 PM**

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPTH)	Sp COND (umhos/cm)	Temp. (C°)
EST	0915	2.3	0.3	2.3(5)	7.82	90.1	7.80	23.43	36937	15.7
CEN			1.8		7.77	89.5	7.93	23.42	36922	15.7

Biological Samples Collected: **None** HA SCI RPS Algae ID LVS LVI Other:

SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☐ H ₂ SO ₄	9129100	5/9/20	☒ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO ₃			☐ <2
Filtered Nutrients	☒ W-PO4-F ☐ Field Filtered 0.45 um Filter	☒ Ice			
Chlorophyll	☒ CHLSUITE-W	☒ Ice			
Physical/Aggregate (Fresh)	☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-CH-IC / W-COLOR / W-SO4-IC / W-TDS	☐ Ice			
Physical/Aggregate (Marine)	☒ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☒ Ice			
Macroinvertebrates	☐ MI-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☐ E Coli ☒ F Coli ☒ Enterococci	☒ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD	☐ Ice			
Tracers	☐ W-E8321-DI ☐ W-E8321-MS	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-E8321-DI ☐ W-PCL-SQ-R ☐ W-E8321-MS ☐ W-CARB-AA	☐ Ice			
Phytoplankton	☐ DTY-QN-C ☐ PKD-QN-C				

Place Preservative Sticker(s) Here
(If Available)

Notes:

A

Field/WIN ID



G3NW0128

Location:

Mack Bayou

Signature:

Date: **11/20/19**

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT:

Scan/Save Field Sheets (Initials/Date) Migrate Data to WIN: (Initials/Date) Verify Data In WIN: (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2019

Data Qualified?

Yes / No

WIN Station Name: Eagle Creek upstream of Hwy 20

Date: 5/19/19 11/20/19

WIN/Field ID: G3NW0151

WBID: 751

Latitude: 30.46374

County: Okaloosa

ORG ID: 21FLPNS

Longitude: -86.37614

Receiving Body of Water: Choctawhatchee Bay

RQ-2019: 106-06-34 11-18-29

Sampling Team Members

Mike King
Nathan Walker

Sampling Equipment

☒ Sample Container ☐ Van Dorn ☐ Pole
☐ Carboy ☒ Syringe
☐ Dipper ☐ Other

Depth Measured with

Equipment ID

Collection Method

☒ Wading ☐ Canoe/Kayak
☐ From Shore ☐ Electric Motor
☐ Other ☐ Gasoline Motor

Water Level: Dry / Pooled / Low / Normal / High / Flooded

Meter ID# 155077

Matrix: Fresh / Marine / DI

Photos: Yes / No

Flow: No Flow / Intestinal / Flowing / NA

Tide: Rising / Falling / Slack / NA

Tide Times: High 7:07 AM Low 5:29 PM

Time Zone	Time	Total Depth (m)	Sample Depth (m)	Secchi Disk (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (PPT)	Sp COND (µmhos/cm)	Temp. (C°)
EST	1030	0.9	0.3	0.9 (S)	8.20	74.7	6.73	0.01	34.1	11.6
CEN				VOB						

Biological Samples Collected: None HA SCI RPS Algae ID LVS LVI Other:

SBIO ID Numbers: SBIO-ID: HA-ID: RPS-ID: Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☐ H2SO4	9/29/00	5/9/20	☒ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO3			☐ <2
Filtered Nutrients	☒ W-PO4-F ☐ Field Filtered 0.45 µm Filter	☒ Ice			
Chlorophyll	☒ CHL-SUITE-W	☒ Ice			
Physical/Aggregate (Fresh)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS	☒ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☐ MI-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE ID	☐ Ice			
Microbiology	☒ E Coll ☒ F Coll ☒ Enterococci	☒ Ice			
Molecular	☐ PCR-FILTER ☐ PCR-BacR ☐ PCR-GULL2 ☐ PCR-HF183 ☐ PCR-DG3 ☐ PCR-GFD	☐ Ice			
Tracers	☐ W-E8321-DI ☐ W-E8321-MS	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-E8321-DI ☐ W-PCL-SQ-R ☐ W-E8321-MS ☐ W-CARB-AA	☐ Ice			
Phytoplankton	☐ DTY-QN-C ☐ PKD-QN-C				

Place Preservative Sticker(s) Here
(If Available)

Notes:

AB CC
Curtis

Field/WIN ID



G3NW0151

Location:

Eagle Creek upstream of Hwy 20

Signature:

Date:

11/20/19

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID in LIMS DMT: QC Station ID, Field Parameters in LIMS DMT:

Scan/Save Field Sheets (Initials/Date) Migrate Data to WIN: (Initials/Date) Verify Data in WIN: (Initials/Date)

Group: B	Bottle Type: NW-UWF-FC	TEST HAS NO BOTTLE	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>sent to D/S</u>
Group: B	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab <u>1</u>
Group: B	Bottle Type: W-PO4F	P-125ML	# of Bottles: 1	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab <u>1</u>

Document Reference # 05.1.0

Sampler's initials: LV11

Page 1 of 1

Date/Time: 11/20/11 11:52

Date/Time: 11/20/11 11:26

15

[illegible]

Contact name__Michael King

Sampler's name: Nathan Walker

³ Recorded using IRT-2