

Chemical Analysis Report

NE-DIST-2020-02-20-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Nassau North 2020**
Request ID: **RQ-2020-02-17-12**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Colin Wright, Program Administrator

Date Certified: 12-MAR-2020 08:48

A handwritten signature in black ink, appearing to read "Colin Wright", is displayed on a light gray rectangular background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Metals and Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: St.Marys at Tracy Ferry Bt.Rmp

Collection Date/Time: 02/19/2020 11:40

Field ID: G4NE0296

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2159456	EPA 180.1 Rev. 2.0	Turbidity	3.9	A	NTU	P379296	
	EPA 300.0 Rev. 2.1	Chloride	12	A	mg Cl/L	P379813	
		Sulfate	2.4	A	mg SO4/L	P379816	
	SM 2120 B-2011	Color (true)	300		PCU	P379377	
	SM 2320 B-2011	Total Alkalinity	4.3		mg CaCO3/L	P379788	
	SM 2540 C-2011	TDS	95		mg/L	P379939	
	SM 2540 D-2011	TSS	2	I	mg/L	P379965	
2159457	SM 4500 F-C-2011	Fluoride	0.046	I	mg F/L	P379749	
	EPA 350.1 Rev. 2.0	Ammonia-N	0.017		mg N/L	P379728	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.81		mg N/L	P379586	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.050		mg N/L	P380021	
	EPA 365.1 Rev. 2.0	Total-P	0.038		mg P/L	P379892	
2159458	SM 5310 B-2011	Organic Carbon	31		mg C/L	P379590	
	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.022		mg P/L	P379319	
2159472	EPA 200.7 Rev. 4.4	Barium	21.8		ug/L	P379576	
		Calcium	5.16		mg/L	P379576	
		Iron	770		ug/L	P379576	
		Magnesium	1.98		mg/L	P379576	
		Potassium	0.66	I	mg/L	P379576	
		Sodium	6.8		mg/L	P379576	
		Zinc	5.0	U	ug/L	P379576	
	EPA 200.8 Rev. 5.4	Aluminum	511		ug/L	P380050	
		Antimony	0.050	U	ug/L	P380050	
		Arsenic	0.38		ug/L	P380050	
		Boron**	14.3		ug/L	P380050	
		Cadmium	0.020	U	ug/L	P380050	
		Chromium	0.87	I	ug/L	P380050	
		Copper	0.42	I	ug/L	P380050	
		Lead	0.53		ug/L	P380050	
		Nickel	0.65	I	ug/L	P380050	
		Selenium	0.20	U	ug/L	P380050	
		Silver	0.010	U	ug/L	P380050	
		Thallium	0.10	U	ug/L	P380050	
	SM 2340B	Hardness	21.0		mg/L	P379576	

Ref. Method and Comment:

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

EPA 200.7 Rev. 4.4: Batch matrix spike recoveries for calcium, magnesium, potassium and sodium are unavailable for one of two spiked samples because of high analyte concentration in the QC sample.

EPA 200.8 Rev. 5.4: The lead result was confirmed in the undigested sample on 03/09/2020.

Sample Location: Creek draining former Hampton Lake 100m above Rd

Collection Date/Time: 02/19/2020 10:50

Field ID: G4NE0292

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2159459	EPA 180.1 Rev. 2.0	Turbidity	3.4		NTU	P379297	
	EPA 300.0 Rev. 2.1	Chloride	11		mg Cl/L	P379813	
		Sulfate	4.2		mg SO4/L	P379816	
	SM 2120 B-2011	Color (true)	210		PCU	P379378	
	SM 2320 B-2011	Total Alkalinity	4.0		mg CaCO3/L	P379788	
	SM 2540 C-2011	TDS	66		mg/L	P379939	
	SM 2540 D-2011	TSS	2	I	mg/L	P379965	
	SM 4500 F-C-2011	Fluoride	0.035	U	mg F/L	P379749	
2159461	EPA 350.1 Rev. 2.0	Ammonia-N	0.006		mg N/L	P379728	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.60		mg N/L	P379586	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.005	I	mg N/L	P380021	
	EPA 365.1 Rev. 2.0	Total-P	0.022		mg P/L	P379892	
	SM 5310 B-2011	Organic Carbon	19		mg C/L	P379590	
2159463	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.008	I	mg P/L	P379319	

Ref. Method and Comment:

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: Pigeon Creek at US 1

Collection Date/Time: 02/19/2020 12:20

Field ID: 19010099

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2159460	EPA 180.1 Rev. 2.0	Turbidity	2.5		NTU	P379297	
	EPA 300.0 Rev. 2.1	Chloride	12		mg Cl/L	P379813	
		Sulfate	3.3		mg SO4/L	P379816	
	SM 2120 B-2011	Color (true)	200		PCU	P379378	
	SM 2320 B-2011	Total Alkalinity	4.1		mg CaCO3/L	P379788	
	SM 2540 C-2011	TDS	61		mg/L	P379939	
	SM 2540 D-2011	TSS	3	I	mg/L	P379965	
	SM 4500 F-C-2011	Fluoride	0.035	U	mg F/L	P379749	
2159462	EPA 350.1 Rev. 2.0	Ammonia-N	0.009		mg N/L	P379729	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.59		mg N/L	P379955	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.015		mg N/L	P380021	
	EPA 365.1 Rev. 2.0	Total-P	0.024		mg P/L	P379892	
	SM 5310 B-2011	Organic Carbon	19		mg C/L	P379590	
2159464	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.009	I	mg P/L	P379319	

Ref. Method and Comment:

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P379296

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P379297

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P379576

Component	Result	Code	Units
Barium	1.0	U	ug/L
Calcium	0.075	U	mg/L
Iron	30	U	ug/L
Magnesium	0.040	U	mg/L
Potassium	0.30	U	mg/L
Sodium	0.50	U	mg/L
Zinc	5.0	U	ug/L

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P380050

Component	Result	Code	Units
Aluminum	5.0	U	ug/L
Antimony	0.050	U	ug/L
Arsenic	0.050	U	ug/L
Boron	2.0	U	ug/L
Cadmium	0.020	U	ug/L
Chromium	0.40	U	ug/L
Copper	0.40	U	ug/L
Lead	0.20	U	ug/L
Nickel	0.50	U	ug/L
Selenium	0.20	U	ug/L
Silver	0.010	U	ug/L
Thallium	0.10	U	ug/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P379813

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P379816

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P379728

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P379729

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P379586

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P379955

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P380021

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P379892

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P379319

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B-2011
Batch ID: P379377

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2120 B-2011
Batch ID: P379378

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Quality Assurance Report

Method Blank Results

Reference Method: SM 2320 B-2011
Batch ID: P379788

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-2011
Batch ID: P379939

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-2011
Batch ID: P379965

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-2011
Batch ID: P379749

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-2011
Batch ID: P379590

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P379576

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Barium	105		P	85 - 115
Calcium	102		P	85 - 115
Iron	105		P	85 - 115
Magnesium	103		P	85 - 115
Potassium	99.3		P	85 - 115
Sodium	98.9		P	85 - 115
Zinc	107		P	85 - 115

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P380050

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Aluminum	94.4		P	85 - 115
Antimony	90.4		P	85 - 115
Arsenic	95.8		P	85 - 115
Boron	95.2		P	85 - 115
Cadmium	94.2		P	85 - 115
Chromium	105		P	85 - 115
Copper	99.8		P	85 - 115
Lead	92.7		P	85 - 115
Nickel	103		P	85 - 115
Selenium	94.9		P	85 - 115
Silver	95.4		P	85 - 115
Thallium	93.6		P	85 - 115

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P379813

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	99.9		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P379816

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	100		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P379728

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	99.3		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P379729

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	98.6		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P379586

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	103		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P379955

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	103		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P380021

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	99.5		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P379892

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	102		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P379319

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	103		P	90 - 110

Reference Method: SM 2120 B-2011
Batch ID: P379377

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	99.1		P	85 - 115

Reference Method: SM 2120 B-2011
Batch ID: P379378

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	99.0		P	85 - 115

Reference Method: SM 2320 B-2011
Batch ID: P379788

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	102		P	90 - 110

Reference Method: SM 4500 F-C-2011
Batch ID: P379749

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	99.5		P	92 - 103

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: SM 5310 B-2011
Batch ID: P379590

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	100		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P379576

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2159218	Barium	104		P	80 - 120
2159218	Calcium	104		P	80 - 120
2159218	Iron	107		P	80 - 120
2159218	Magnesium	110		P	80 - 120
2159218	Potassium	100		P	80 - 120
2159218	Sodium	100		P	80 - 120
2159218	Zinc	111		P	80 - 120
2159489	Barium	106	106	P/P	80 - 120
2159489	Iron	110	107	P/P	80 - 120
2159489	Zinc	109	109	P/P	80 - 120

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P380050

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2159453	Aluminum	89.7		P	80 - 120
2159453	Antimony	92.0		P	80 - 120
2159453	Arsenic	96.4		P	80 - 120
2159453	Boron	93.1		P	80 - 120
2159453	Cadmium	96.0		P	80 - 120
2159453	Chromium	96.3		P	80 - 120
2159453	Copper	96.5		P	80 - 120
2159453	Lead	90.7		P	80 - 120
2159453	Nickel	97.5		P	80 - 120
2159453	Selenium	95.1		P	80 - 120
2159453	Silver	94.4		P	80 - 120
2159453	Thallium	94.0		P	80 - 120
2159920	Aluminum	91.6	91.4	P/P	80 - 120
2159920	Antimony	93.7	93.3	P/P	80 - 120
2159920	Arsenic	97.8	98.2	P/P	80 - 120
2159920	Boron	97.0	95.6	P/P	80 - 120
2159920	Cadmium	98.0	97.2	P/P	80 - 120
2159920	Chromium	100	101	P/P	80 - 120
2159920	Copper	98.9	99.1	P/P	80 - 120
2159920	Lead	92.8	92.7	P/P	80 - 120
2159920	Nickel	100	101	P/P	80 - 120
2159920	Selenium	96.6	98.2	P/P	80 - 120
2159920	Silver	95.9	94.5	P/P	80 - 120
2159920	Thallium	94.6	94.3	P/P	80 - 120

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P379813

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2159337	Chloride	101		P	90 - 110
2159456	Chloride	99.9		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P379816

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2159337	Sulfate	100		P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P379816

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2159456	Sulfate	100		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P379728

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2159373	Ammonia-N	99.7	101	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P379729

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2159549	Ammonia-N	99.7	99.9	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P379955

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2161143	Kjeldahl Nitrogen	104	104	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P380021

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2158916	NO2NO3-N	96.5	97.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P379892

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2159448	Total-P	106	105	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P379319

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2159418	O-Phosphate-P	98.8	100	P/P	90 - 110

Reference Method: SM 4500 F-C-2011
Batch ID: P379749

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2159368	Fluoride	99.0	99.0	P/P	89 - 106

Reference Method: SM 5310 B-2011
Batch ID: P379590

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2159449	Organic Carbon	103	103	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P379296

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2159456	Turbidity	0.0	Sample	P	0 - 20

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P379297

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2159429	Turbidity	0.755	Sample	P	0 - 20

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P379576

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2159489	Barium	0.587	Spike	P	0 - 20
2159489	Calcium	2.10	Spike	P	0 - 20
2159489	Iron	2.57	Spike	P	0 - 20
2159489	Magnesium	2.18	Spike	P	0 - 20
2159489	Potassium	0.920	Spike	P	0 - 20
2159489	Sodium	1.71	Spike	P	0 - 20
2159489	Zinc	0.336	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P380050

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2159920	Aluminum	0.199	Spike	P	0 - 20
2159920	Antimony	0.439	Spike	P	0 - 20
2159920	Arsenic	0.432	Spike	P	0 - 20
2159920	Boron	1.24	Spike	P	0 - 20
2159920	Cadmium	0.790	Spike	P	0 - 20
2159920	Chromium	0.366	Spike	P	0 - 20
2159920	Copper	0.179	Spike	P	0 - 20
2159920	Lead	0.105	Spike	P	0 - 20
2159920	Nickel	0.609	Spike	P	0 - 20
2159920	Selenium	1.67	Spike	P	0 - 20
2159920	Silver	1.42	Spike	P	0 - 20
2159920	Thallium	0.236	Spike	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P379813

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2159456	Chloride	0.0785	Sample	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P379816

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2159456	Sulfate	0.351	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P379728

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2159373	Ammonia-N	1.06	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P379729

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2159549	Ammonia-N	0.155	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P379586

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2159581	Kjeldahl Nitrogen	3.33	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P379955

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2161143	Kjeldahl Nitrogen	0.00635	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P380021

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2158916	NO2NO3-N	0.513	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P379892

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2159448	Total-P	0.600	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P379319

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2159418	O-Phosphate-P	1.31	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: SM 2120 B-2011
 Batch ID: P379377

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2159612	Color (true)	3.17	Sample	P	0 - 20

Reference Method: SM 2120 B-2011
 Batch ID: P379378

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2159547	Color (true)	2.45	Sample	P	0 - 20

Reference Method: SM 2320 B-2011
 Batch ID: P379788

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2159368	Total Alkalinity	0.0315	Sample	P	0 - 2.8

Reference Method: SM 2540 C-2011
 Batch ID: P379939

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2159369	TDS	1.80	Sample	P	0 - 10

Reference Method: SM 4500 F-C-2011
 Batch ID: P379749

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2159368	Fluoride	0.0	Spike	P	0 - 2.5

Reference Method: SM 5310 B-2011
 Batch ID: P379590

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2159449	Organic Carbon	0.0	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A97689

Included Lab Sample IDs: 2159456, 2159459, 2159460

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.0	99.5	P/P	95 - 105
Turbidity	99.5	99.0	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A97691

Included Lab Sample IDs: 2159458, 2159463, 2159464

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	97.7	96.8	P/P	90 - 110

Reference Method: SM 2120 B-2011

Run ID: A97728

Included Lab Sample IDs: 2159456, 2159459, 2159460

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	101	102	P/P	90 - 115
Color (true)	102	110	P/P	90 - 115

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A97771

Included Lab Sample IDs: 2159456, 2159459, 2159460

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	97.5	99.1	P/P	90 - 110
Chloride	99.1	99.2	P/P	90 - 110
Sulfate	97.4	98.8	P/P	90 - 110
Sulfate	98.8	98.6	P/P	90 - 110

Reference Method: SM 5310 B-2011

Run ID: A97799

Included Lab Sample IDs: 2159457, 2159461, 2159462

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	104	101	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A97843

Included Lab Sample IDs: 2159457, 2159461, 2159462

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	100	100	P/P	90 - 110
Ammonia-N	99.2	99.7	P/P	90 - 110
Ammonia-N	99.7	100	P/P	90 - 110

Reference Method: SM 4500 F-C-2011

Run ID: A97845

Included Lab Sample IDs: 2159456, 2159459, 2159460

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	102	102	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A97849

Included Lab Sample IDs: 2159457, 2159461

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	102	102	P/P	90 - 110

Reference Method: SM 2320 B-2011

Run ID: A97872

Included Lab Sample IDs: 2159456, 2159459, 2159460

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	104	102	P/P	90 - 110

Reference Method: EPA 200.7 Rev. 4.4

Run ID: A97876

Included Lab Sample IDs: 2159472

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Barium	107	107	P/P	90 - 110
Calcium	105	105	P/P	90 - 110
Iron	105	106	P/P	90 - 110
Magnesium	105	105	P/P	90 - 110
Potassium	102	103	P/P	90 - 110
Sodium	102	103	P/P	90 - 110
Zinc	108	108	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A97974

Included Lab Sample IDs: 2159457, 2159461, 2159462

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	102	100	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A97988

Included Lab Sample IDs: 2159462

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	105	99.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A98038

Included Lab Sample IDs: 2159457, 2159461, 2159462

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	102	102	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A98050

Included Lab Sample IDs: 2159472

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Aluminum	96.0	95.7	P/P	90 - 110
Antimony	90.5	90.3	P/P	90 - 110
Arsenic	97.4	98.0	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A98050

Included Lab Sample IDs: 2159472

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Boron	94.9	96.7	P/P	90 - 110
Cadmium	95.1	94.9	P/P	90 - 110
Copper	97.2	98.7	P/P	90 - 110
Lead	94.4	94.5	P/P	90 - 110
Selenium	95.9	95.7	P/P	90 - 110
Silver	92.8	92.7	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A98087

Included Lab Sample IDs: 2159472

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chromium	103	100	P/P	90 - 110
Nickel	106	103	P/P	90 - 110
Thallium	93.7	92.2	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery			Precision SMP	MS
			LCS				
EPA 180.1 Rev. 2.0	Turbidity					0.0	
	Turbidity					0.755	
EPA 200.7 Rev. 4.4	Barium	105	104	106	106		0.587
	Calcium	102	104				2.10
	Iron	105	107	110	107		2.57
	Magnesium	103	110				2.18
	Potassium	99.3	100				0.920
	Sodium	98.9	100				1.71
	Zinc	107	111	109	109		0.336
EPA 200.8 Rev. 5.4	Aluminum	94.4	89.7	91.6	91.4		0.199
	Antimony	90.4	92.0	93.7	93.3		0.439
	Arsenic	95.8	96.4	97.8	98.2		0.432
	Boron	95.2	93.1	97.0	95.6		1.24
	Cadmium	94.2	96.0	98.0	97.2		0.790
	Chromium	105	100	101	96.3		0.366
	Copper	99.8	96.5	98.9	99.1		0.179
	Lead	92.7	90.7	92.8	92.7		0.105
	Nickel	103	100	101	97.5		0.609
	Selenium	94.9	95.1	96.6	98.2		1.67
	Silver	95.4	94.4	95.9	94.5		1.42
	Thallium	93.6	94.6	94.3	94.0		0.236
EPA 300.0 Rev. 2.1	Chloride	99.9	99.9	101		0.0785	
	Sulfate	100	100	100		0.351	
EPA 350.1 Rev. 2.0	Ammonia-N	99.3	99.7	101			1.06
	Ammonia-N	98.6	99.7	99.9			0.155
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	103					3.33
	Kjeldahl Nitrogen	103	104	104			0.0063
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	99.5	96.5	97.5			0.513
EPA 365.1 Rev. 2.0	Total-P	102	106	105			0.600
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	103	98.8	100			1.31
SM 2120 B-2011	Color (true)	99.1				3.17	
	Color (true)	99.0				2.45	
SM 2320 B-2011	Total Alkalinity	102				0.0315	
SM 2540 C-2011	TDS					1.80	
SM 4500 F-C-2011	Fluoride	99.5	99.0	99.0			0.0
SM 5310 B-2011	Organic Carbon	100	103	103			0.0

Reference Method Descriptions

Method	Description	Associated Samples
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2159456, 2159459, 2159460
EPA 200.7 Rev. 4.4	Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	2159472
EPA 200.8 Rev. 5.4	Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	2159472
EPA 300.0 Rev. 2.1	Chloride in aqueous matrices	2159456, 2159459, 2159460
EPA 300.0 Rev. 2.1	Sulfate in aqueous matrices	2159456, 2159459, 2159460
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2159457, 2159461, 2159462
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2159457, 2159461, 2159462
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2159457, 2159461, 2159462
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2159457, 2159461, 2159462
EPA 365.1 Rev. 2.0 dissolved	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2159458, 2159463, 2159464

Reference Method Descriptions

Method	Description	Associated Samples
SM 2120 B-2011	True Color measured at 450 nm (not valid for NPDES monitoring)	2159456, 2159459, 2159460
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2159456, 2159459, 2159460
SM 2340B	Hardness by calculation, in aqueous matrices, reported as mg/L CaCO ₃	2159472
SM 2540 C-2011	Total Dissolved Solids in aqueous matrices	2159456, 2159459, 2159460
SM 2540 D-2011	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2159456, 2159459, 2159460
SM 4500 F-C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2159456, 2159459, 2159460
SM 5310 B-2011	Nonpurgeable Organic Carbon in aqueous matrices	2159457, 2159461, 2159462

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	02/20/2020			02/20/2020 17:14	Julia Storbeck	2159456, 2159459, 2159460
EPA 200.7 Rev. 4.4	02/20/2020	02/25/2020 16:40	Elliott D. Healy	02/27/2020 19:29	Vijayalakshmi Reddy	2159472
EPA 200.8 Rev. 5.4	02/20/2020	03/04/2020 16:05	Elliott D. Healy	03/06/2020 21:04	Justin Cutchin	2159472
	02/20/2020	03/04/2020 16:05	Elliott D. Healy	03/09/2020 16:15	Justin Cutchin	2159472
EPA 300.0 Rev. 2.1	02/20/2020			02/27/2020 21:39	Elliott Rodriguez	2159456
	02/20/2020			02/28/2020 01:17	Elliott Rodriguez	2159459
	02/20/2020			02/28/2020 01:29	Elliott Rodriguez	2159460
EPA 350.1 Rev. 2.0	02/20/2020			02/26/2020 10:36	Ping Hua	2159461
	02/20/2020			02/26/2020 10:56	Ping Hua	2159462
	02/20/2020			02/26/2020 13:14	Ping Hua	2159457
EPA 351.2 Rev. 2.0	02/20/2020	02/25/2020 15:00	Sima Feizi	02/26/2020 17:58	Jhamieka S. Greenwood	2159457
	02/20/2020	02/25/2020 15:00	Sima Feizi	02/26/2020 18:00	Jhamieka S. Greenwood	2159461
	02/20/2020	03/03/2020 09:25	Sima Feizi	03/04/2020 11:13	Jhamieka S. Greenwood	2159462
EPA 353.2 Rev. 2.0	02/20/2020			03/03/2020 10:49	Beverly Y. Sanders	2159457
	02/20/2020			03/03/2020 10:50	Beverly Y. Sanders	2159461
	02/20/2020			03/03/2020 10:52	Beverly Y. Sanders	2159462
EPA 365.1 Rev. 2.0	02/20/2020	03/02/2020 16:52	Yen Ta	03/06/2020 12:53	Benjamin T. Nordmann	2159457
	02/20/2020	03/02/2020 16:52	Yen Ta	03/06/2020 12:54	Benjamin T. Nordmann	2159461, 2159462
EPA 365.1 Rev. 2.0 dissolved	02/20/2020			02/20/2020 17:15	Samantha Davila	2159458
	02/20/2020			02/20/2020 17:16	Samantha Davila	2159463
	02/20/2020			02/20/2020 17:17	Samantha Davila	2159464
SM 2120 B-2011	02/20/2020			02/20/2020 18:03	Madeline Funaro	2159456
	02/20/2020			02/20/2020 18:05	Madeline Funaro	2159459
	02/20/2020			02/20/2020 18:06	Madeline Funaro	2159460
SM 2320 B-2011	02/20/2020			02/28/2020 00:34	Dale L. Simmons	2159456
	02/20/2020			02/28/2020 00:44	Dale L. Simmons	2159459
	02/20/2020			02/28/2020 00:53	Dale L. Simmons	2159460
SM 2340B	02/20/2020			02/27/2020 19:29	Vijayalakshmi Reddy	2159472
SM 2540 C-2011	02/20/2020			02/24/2020 15:24	Yijie Li	2159456, 2159459, 2159460
SM 2540 D-2011	02/20/2020			02/24/2020 15:24	Yijie Li	2159456, 2159459, 2159460
SM 4500 F-C-2011	02/20/2020			02/26/2020 17:26	Dale L. Simmons	2159456
	02/20/2020			02/26/2020 17:38	Dale L. Simmons	2159459
	02/20/2020			02/26/2020 17:51	Dale L. Simmons	2159460
SM 5310 B-2011	02/20/2020			02/25/2020 00:43	Madeline Funaro	2159457
	02/20/2020			02/25/2020 00:56	Madeline Funaro	2159461
	02/20/2020			02/25/2020 01:09	Madeline Funaro	2159462