

Biological Analysis Report

NE-DIST-2020-03-17-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
ALS Environmental - Jacksonville
9143 Philips Highway, Suite 200
Jacksonville, FL 32256
DOH Accreditation E82502

Event Description: **Nassau North 2 2020**
Request ID: **RQ-2020-03-16-12**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish

For additional information please contact
Cheryl Swanson - Administrator
Jacqueline Savage - Microbiology
Diane Power - Bench Biology
Jacqueline Savage - Aquatic Toxicology
Puja Jasrotia, Ph.D. - Molecular Biology
Amelia Rankin - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 08-APR-2020 16:00



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Little St. Mary's River at White Oak Rd.

Collection Date/Time: 03/16/2020 11:50

Field ID: G4NE0289

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2165448	SM 10200 H (mod.)	Chlorophyll-a, Corrected	0.82	U	ug/L	P381195	
		Phaeophytin-a	0.90	U	ug/L	P381195	
		Chlorophyll-a, Uncorrected	0.60	U	ug/L	P381195	
2165454	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	222		MPN/100 mL		

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Lofton CR @ A1A

Collection Date/Time: 03/16/2020 11:00

Field ID: 19020003

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2165452	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.3	I	ug/L	P381195	
		Phaeophytin-a	0.90	U	ug/L	P381195	
		Chlorophyll-a, Uncorrected	1.7	I	ug/L	P381195	
2165458	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	167		MPN/100 mL		

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Egans Creek at N. 14th

Collection Date/Time: 03/16/2020 09:50

Field ID: G4NE0290

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2165449	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.0		ug/L	P381195	
		Phaeophytin-a	0.90	U	ug/L	P381195	
		Chlorophyll-a, Uncorrected	3.4		ug/L	P381195	
2165455	ASTM D650399	ENTEROCOCCI-ENTEROLERT	97		MPN/100 mL		

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Egans creek at Atlantic

Collection Date/Time: 03/16/2020 10:05

Field ID: G4NE0285

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2165450	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.5	A	ug/L	P381195	
		Phaeophytin-a	3.0		ug/L	P381195	
		Chlorophyll-a, Uncorrected	5.3	A	ug/L	P381195	
2165456	ASTM D650399	ENTEROCOCCI-ENTEROLERT	638		MPN/100 mL		

Ref. Method and Comment:
 SM 10200 H (mod.): Laboratory duplicate result is 2.7 I for Phaeophytin-a. Precision data is unavailable due to the small amount of analyte in the QC sample.

Sample Location: Egans creek at Sadler

Collection Date/Time: 03/16/2020 10:30

Field ID: G4NE0286

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2165451	SM 10200 H (mod.)	Chlorophyll-a, Corrected	11		ug/L	P381195	

Field ID: G4NE0286

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2165451	SM 10200 H (mod.)	Phaeophytin-a	9.1		ug/L	P381195	
		Chlorophyll-a, Uncorrected	17		ug/L	P381195	
2165457	ASTM D650399	ENTEROCOCCI-ENTEROLERT	1100		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Escambia Slough at Escambia St.

Collection Date/Time: 03/16/2020 09:30

Field ID: G4NE0287

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2165453	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.4	I	ug/L	P381195	
		Phaeophytin-a	1.6	I	ug/L	P381195	
		Chlorophyll-a, Uncorrected	3.5		ug/L	P381195	
2165459	ASTM D650399	ENTEROCOCCI-ENTEROLERT	4610		MPN/100 mL		
	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	2810		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)

Batch ID: P381195

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)

Batch ID: P381195

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	96.4		P	84 - 116

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)

Batch ID: P381195

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2165450	Chlorophyll-a, Corrected	3.23	Sample	P	0 - 25
2165450	Chlorophyll-a, Uncorrected	5.88	Sample	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	Precision		
				LCS	SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	96.4			3.23	
	Chlorophyll-a, Uncorrected				5.88	

Reference Method Descriptions

Method	Description	<u>Associated Samples</u>
ASTM D650399	Enterococci by Enterolert/QT by ALS in Jacksonville	2165455, 2165456, 2165457, 2165459
SM 10200 H (mod.)	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2165448, 2165449, 2165450, 2165451, 2165452, 2165453
SM 9223 B Quanti-Tray	E. coli by Colilert/QT by ALS in Jacksonville	2165454, 2165458, 2165459

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
ASTM D650399	03/16/2020	03/16/2020 14:34	Yuliya Danyuk	03/17/2020 15:34	ALS Environmental, Jax	2165455, 2165456, 2165457, 2165459
SM 10200 H (mod.)	03/17/2020	03/17/2020 14:16		03/24/2020 07:45	Jessica Fetgatter	2165448, 2165449, 2165450, 2165451, 2165452, 2165453
SM 9223 B Quanti-Tray	03/16/2020	03/16/2020 14:44		03/17/2020 15:32	ALS Environmental, Jax	2165454, 2165458, 2165459