

Chemical Analysis Report

NE-DIST-2020-08-05-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Vilano Boat**
Request ID: **RQ-2020-07-27-09**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 26-AUG-2020 14:34

A handwritten signature in black ink, appearing to read "Liang Lin", is shown on a light-colored background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Sombrero Creek 50m Below Fork

Collection Date/Time: 08/04/2020 10:30

Field ID: 27010054

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2188645	EPA 180.1 Rev. 2.0	Turbidity	11		NTU	P385689	
	EPA 300.0 Rev. 2.1	Bromide	69		mg Br/L	P386266	
	SM 2320 B-2011	Total Alkalinity	122		mg CaCO3/L	P385771	
	SM 2540 D-2011	TSS	17		mg/L	P386007	
	SM 4500 F-C-2011	Fluoride	1.3		mg F/L	P385774	
2188647	EPA 350.1 Rev. 2.0	Ammonia-N	0.018		mg N/L	P385801	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.37	I	mg N/L	P385877	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P385864	
	EPA 365.1 Rev. 2.0	Total-P	0.047		mg P/L	P385781	
	SM 5310 B-2011	Organic Carbon	2.6		mg C/L	P385777	
2188649	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.021		mg P/L	P385694	

Ref. Method and Comment:

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Ximanies Creek @ 1st Se Bend

Collection Date/Time: 08/04/2020 09:55

Field ID: 27010053

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2188646	EPA 180.1 Rev. 2.0	Turbidity	9.7	A	NTU	P385690	
	EPA 300.0 Rev. 2.1	Bromide	69		mg Br/L	P386266	
	SM 2320 B-2011	Total Alkalinity	119		mg CaCO3/L	P385771	
	SM 2540 D-2011	TSS	22		mg/L	P386007	
	SM 4500 F-C-2011	Fluoride	1.4		mg F/L	P385774	
2188648	EPA 350.1 Rev. 2.0	Ammonia-N	0.017		mg N/L	P385801	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.44		mg N/L	P385877	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P385864	
	EPA 365.1 Rev. 2.0	Total-P	0.044		mg P/L	P385781	
	SM 5310 B-2011	Organic Carbon	2.2		mg C/L	P385777	
2188650	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.020		mg P/L	P385694	

Ref. Method and Comment:

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: St. Augustine Inlet SE of Vilano Bt Rmp

Collection Date/Time: 08/04/2020 11:20

Field ID: G5NE0587

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2188651	EPA 180.1 Rev. 2.0	Turbidity	10		NTU	P385690	
	EPA 300.0 Rev. 2.1	Bromide	71		mg Br/L	P386266	
	SM 2320 B-2011	Total Alkalinity	120		mg CaCO3/L	P385771	
	SM 2540 D-2011	TSS	16	A	mg/L	P386008	
	SM 4500 F-C-2011	Fluoride	1.4		mg F/L	P385774	
2188652	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	I	mg N/L	P385805	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.31	I	mg N/L	P385877	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P385865	
	EPA 365.1 Rev. 2.0	Total-P	0.037		mg P/L	P385781	
	SM 5310 B-2011	Organic Carbon	1.4	I	mg C/L	P385777	
2188653	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.014		mg P/L	P385696	

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P385689

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P385690

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P386266

Component	Result	Code	Units
Bromide	0.013	U	mg Br/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P385801

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P385805

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P385877

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P385864

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P385865

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P385781

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P385694

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P385696

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2320 B-2011
Batch ID: P385771

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 D-2011
Batch ID: P386007

Component	Result	Code	Units
TSS	3	U	mg/L

Reference Method: SM 2540 D-2011
Batch ID: P386008

Component	Result	Code	Units
TSS	3	U	mg/L

Reference Method: SM 4500 F-C-2011
Batch ID: P385774

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-2011
Batch ID: P385777

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P386266

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Bromide	103		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P385801

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	95.8		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P385805

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	98.0		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P385877

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	104		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P385864

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	102		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P385865

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	102		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P385781

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	103		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P385694

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	101		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P385696

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	101		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 2320 B-2011
Batch ID: P385771

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	99.1		P	93 - 104

Reference Method: SM 4500 F-C-2011
Batch ID: P385774

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	102		P	90 - 106

Reference Method: SM 5310 B-2011
Batch ID: P385777

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	101		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P386266

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2187687	Bromide	97.4	94.6	P/P	90 - 110
2188922	Bromide	96.7		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P385801

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2188507	Ammonia-N	102	102	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P385805

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2188652	Ammonia-N	99.8	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P385877

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2188652	Kjeldahl Nitrogen	101	102	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P385864

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2188583	NO2NO3-N	100	100	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P385865

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2188759	NO2NO3-N	103	103	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P385781

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2188437	Total-P	99.4	96.9	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P385694

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2188508	O-Phosphate-P	99.5	99.6	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P385696

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2188653	O-Phosphate-P	99.3	98.8	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SM 4500 F-C-2011
Batch ID: P385774

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2188430	Fluoride	99.6	102	P/P	94 - 107

Reference Method: SM 5310 B-2011
Batch ID: P385777

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2188647	Organic Carbon	100	102	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P385689

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2188415	Turbidity	7.38	Sample	P	0 - 20

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P385690

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2188646	Turbidity	3.81	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P386266

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2187687	Bromide	2.43	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P385801

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2188507	Ammonia-N	0.544	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P385805

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2188652	Ammonia-N	1.14	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P385877

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2188652	Kjeldahl Nitrogen	0.438	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P385864

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2188583	NO2NO3-N	0.0	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P385865

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2188759	NO2NO3-N	0.0	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P385781

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2188437	Total-P	1.86	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P385694

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2188508	O-Phosphate-P	0.0868	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P385696

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2188653	O-Phosphate-P	0.444	Spike	P	0 - 20

Reference Method: SM 2320 B-2011
Batch ID: P385771

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2188430	Total Alkalinity	0.500	Sample	P	0 - 8.1

Reference Method: SM 2540 D-2011
Batch ID: P386008

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2188651	TSS	7.59	Sample	P	0 - 10

Reference Method: SM 4500 F-C-2011
Batch ID: P385774

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2188430	Fluoride	1.35	Spike	P	0 - 2.8

Reference Method: SM 5310 B-2011
Batch ID: P385777

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2188647	Organic Carbon	1.30	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A100297

Included Lab Sample IDs: 2188645, 2188646, 2188651

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A100298

Included Lab Sample IDs: 2188649, 2188650, 2188653

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	98.3	98.9	P/P	90 - 110
O-Phosphate-P	98.7	99.0	P/P	90 - 110

Reference Method: SM 2320 B-2011

Run ID: A100341

Included Lab Sample IDs: 2188645, 2188646, 2188651

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	98.3	103	P/P	90 - 110
Total Alkalinity	99.5	98.3	P/P	90 - 110

Reference Method: SM 4500 F-C-2011

Run ID: A100341

Included Lab Sample IDs: 2188645, 2188646, 2188651

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	103	103	P/P	90 - 110

Reference Method: SM 5310 B-2011

Run ID: A100342

Included Lab Sample IDs: 2188647, 2188648, 2188652

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	103	99.5	P/P	90 - 110
Organic Carbon	99.5	99.1	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A100352

Included Lab Sample IDs: 2188647, 2188648, 2188652

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	97.6	98.3	P/P	90 - 110
Ammonia-N	97.9	97.2	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A100380

Included Lab Sample IDs: 2188647, 2188648, 2188652

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	95.8	95.2	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A100382

Included Lab Sample IDs: 2188647, 2188648, 2188652

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	102	102	P/P	90 - 110
NO2NO3-N	102	102	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A100416

Included Lab Sample IDs: 2188647, 2188648, 2188652

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	103	98.7	P/P	90 - 110
Kjeldahl Nitrogen	97.9	103	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A100541

Included Lab Sample IDs: 2188645, 2188646, 2188651

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Bromide	104	101	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery			Precision SMP	MS
			LCS				
EPA 180.1 Rev. 2.0	Turbidity					7.38	
	Turbidity					3.81	
EPA 300.0 Rev. 2.1	Bromide	103	97.4	94.6	96.7		2.43
EPA 350.1 Rev. 2.0	Ammonia-N	95.8	102	102			0.544
	Ammonia-N	98.0	99.8	101			1.14
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	104	101	102			0.438
EPA 353.2 Rev. 2.0	NO2NO3-N	102	100	100			0.0
	NO2NO3-N	102	103	103			0.0
EPA 365.1 Rev. 2.0	Total-P	103	99.4	96.9			1.86
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	101	99.5	99.6			0.0868
	O-Phosphate-P	101	99.3	98.8			0.444
SM 2320 B-2011	Total Alkalinity	99.1				0.500	
SM 2540 D-2011	TSS					7.59	
SM 4500 F-C-2011	Fluoride	102	99.6	102			1.35
SM 5310 B-2011	Organic Carbon	101	100	102			1.30

Reference Method Descriptions

Method	Description	Associated Samples
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2188645, 2188646, 2188651
EPA 300.0 Rev. 2.1	Bromide in aqueous matrices	2188645, 2188646, 2188651
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2188647, 2188648, 2188652
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2188647, 2188648, 2188652
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2188647, 2188648, 2188652
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2188647, 2188648, 2188652
EPA 365.1 Rev. 2.0 dissolved	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2188649, 2188650, 2188653
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO3/L	2188645, 2188646, 2188651
SM 2540 D-2011	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2188645, 2188646, 2188651
SM 4500 F-C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2188645, 2188646, 2188651
SM 5310 B-2011	Nonpurgeable Organic Carbon in aqueous matrices	2188647, 2188648, 2188652

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	08/05/2020			08/05/2020 15:58	Blanca Fach	2188645, 2188646, 2188651
EPA 300.0 Rev. 2.1	08/05/2020			08/15/2020 15:48	Julia Storbeck	2188645
	08/05/2020			08/15/2020 16:05	Julia Storbeck	2188646
	08/05/2020			08/15/2020 16:22	Julia Storbeck	2188651
EPA 350.1 Rev. 2.0	08/05/2020			08/08/2020 13:40	Ping Hua	2188647
	08/05/2020			08/08/2020 13:41	Ping Hua	2188648
	08/05/2020			08/08/2020 15:08	Ping Hua	2188652
EPA 351.2 Rev. 2.0	08/05/2020	08/11/2020 09:50	Sima Feizi	08/12/2020 12:07	Jhamieka S. Greenwood	2188652
	08/05/2020	08/11/2020 09:50	Sima Feizi	08/12/2020 12:20	Jhamieka S. Greenwood	2188647
	08/05/2020	08/11/2020 09:50	Sima Feizi	08/12/2020 12:22	Jhamieka S. Greenwood	2188648
EPA 353.2 Rev. 2.0	08/05/2020			08/11/2020 09:06	Beverly Y. Sanders	2188647
	08/05/2020			08/11/2020 09:07	Beverly Y. Sanders	2188648
	08/05/2020			08/11/2020 09:20	Beverly Y. Sanders	2188652
EPA 365.1 Rev. 2.0	08/05/2020	08/07/2020 13:00	Shengyu Wang	08/11/2020 09:31	Lipi Saha	2188647
	08/05/2020	08/07/2020 13:00	Shengyu Wang	08/11/2020 09:32	Lipi Saha	2188648
	08/05/2020	08/07/2020 13:00	Shengyu Wang	08/11/2020 09:33	Lipi Saha	2188652
EPA 365.1 Rev. 2.0 dissolved	08/05/2020			08/05/2020 15:37	Virginia P. Brown	2188649
	08/05/2020			08/05/2020 15:38	Virginia P. Brown	2188650
	08/05/2020			08/05/2020 16:02	Virginia P. Brown	2188653
SM 2320 B-2011	08/05/2020			08/07/2020 01:32	Dale L. Simmons	2188645
	08/05/2020			08/07/2020 02:35	Dale L. Simmons	2188646
	08/05/2020			08/07/2020 02:47	Dale L. Simmons	2188651
SM 2540 D-2011	08/05/2020			08/10/2020 13:50	Yijie Li	2188645, 2188646, 2188651
SM 4500 F-C-2011	08/05/2020			08/06/2020 23:16	Dale L. Simmons	2188645
	08/05/2020			08/06/2020 23:21	Dale L. Simmons	2188646
	08/05/2020			08/06/2020 23:26	Dale L. Simmons	2188651
SM 5310 B-2011	08/05/2020			08/07/2020 02:45	David Boose	2188647
	08/05/2020			08/07/2020 05:42	David Boose	2188648
	08/05/2020			08/07/2020 05:54	David Boose	2188652