



October 08, 2020

Service Request No:J2005026

Mr. Jeremy Parrish  
Florida DEP  
8800 Baymeadows Way West  
Jacksonville, FL 32256-7577

**Laboratory Results for: FDEP-NE-ROC**

Dear Mr.Parrish,

Enclosed are the results of the sample(s) submitted to our laboratory October 01, 2020  
For your reference, these analyses have been assigned our service request number **J2005026**.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and ALS Environmental is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report. In accordance with the TNI 2016 Standard, a statement on the estimated uncertainty of measurement of any quantitative analysis will be supplied upon request.

Respectfully submitted,

**ALS Group USA, Corp. dba ALS Environmental**

Candice Turner  
Project Management  
Assistant

ADDRESS 9143 Philips Highway, Suite 200, Jacksonville, FL 32256  
PHONE +1 904 739 2277 | FAX +1 904 739 2011  
ALS Group USA, Corp.  
dba ALS Environmental



## Narrative Documents

**ALS Environmental—Jacksonville Laboratory**  
9143 Philips Highway, Suite 200, Jacksonville, FL 32256  
Phone (904) 739-2277 Fax (904) 739-2011  
[www.alsglobal.com](http://www.alsglobal.com)



**Client:** Florida Department of Environmental Protection  
(DEP)  
**Project:** RQ-2020-09-28-08  
**Sample Matrix:** Water

**Service Request:** J2005026

**Date Received:** 10/01/2020

### CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier I level requested by the client.

#### Sample Receipt:

Four water samples were received for analysis at ALS Environmental on 10/01/2020. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

#### Microbiology:

Method ASTM D6503-99: Sample(s) J2005026 (2-4) were removed from the incubator and read on 10/2/20 16:30.

Method ASTM D6503-99: Sample J2005026-001 was removed from the incubator and read on 10/2/20 19:06.

Method SM 9222D: Results for sample(s) J2005026 (2, 3, 4) are based on colony counts outside the optimal range of 20-60 CFU. The data has been qualified. This is an informational flag and does not impact the quality of the data.

Method SM 9222 D: Sample(s) J2005026 (2, 3, 4) were removed from the incubator and read on 10/2/20 16:10.

Approved by CanDice Turner

Date 10/08/2020

### SAMPLE DETECTION SUMMARY

|                            |                             |
|----------------------------|-----------------------------|
| <b>CLIENT ID: 27010053</b> | <b>Lab ID: J2005026-002</b> |
|----------------------------|-----------------------------|

| Analyte         | Results | Flag | MDL | MRL | Units         | Method        |
|-----------------|---------|------|-----|-----|---------------|---------------|
| Enterococcus    | 10      |      |     | 10  | MPN/100m<br>L | ASTM D6503-99 |
| Coliform, Fecal | 5.0     | B    |     | 1.6 | CFU/100m<br>L | SM 9222 D     |

|                            |                             |
|----------------------------|-----------------------------|
| <b>CLIENT ID: 27010054</b> | <b>Lab ID: J2005026-003</b> |
|----------------------------|-----------------------------|

| Analyte         | Results | Flag | MDL | MRL | Units         | Method        |
|-----------------|---------|------|-----|-----|---------------|---------------|
| Coliform, Fecal | 33      | B    |     | 1.6 | CFU/100m<br>L | SM 9222 D     |
| Enterococcus    | 96      |      |     | 10  | MPN/100m<br>L | ASTM D6503-99 |

|                            |                             |
|----------------------------|-----------------------------|
| <b>CLIENT ID: 27010010</b> | <b>Lab ID: J2005026-004</b> |
|----------------------------|-----------------------------|

| Analyte         | Results | Flag | MDL | MRL | Units         | Method        |
|-----------------|---------|------|-----|-----|---------------|---------------|
| Enterococcus    | 134     |      |     | 10  | MPN/100m<br>L | ASTM D6503-99 |
| Coliform, Fecal | 28      | B    |     | 1.6 | CFU/100m<br>L | SM 9222 D     |



## Sample Receipt Information

**ALS Environmental—Jacksonville Laboratory**  
9143 Philips Highway, Suite 200, Jacksonville, FL 32256  
Phone (904) 739-2277 Fax (904) 739-2011  
[www.alsglobal.com](http://www.alsglobal.com)

**Client:** Florida Department of Environmental Protection (DEP)  
**Project:** FDEP-NE-ROC/RQ-2020-09-28-08

**Service Request:**J2005026

**SAMPLE CROSS-REFERENCE**

| <u>SAMPLE #</u> | <u>CLIENT SAMPLE ID</u> | <u>DATE</u> | <u>TIME</u> |
|-----------------|-------------------------|-------------|-------------|
| J2005026-001    | GSNE0587                | 10/1/2020   | 1055        |
| J2005026-002    | 27010053                | 10/1/2020   | 1130        |
| J2005026-003    | 27010054                | 10/1/2020   | 1210        |
| J2005026-004    | 27010010                | 10/1/2020   | 1230        |



# Cooler Receipt Form

J2005026

5

Florida DEP  
RQ-2020-09-28-08

Client: FDEP-NE POC

Service Request #: \_\_\_\_\_

Project: FDEP-NE POC

Shipping paid by ALS?

Shipment received on 10/1/20 and opened on 10/1/20  
1434 1435

by HH

Yes ☒ No ☐ N/A

COURIER: ALS UPS FEDEX DHL ☒ Client Other \_\_\_\_\_

Airbill # \_\_\_\_\_

## Packing Conditions

Custody seals on outside of cooler?

Yes ☐ No ☒

If yes, how many and where?

# \_\_\_\_\_

on:

lid

other

Were seals intact and signature and date correct?

Yes

No

☒ N/A

Temperature of cooler(s) upon receipt (0-6°C)

4.7

Thermometer ID

True

Temperature Blank Present?

Yes

☒ No

Temperature preservation?

Ice

Ice Packs

None

Type of packing material present

Bubble Wrap

Netting

Paper

Vial Holder

Styrofoam

Other

☒ N/A

## Sample Conditions

If No for any items below, note discrepancies in comments section.

COC properly filled out?

☒ Yes

No

Didn't arrive

Where did the containers originate?

ALS

☒ Client

All containers arrive in good condition?

☒ Yes

No

All container labels complete?

☒ Yes

No

All container labels agree with custody papers?

☒ Yes

No

N/A

Any samples with unusual characteristics?

☒ Typical

Exceptional

All samples received with sufficient volume?

☒ Yes

No

Correct containers used for the tests indicated?

☒ Yes

No

N/A

All containers received with the appropriate preservative?

☒ Yes

No

N/A

All samples received within analysis holding times?

☒ Yes

No

N/A

VOA vials free of air bubbles greater than 6mm?

Yes

No

☒ N/A

| Sample ID | Reagent | Lot # | Exp. Date | mL added | Initials Date/Time |
|-----------|---------|-------|-----------|----------|--------------------|
|           |         |       |           |          |                    |
|           |         |       |           |          |                    |
|           |         |       |           |          |                    |
|           |         |       |           |          |                    |
|           |         |       |           |          |                    |
|           |         |       |           |          |                    |
|           |         |       |           |          |                    |
|           |         |       |           |          |                    |
|           |         |       |           |          |                    |

Additional comments and/or explanation of all discrepancies noted above:

Client approval to run samples if discrepancies noted:

Date:



9141 Phillips Highway, Suite 700 Jacksonville, FL 32216 / (904) 719-3377 FAX: (904) 719-2411

**Atty. General Mark W. Ballman**

100

[illegible]



## Miscellaneous Forms

**ALS Environmental—Jacksonville Laboratory**  
9143 Philips Highway, Suite 200, Jacksonville, FL 32256  
Phone (904) 739-2277 Fax (904) 739-2011  
[www.alsglobal.com](http://www.alsglobal.com)

## **FLORIDA DEP DATA QUALIFIERS**

- B Results based upon colony counts outside the acceptable range.
- D Measurement was made in the field.
- H Value based on field kit determination; results may not be accurate.
- I The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J Estimated value (one of the following reasons is discussed in the project case narrative).
1. The result may be inaccurate because the surrogate recovery limits have been exceeded.
  2. No known quality control criteria exists for the component.
  3. The reported value failed to meet the established quality control criteria for either precision or accuracy.
  4. The sample matrix interfered with the ability to make any accurate determination (e.g., primary and confirmation results show greater than 40% RPD).
  5. The data is questionable because of improper laboratory or field protocols (e.g., GC/MS Tune did not meet method criteria).
- K Off scale low. The value is less than the lowest calibration standard but greater than the method reporting limit (MRL).
- L Off scale high. The analyte is above the upper limit of the linear calibration range.
- M The MDL/MRL has been elevated because the analyte could not be accurately quantified due to matrix interference.
- N Presumptive evidence of the analyte. Confirmation was not performed.
- Q Sample held beyond the accepted holding time.
- T Value reported is less than the laboratory method detection limit. The value is reported for informational purposes only.
- U Indicates that the compound was analyzed for but not detected.
- V Indicates that the analyte was detected in both the sample and the associated method blank.
- Y The laboratory analysis was from an improperly preserved sample.
- Z Too many colonies were present (TNTC). The numeric value represents the filtration volume.

### Jacksonville Lab ID # for State Certifications<sup>1</sup>

| Agency                                                         | Number           | Expiration Date |
|----------------------------------------------------------------|------------------|-----------------|
| Florida Department of Health                                   | E82502           | 6/30/2021       |
| Georgia Department of Natural Resources                        | 958              | 6/30/2021       |
| Kentucky Division of Waste Management                          | 123042           | 6/30/2021       |
| Louisiana Department of Environmental Quality                  | 02086            | 6/30/2021       |
| Maine Department of Health and Human Services                  | FL01294          | 2/3/2021        |
| New York State Department of Health                            | 121113           | 4/1/2021        |
| North Carolina Department of Environment and Natural Resources | 527              | 12/31/2020      |
| South Carolina Department of Health and Environmental Control  | 96021001         | 6/30/2020       |
| Texas Commission on Environmental Quality                      | T104704197-20-13 | 5/31/2021       |
| Virginia Environmental Accreditation Program                   | 460191           | 12/14/2020      |

<sup>1</sup> Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state or agency requirements. The test results meet requirements of the current NELAP/TNI standards or state or agency requirements, where applicable, except as noted in the laboratory case narrative provided. For a specific list of accredited analytes, refer to <http://www.alsglobal.com/en/Our-Services/Life-Sciences/Environmental/Downloads/North-America-Downloads>



## **ACRONYMS**

|            |                                                                                                                                          |
|------------|------------------------------------------------------------------------------------------------------------------------------------------|
| ASTM       | American Society for Testing and Materials                                                                                               |
| A2LA       | American Association for Laboratory Accreditation                                                                                        |
| CARB       | California Air Resources Board                                                                                                           |
| CAS Number | Chemical Abstract Service registry Number                                                                                                |
| CFC        | Chlorofluorocarbon                                                                                                                       |
| CFU        | Colony-Forming Unit                                                                                                                      |
| DEC        | Department of Environmental Conservation                                                                                                 |
| DEQ        | Department of Environmental Quality                                                                                                      |
| DHS        | Department of Health Services                                                                                                            |
| DOE        | Department of Ecology                                                                                                                    |
| DOH        | Department of Health                                                                                                                     |
| EPA        | U. S. Environmental Protection Agency                                                                                                    |
| ELAP       | Environmental Laboratory Accreditation Program                                                                                           |
| GC         | Gas Chromatography                                                                                                                       |
| GC/MS      | Gas Chromatography/Mass Spectrometry                                                                                                     |
| LUFT       | Leaking Underground Fuel Tank                                                                                                            |
| M          | Modified                                                                                                                                 |
| MCL        | Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA. |
| MDL        | Method Detection Limit                                                                                                                   |
| MPN        | Most Probable Number                                                                                                                     |
| MRL        | Method Reporting Limit                                                                                                                   |
| NA         | Not Applicable                                                                                                                           |
| NC         | Not Calculated                                                                                                                           |
| NCASI      | National Council of the Paper Industry for Air and Stream Improvement                                                                    |
| ND         | Not Detected                                                                                                                             |
| NIOSH      | National Institute for Occupational Safety and Health                                                                                    |
| PQL        | Practical Quantitation Limit                                                                                                             |
| RCRA       | Resource Conservation and Recovery Act                                                                                                   |
| SIM        | Selected Ion Monitoring                                                                                                                  |
| TPH        | Total Petroleum Hydrocarbons                                                                                                             |
| tr         | Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.                           |

**ALS Group USA, Corp.**

dba ALS Environmental

## Analyst Summary report

**Client:** Florida Department of Environmental Protection (DEP)  
**Project:** FDEP-NE-ROC/RQ-2020-09-28-08

**Service Request:** J2005026

**Sample Name:** GSNE0587  
**Lab Code:** J2005026-001  
**Sample Matrix:** Water

**Date Collected:** 10/1/20**Date Received:** 10/1/20

**Analysis Method**  
ASTM D6503-99

**Extracted/Digested By**

**Analyzed By**  
HHERNANDEZ

**Sample Name:** 27010053  
**Lab Code:** J2005026-002  
**Sample Matrix:** Water

**Date Collected:** 10/1/20**Date Received:** 10/1/20

**Analysis Method**  
ASTM D6503-99  
SM 9222 D

**Extracted/Digested By**

**Analyzed By**  
HHERNANDEZ  
ASOTO

**Sample Name:** 27010054  
**Lab Code:** J2005026-003  
**Sample Matrix:** Water

**Date Collected:** 10/1/20**Date Received:** 10/1/20

**Analysis Method**  
ASTM D6503-99  
SM 9222 D

**Extracted/Digested By**

**Analyzed By**  
HHERNANDEZ  
ASOTO

**Sample Name:** 27010010  
**Lab Code:** J2005026-004  
**Sample Matrix:** Water

**Date Collected:** 10/1/20**Date Received:** 10/1/20

**Analysis Method**  
ASTM D6503-99  
SM 9222 D

**Extracted/Digested By**

**Analyzed By**  
HHERNANDEZ  
ASOTO



## Sample Results

**ALS Environmental—Jacksonville Laboratory**  
9143 Philips Highway, Suite 200, Jacksonville, FL 32256  
Phone (904) 739-2277 Fax (904) 739-2011  
[www.alsglobal.com](http://www.alsglobal.com)



## Microbiology

**ALS Environmental—Jacksonville Laboratory**  
9143 Philips Highway, Suite 200, Jacksonville, FL 32256  
Phone (904)739-2277 Fax (904)739-2011  
[www.alsglobal.com](http://www.alsglobal.com)

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Florida Department of Environmental Protection (DEP)  
**Project:** FDEP-NE-ROC/RQ-2020-09-28-08  
**Sample Matrix:** Water  
**Sample Name:** GSNE0587  
**Lab Code:** J2005026-001

**Service Request:** J2005026  
**Date Collected:** 10/01/20 10:55  
**Date Received:** 10/01/20 14:34  
**Basis:** NA

General Chemistry Parameters

| Analyte Name | Analysis Method | Result | Units     | MRL | Dil. | Date Analyzed  | Q |
|--------------|-----------------|--------|-----------|-----|------|----------------|---|
| Enterococcus | ASTM D6503-99   | 10 U   | MPN/100mL | 10  | 10   | 10/01/20 17:09 | * |

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Florida Department of Environmental Protection (DEP)  
**Project:** FDEP-NE-ROC/RQ-2020-09-28-08  
**Sample Matrix:** Water  
**Sample Name:** 27010053  
**Lab Code:** J2005026-002

**Service Request:** J2005026  
**Date Collected:** 10/01/20 11:30  
**Date Received:** 10/01/20 14:34  
**Basis:** NA

General Chemistry Parameters

| Analyte Name    | Analysis Method | Result | Units     | MRL | Dil. | Date Analyzed  | Q |
|-----------------|-----------------|--------|-----------|-----|------|----------------|---|
| Coliform, Fecal | SM 9222 D       | 5.0 B  | CFU/100mL | 1.6 | 1.6  | 10/01/20 16:53 |   |
| Enterococcus    | ASTM D6503-99   | 10     | MPN/100mL | 10  | 10   | 10/01/20 15:37 |   |

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Florida Department of Environmental Protection (DEP)  
**Project:** FDEP-NE-ROC/RQ-2020-09-28-08  
**Sample Matrix:** Water  
**Sample Name:** 27010054  
**Lab Code:** J2005026-003

**Service Request:** J2005026  
**Date Collected:** 10/01/20 12:10  
**Date Received:** 10/01/20 14:34  
**Basis:** NA

General Chemistry Parameters

| Analyte Name    | Analysis Method | Result | Units     | MRL | Dil. | Date Analyzed  | Q |
|-----------------|-----------------|--------|-----------|-----|------|----------------|---|
| Coliform, Fecal | SM 9222 D       | 33 B   | CFU/100mL | 1.6 | 1.6  | 10/01/20 16:53 |   |
| Enterococcus    | ASTM D6503-99   | 96     | MPN/100mL | 10  | 10   | 10/01/20 15:37 |   |

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Florida Department of Environmental Protection (DEP)  
**Project:** FDEP-NE-ROC/RQ-2020-09-28-08  
**Sample Matrix:** Water  
**Sample Name:** 27010010  
**Lab Code:** J2005026-004

**Service Request:** J2005026  
**Date Collected:** 10/01/20 12:30  
**Date Received:** 10/01/20 14:34  
**Basis:** NA

General Chemistry Parameters

| Analyte Name    | Analysis Method | Result | Units     | MRL | Dil. | Date Analyzed  | Q |
|-----------------|-----------------|--------|-----------|-----|------|----------------|---|
| Coliform, Fecal | SM 9222 D       | 28 B   | CFU/100mL | 1.6 | 1.6  | 10/01/20 16:53 |   |
| Enterococcus    | ASTM D6503-99   | 134    | MPN/100mL | 10  | 10   | 10/01/20 15:37 |   |



## QC Summary Forms

**ALS Environmental - Jacksonville Laboratory**  
9143 Philips Highway, Suite 200, Jacksonville, FL 32256  
Phone (904) 739-2277 Fax (904) 739-2011  
[www.alsglobal.com](http://www.alsglobal.com)



## Microbiology

**ALS Environmental—Jacksonville Laboratory**  
9143 Philips Highway, Suite 200, Jacksonville, FL 32256  
Phone (904)739-2277 Fax (904)739-2011  
[www.alsglobal.com](http://www.alsglobal.com)

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Florida Department of Environmental Protection (DEP)  
**Project:** FDEP-NE-ROC/RQ-2020-09-28-08  
**Sample Matrix:** Water  
**Sample Name:** Method Blank  
**Lab Code:** J2005026-MB1

**Service Request:** J2005026  
**Date Collected:** NA  
**Date Received:** NA  
**Basis:** NA

General Chemistry Parameters

| Analyte Name    | Analysis Method | Result | Units     | MRL | Dil. | Date Analyzed  | Q |
|-----------------|-----------------|--------|-----------|-----|------|----------------|---|
| Coliform, Fecal | SM 9222 D       | 1.0 U  | CFU/100mL | 1.0 | 1    | 10/01/20 16:09 |   |
| Enterococcus    | ASTM D6503-99   | 1.0 U  | MPN/100mL | 1.0 | 1    | 10/01/20 15:37 |   |

ALS Group USA, Corp.  
dba ALS Environmental

Analytical Report

**Client:** Florida Department of Environmental Protection (DEP)  
**Project:** FDEP-NE-ROC/RQ-2020-09-28-08  
**Sample Matrix:** Water  
**Sample Name:** Method Blank  
**Lab Code:** J2005026-MB2

**Service Request:** J2005026  
**Date Collected:** NA  
**Date Received:** NA  
**Basis:** NA

General Chemistry Parameters

| Analyte Name | Analysis Method | Result | Units     | MRL | Dil. | Date Analyzed  | Q |
|--------------|-----------------|--------|-----------|-----|------|----------------|---|
| Enterococcus | ASTM D6503-99   | 1.0 U  | MPN/100mL | 1.0 | 1    | 10/01/20 17:09 |   |