



Advanced Environmental Laboratories, Inc  
380 North Lake Blvd., Suite 1048 Altamonte Springs, FL 32701  
Payments: P.O. Box 551580 Jacksonville, FL 32255-1580

Phone: (407)937-1594  
Fax: (407)937-1597

March 25, 2020

Michael Linger  
Department of Environmental Protection  
3319 Maguire Blvd  
Suite 232  
Orlando, FL 32803

RE: Workorder: A2002655 SMP

Dear Michael Linger:

Enclosed are the analytical results for sample(s) received by the laboratory on Thursday, March 19, 2020. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. The analytical results for the samples contained in this report were submitted for analysis as outlined by the Chain of Custody and results pertain only to these samples.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

*Brandon O'Hara*

Brandon O'Hara - Lab Manager  
BOhara@AELLab.com

Enclosures

Report ID: 956378 - 2447670

Page 1 of 9

### CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Advanced Environmental Laboratories, Inc.



## SAMPLE SUMMARY

Workorder: A2002655 SMP

| Lab ID      | Sample ID | Matrix | Date Collected  | Date Received   |
|-------------|-----------|--------|-----------------|-----------------|
| A2002655001 | G3CE0014  | Water  | 3/19/2020 11:05 | 3/19/2020 13:15 |

## CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Advanced Environmental Laboratories, Inc.



## ANALYTICAL RESULTS

Workorder: A2002655 SMP

Lab ID: **A2002655001**

Date Received: 03/19/20 13:15 Matrix: Water

Sample ID: **G3CE0014**

Date Collected: 03/19/20 11:05

Sample Description:

Location:

| Parameters                                     | Results | Qual | Units                       | DF | Adjusted<br>PQL | Adjusted<br>MDL | Analyzed        | Lab |
|------------------------------------------------|---------|------|-----------------------------|----|-----------------|-----------------|-----------------|-----|
| <b>Microbiology</b>                            |         |      |                             |    |                 |                 |                 |     |
| Analysis Desc: Escherichia Coli,EPA 1603,Water |         |      | Analytical Method: EPA 1603 |    |                 |                 |                 |     |
| E. Coli                                        | 330     | 1    | #/100 mL                    | 10 | 10              | 10              | 3/19/2020 15:25 | A   |

## CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Advanced Environmental Laboratories, Inc.



## ANALYTICAL RESULTS QUALIFIERS

Workorder: A2002655 SMP

---

### PARAMETER QUALIFIERS

- U The compound was analyzed for but not detected.
- I The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- [1] Time In Incubator #1: 3/19/2020 15:25  
Time Out Incubator #1: 3/19/2020 17:00  
Time In Incubator #2: 3/19/2020 17:01  
Time Out Incubator #2: 3/20/2020 14:43

### LAB QUALIFIERS

- A DOH Certification #E53076(AEL-A)(FL NELAC Certification)

## CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Advanced Environmental Laboratories, Inc.



## QUALITY CONTROL DATA

Workorder: A2002655 SMP

|                         |             |                  |          |
|-------------------------|-------------|------------------|----------|
| QC Batch:               | MICa/1077   | Analysis Method: | EPA 1603 |
| QC Batch Method:        | EPA 1603    | Prepared:        |          |
| Associated Lab Samples: | A2002655001 |                  |          |

METHOD BLANK: 3427977

| Parameter    | Units    | Blank Result | Reporting Limit Qualifiers |
|--------------|----------|--------------|----------------------------|
| Microbiology |          |              |                            |
| E. Coli      | #/100 mL | 1            | 1 U                        |

## QUALITY CONTROL DATA QUALIFIERS

Workorder: A2002655 SMP

### QUALITY CONTROL PARAMETER QUALIFIERS

- U The compound was analyzed for but not detected.
- I The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- [1] Time In Incubator #1: 3/19/2020 15:25  
Time Out Incubator #1: 3/19/2020 17:00  
Time In Incubator #2: 3/19/2020 17:01  
Time Out Incubator #2: 3/20/2020 14:43

## CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Advanced Environmental Laboratories, Inc.




QUALITY CONTROL DATA CROSS REFERENCE TABLE

Workorder: A2002655 SMP

| Lab ID      | Sample ID | Prep Method | Prep Batch | Analysis Method | Analysis Batch |
|-------------|-----------|-------------|------------|-----------------|----------------|
| A2002655001 | G3CE0014  |             |            | EPA 1603        | MICa/1077      |



☐ Tallahassee: 2639 North Monroe St., Suite D, FL 32303 • 850.219.6274 • Lab ID: E011095



☐ Tampa: 9610 Princess Palm Ave., FL 33619 • 813.630.9616 • Lab ID: E84589

Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge Preservation Code: I = ice H=(HCl) S = (H<sub>2</sub>SO<sub>4</sub>) N = (HNO<sub>3</sub>) T = (Sodium Thiosulfate)

Temp. when received (observed) 4 °C Temp. when received (corrected) 5 °C

Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 10A A: 3A M: 3A S: 1V F: 1A

**FOR DRINKING WATER USE:**

(When PWS Information not otherwise supplied) PWS ID: \_\_\_\_\_

Contact Person: \_\_\_\_\_ Phone : \_\_\_\_\_

Supplier of Water: \_\_\_\_\_

Site-Address: