

Chemical Analysis Report

CEN-DIST-2020-07-24-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Faulk and John's Lake Outlet**
Request ID: **RQ-2020-07-20-71**
Customer: **CEN-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Kalina Warren

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 12-AUG-2020 15:37

A handwritten signature in black ink, appearing to read "Liang Lin", on a light-colored background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Faulk Canal @ 50m upstream of Fiske Blvd

Collection Date/Time: 07/23/2020 09:35

Field ID: G3CE0016

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2185501	EPA 180.1 Rev. 2.0	Turbidity	3.7		NTU	P385133	
	EPA 300.0 Rev. 2.1	Chloride	140		mg Cl/L	P385624	
		Sulfate	40		mg SO4/L	P385628	
	SM 2120 B-2011	Color (true)	71	A	PCU	P385137	
	SM 2320 B-2011	Total Alkalinity	84		mg CaCO3/L	P385523	
	SM 2540 C-2011	TDS	461		mg/L	P385614	
	SM 2540 D-2011	TSS	4	I	mg/L	P385651	
	SM 4500 F-C-2011	Fluoride	0.077	I	mg F/L	P385225	
2185502	EPA 350.1 Rev. 2.0	Ammonia-N	0.047		mg N/L	P385152	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.1		mg N/L	P385372	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.036		mg N/L	P385179	
	EPA 365.1 Rev. 2.0	Total-P	0.058		mg P/L	P385351	
	SM 5310 B-2011	Organic Carbon	14		mg C/L	P385290	
2185503	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P385130	

Ref. Method and Comment:

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report

Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P385133

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P385624

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P385628

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P385152

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P385372

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P385179

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P385351

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P385130

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B-2011
Batch ID: P385137

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Quality Assurance Report

Method Blank Results

Reference Method: SM 2320 B-2011
Batch ID: P385523

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-2011
Batch ID: P385614

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-2011
Batch ID: P385651

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-2011
Batch ID: P385225

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-2011
Batch ID: P385290

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P385624

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	102		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P385628

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	103		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P385152

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	98.4		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P385372

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	101		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P385179

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	99.5		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P385351

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	105		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P385130

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	99.1		P	90 - 110

Reference Method: SM 2120 B-2011
Batch ID: P385137

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	102		P	85 - 115

Reference Method: SM 2320 B-2011
Batch ID: P385523

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	101		P	93 - 104

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: SM 4500 F-C-2011
Batch ID: P385225

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	97.7		P	90 - 106

Reference Method: SM 5310 B-2011
Batch ID: P385290

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	98.5		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P385624

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2185455	Chloride	101		P	90 - 110
2185482	Chloride	101		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P385628

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2185455	Sulfate	103		P	90 - 110
2185482	Sulfate	101		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P385152

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2185559	Ammonia-N	96.8	96.8	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P385372

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2185286	Kjeldahl Nitrogen	109	105	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P385179

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2185456	NO2NO3-N	101	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P385351

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2185489	Total-P	110	108	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P385130

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2185457	O-Phosphate-P	90.9	91.3	P/P	90 - 110

Reference Method: SM 4500 F-C-2011
Batch ID: P385225

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2185606	Fluoride	105	106	P/P	94 - 107

Reference Method: SM 5310 B-2011
Batch ID: P385290

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2185191	Organic Carbon	102	104	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P385133

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2185460	Turbidity	5.73	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P385624

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2185482	Chloride	0.374	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P385628

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2185482	Sulfate	0.795	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P385152

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2185559	Ammonia-N	0.0	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P385372

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2185286	Kjeldahl Nitrogen	3.39	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P385179

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2185456	NO2NO3-N	0.0	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P385351

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2185489	Total-P	1.52	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P385130

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2185457	O-Phosphate-P	0.439	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: SM 2120 B-2011
Batch ID: P385137

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2185501	Color (true)	0.581	Sample	P	0 - 20

Reference Method: SM 2320 B-2011
Batch ID: P385523

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2186718	Total Alkalinity	0.594	Sample	P	0 - 8.1

Reference Method: SM 2540 C-2011
Batch ID: P385614

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2185488	TDS	4.47	Sample	P	0 - 10

Reference Method: SM 4500 F-C-2011
Batch ID: P385225

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2185606	Fluoride	0.988	Spike	P	0 - 2.8

Reference Method: SM 5310 B-2011
Batch ID: P385290

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2185191	Organic Carbon	1.83	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A100070

Included Lab Sample IDs: 2185503

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	96.9	97.0	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A100071

Included Lab Sample IDs: 2185501

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105

Reference Method: SM 2120 B-2011

Run ID: A100072

Included Lab Sample IDs: 2185501

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	102	103	P/P	90 - 115

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A100074

Included Lab Sample IDs: 2185502

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	100	100	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A100089

Included Lab Sample IDs: 2185502

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	100	P/P	90 - 110

Reference Method: SM 4500 F-C-2011

Run ID: A100116

Included Lab Sample IDs: 2185501

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	101	100	P/P	90 - 110

Reference Method: SM 5310 B-2011

Run ID: A100142

Included Lab Sample IDs: 2185502

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	102	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A100209

Included Lab Sample IDs: 2185502

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	96.2	99.8	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A100220

Included Lab Sample IDs: 2185502

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	100	101	P/P	90 - 110

Reference Method: SM 2320 B-2011

Run ID: A100227

Included Lab Sample IDs: 2185501

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	98.4	101	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A100267

Included Lab Sample IDs: 2185501

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	101	101	P/P	90 - 110
Sulfate	101	101	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	MS
						SMP	
EPA 180.1 Rev. 2.0	Turbidity					5.73	
EPA 300.0 Rev. 2.1	Chloride	102	101	101		0.374	
	Sulfate	103	101	103		0.795	
EPA 350.1 Rev. 2.0	Ammonia-N	98.4	96.8	96.8			0.0
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	101	109	105			3.39
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	99.5	101	101			0.0
EPA 365.1 Rev. 2.0	Total-P	105	110	108			1.52
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	99.1	90.9	91.3			0.439
SM 2120 B-2011	Color (true)	102				0.581	
SM 2320 B-2011	Total Alkalinity	101				0.594	
SM 2540 C-2011	TDS					4.47	
SM 4500 F-C-2011	Fluoride	97.7	105	106			0.988
SM 5310 B-2011	Organic Carbon	98.5	102	104			1.83

Reference Method Descriptions

Method	Description	Associated Samples
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2185501
EPA 300.0 Rev. 2.1	Chloride in aqueous matrices	2185501
EPA 300.0 Rev. 2.1	Sulfate in aqueous matrices	2185501
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2185502
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2185502
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2185502
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2185502
EPA 365.1 Rev. 2.0 dissolved	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2185503
SM 2120 B-2011	True Color measured at 450 nm (not valid for NPDES monitoring)	2185501
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2185501
SM 2540 C-2011	Total Dissolved Solids in aqueous matrices	2185501
SM 2540 D-2011	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2185501
SM 4500 F-C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2185501
SM 5310 B-2011	Nonpurgeable Organic Carbon in aqueous matrices	2185502

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	07/24/2020			07/24/2020 15:04	Samantha Davila	2185501
EPA 300.0 Rev. 2.1	07/24/2020			08/01/2020 00:28	Julia Storbeck	2185501
EPA 350.1 Rev. 2.0	07/24/2020			07/26/2020 13:41	Ping Hua	2185502
EPA 351.2 Rev. 2.0	07/24/2020	07/30/2020 12:15	Jhamieka S. Greenwood	07/31/2020 14:03	Jhamieka S. Greenwood	2185502
EPA 353.2 Rev. 2.0	07/24/2020			07/27/2020 08:51	Beverly Y. Sanders	2185502
EPA 365.1 Rev. 2.0	07/24/2020	07/30/2020 11:20	Lipi Saha	07/31/2020 13:20	Benjamin T. Nordmann	2185502
EPA 365.1 Rev. 2.0 dissolved	07/24/2020			07/24/2020 15:29	Carlos Miranda	2185503
SM 2120 B-2011	07/24/2020			07/24/2020 15:48	Blanca Fach	2185501
SM 2320 B-2011	07/24/2020			08/01/2020 08:00	Dale L. Simmons	2185501
SM 2540 C-2011	07/24/2020			07/29/2020 15:16	Yijie Li	2185501
SM 2540 D-2011	07/24/2020			07/29/2020 15:16	Yijie Li	2185501
SM 4500 F-C-2011	07/24/2020			07/27/2020 19:44	Lauren Lees	2185501
SM 5310 B-2011	07/24/2020			07/28/2020 22:48	David Boose	2185502