

Login Checklist

RQ- 2020-07-27-49

Login Station ID: #5

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 7/ 29 /20 @ 10:00

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
0.3				8		✓			1278 4015 5519

*All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 °C (above 10.0 °C for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes ✓ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes _____ No ✓

CONTAINER CHECK

Evidence Tape on Bottles?

Yes _____ No _____ NA ✓

Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken?

Yes _____ No _____

Containers intact? Yes ✓ No _____

Caps on tight?

Yes ✓ No _____

Sufficient Sample Volume:

Yes ✓ No _____

If NO is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes _____ No ✓ Init: KK

Chlorine detected? (One container checked per Field ID)

Yes _____ No _____ Init: _____

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH < 2.0?

Yes ✓ No _____ NA _____ Init: KK

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?

Yes _____ No _____ NA ✓ Init: KK

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: KK

Date: 7/ 29 /20

Event contains NCRs (Y/N)? N

Ingram + Searcy
Event ID: CEN-DIST-2020-07-29-01 (SMP)

— Date Received: 29-JUL-2020 10:00

Login Checklist

Login Preservation Equipment

Infrared Thermometer ID:	IR TEMP GUN #5
pH Test Strips 0 – 6 Lot #	213316BV EXP:5-15-21
pH Paper 0 – 3 Lot #	
pH Paper 0 – 13 Lot #	231019 EXP:11-1-22
Chlorine Test Strips Lot #	8261 EXP:07-2021

Additional Comments:

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Ingram + Searcy

Lotta

Customer: CEN-DIST

Project ID: SMP

Requester: Leif Boman

Field Report Prepared By:


Elizabeth Bates

Collected By:

Katie March/Natalie Ayala/Victoria Schwarze

Sampling Agency:

21FLCEN

Location	WIN ID / Field ID → Lake Lotta @ Center of Southern Lobe				☐ Comp ☒ Grab		Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s)
Field ID					Date		Time	Central	Date	Time
WIN/STOR					Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☒ mg/L	Total Res. Chlorine	(See pg 2)
Latitude	☐ dd	Longitude	☐ dms		Temp (C)		pH	☐ % sat	(mg/L)	
Location	WIN ID / Field ID → Lake Searcy @ center				☐ Comp ☒ Grab		Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s)
Field ID					Date		Time	Central	Date	Time
WIN/STORE					Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☒ mg/L	Total Res. Chlorine	(See pg 2)
Latitude	☐ dd	Longitude	☐ dms		Temp (C)		pH	☐ % sat	(mg/L)	
Location					☐ Comp ☐ Grab		Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s)
Field ID					Date		Time	Central	Date	Time
WIN/STORET #					Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L	Total Res. Chlorine	(See pg 2)
Latitude	☐ dd	Longitude	☐ dms		Temp (C)		pH	☐ % sat	(mg/L)	
Location					☐ Comp ☐ Grab		Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s)
Field ID					Date		Time	Central	Date	Time
WIN/STORET #					Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L	Total Res. Chlorine	(See pg 2)
Latitude	☐ dd	Longitude	☐ dms		Temp (C)		pH	☐ % sat	(mg/L)	
Location					☐ Comp ☐ Grab		Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s)
Field ID					Date		Time	Central	Date	Time
WIN/STORET #					Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L	Total Res. Chlorine	(See pg 2)
Latitude	☐ dd	Longitude	☐ dms		Temp (C)		pH	☐ % sat	(mg/L)	

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
E. Bates	07/28/20 16:00	FedEx	1	KK	7-29-20 / 1000

Group: A	Bottle Type:	# of Bottles: 0	Preservative:	Enter Number of Bottles Sent to Lab <u>2</u>
	ALKALINITY		H2SO4	
	CHLSUITE-W		LOT# SA9354050	
	TURBIDITY		EXP: 12/20/2020	
	W-CL-IC			
	W-COLOR			
	W-F			
	W-NH3			
	W-NO2NO3			
	W-PO4-F			
	W-S-A-TP			
	W-SO4-IC			
	W-TDS			
	W-TKN			
	W-TOC			
	W-TSS			

Date of Request: 24-JUL-2020
 Created By: BOMAN_L On: 24-JUL-2020
 Modified By: JASROTIA_P On: 28-JUL-2020
 Customer: CEN-DIST
 Project: SMP
 Division:
 District: Central District
 Event Description: Ingram + Searcy

Send Coolers To:

Phone: 407-897-4178
 FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Natalie Ayala
 Cooler Ship EMail: natalie.ayala@dep.state.fl.us

Priority: 3
 Event Status: A
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 24-JUL-2020
 Biology Request Reviewed By: JASROTIA_P On: 28-JUL-2020
 Sampling Kit Required: NO Ship on:
 Sampling Kit Shipped:
 Sampling Kit Packed By:
 Preservatives Needed: NO
 Date to Receive Samples: 27-JUL-2020
 Logged In By:

Send Final Report To:

FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Kalina Warren
 Report Notification EMail: natalie.ayala@dep.state.fl.us

Comments:**Bottle Group A (Water) With 2 Samples:**

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B-2011) True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2011) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L