

Chemical Analysis Report

CEN-DIST-2020-11-17-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Lake Hatchineha Drain/Unnamed Ditches (x2)**
Request ID: **RQ-2020-11-16-17**
Customer: **CEN-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Kalina Warren

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 07-DEC-2020 09:41

A handwritten signature in black ink, appearing to read "Liang Lin", on a light-colored background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

**Sample Location: Lake Hatchineha Drain Downstream of
 Drainage Field**

Collection Date/Time: 11/16/2020 12:11

Field ID: G4CE0168

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2208090	EPA 180.1 Rev. 2.0	Turbidity	4.7		NTU	P390183	
	EPA 300.0 Rev. 2.1	Chloride	13		mg Cl/L	P390445	
		Sulfate	12		mg SO4/L	P390448	
	SM 2120 B-2011	Color (true)	110		PCU	P390188	
	SM 2320 B-2011	Total Alkalinity	30		mg CaCO3/L	P390265	
	SM 2540 C-2011	TDS	104		mg/L	P390462	
	SM 2540 D-2011	TSS	6	I	mg/L	P390454	
	SM 4500 F-C-2011	Fluoride	0.055	I	mg F/L	P390400	
2208091	EPA 350.1 Rev. 2.0	Ammonia-N	0.018		mg N/L	P390352	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.1		mg N/L	P390337	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.010		mg N/L	P390415	
	EPA 365.1 Rev. 2.0	Total-P	0.052		mg P/L	P390315	
	SM 5310 B-2011	Organic Carbon	15		mg C/L	P390368	
2208092	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P390190	

Ref. Method and Comment:

EPA 300.0 Rev. 2.1: Sulfate: Batch relative percent difference and batch matrix spike recoveries for one of two spiked samples are unavailable because of high analyte concentration in the QC sample.

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P390183

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P390445

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P390448

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P390352

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P390337

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P390415

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P390315

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P390190

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B-2011
Batch ID: P390188

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Quality Assurance Report

Method Blank Results

Reference Method: SM 2320 B-2011
Batch ID: P390265

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-2011
Batch ID: P390462

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-2011
Batch ID: P390454

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-2011
Batch ID: P390400

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-2011
Batch ID: P390368

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P390445

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	102		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P390448

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	102		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P390352

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	100		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P390337

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	101		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P390415

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	102		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P390315

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	104		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P390190

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	97.5		P	90 - 110

Reference Method: SM 2120 B-2011
 Batch ID: P390188

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	104		P	85 - 115

Reference Method: SM 2320 B-2011
 Batch ID: P390265

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	99.4		P	93 - 104

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 4500 F-C-2011
Batch ID: P390400

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	95.9		P	90 - 106

Reference Method: SM 5310 B-2011
Batch ID: P390368

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	102		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P390445

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2208006	Chloride	102		P	90 - 110
2208246	Chloride	102		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P390448

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2208246	Sulfate	101		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P390352

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2208014	Ammonia-N	99.4	96.5	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P390337

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2208071	Kjeldahl Nitrogen	98.9	106	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P390415

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2208071	NO2NO3-N	101	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P390315

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2208071	Total-P	106	104	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P390190

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2207910	O-Phosphate-P	97.9	98.1	P/P	90 - 110

Reference Method: SM 4500 F-C-2011
Batch ID: P390400

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2208929	Fluoride	98.5	98.5	P/P	94 - 107

Reference Method: SM 5310 B-2011
Batch ID: P390368

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2208224	Organic Carbon	103	103	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P390183

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2208016	Turbidity	5.41	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P390445

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2208006	Chloride	0.158	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P390352

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2208014	Ammonia-N	2.13	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P390337

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2208071	Kjeldahl Nitrogen	5.28	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P390415

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2208071	NO2NO3-N	0.995	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P390315

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2208071	Total-P	1.69	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P390190

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2207910	O-Phosphate-P	0.191	Spike	P	0 - 20

Reference Method: SM 2120 B-2011
Batch ID: P390188

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2208070	Color (true)	1.09	Sample	P	0 - 20

Quality Assurance Report Precision

Reference Method: SM 2320 B-2011
Batch ID: P390265

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2208099	Total Alkalinity	0.919	Sample	P	0 - 8.1

Reference Method: SM 2540 C-2011
Batch ID: P390462

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2208099	TDS	0.374	Sample	P	0 - 10

Reference Method: SM 4500 F-C-2011
Batch ID: P390400

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2208929	Fluoride	0.0	Spike	P	0 - 2.8

Reference Method: SM 5310 B-2011
Batch ID: P390368

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2208224	Organic Carbon	0.154	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A102180

Included Lab Sample IDs: 2208090

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.0	99.0	P/P	95 - 105

Reference Method: SM 2120 B-2011

Run ID: A102181

Included Lab Sample IDs: 2208090

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	103	104	P/P	90 - 115

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A102182

Included Lab Sample IDs: 2208092

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	98.0	98.5	P/P	90 - 110

Reference Method: SM 2320 B-2011

Run ID: A102207

Included Lab Sample IDs: 2208090

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	97.6	102	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A102243

Included Lab Sample IDs: 2208091

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	100	100	P/P	90 - 110

Reference Method: SM 5310 B-2011

Run ID: A102251

Included Lab Sample IDs: 2208091

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	99.4	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A102264

Included Lab Sample IDs: 2208091

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	99.0	97.9	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A102267

Included Lab Sample IDs: 2208091

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	99.2	98.0	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 4500 F-C-2011

Run ID: A102272

Included Lab Sample IDs: 2208090

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	98.0	96.7	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A102282

Included Lab Sample IDs: 2208091

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	100	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A102298

Included Lab Sample IDs: 2208090

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	99.6	99.9	P/P	90 - 110
Sulfate	99.7	101	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	MS
						SMP	
EPA 180.1 Rev. 2.0	Turbidity					5.41	
EPA 300.0 Rev. 2.1	Chloride	102	102	102		0.158	
	Sulfate	102	101				
EPA 350.1 Rev. 2.0	Ammonia-N	100	99.4	96.5			2.13
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	101	98.9	106			5.28
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	102	101	100			0.995
EPA 365.1 Rev. 2.0	Total-P	104	106	104			1.69
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	97.5	97.9	98.1			0.191
SM 2120 B-2011	Color (true)	104				1.09	
SM 2320 B-2011	Total Alkalinity	99.4				0.919	
SM 2540 C-2011	TDS					0.374	
SM 4500 F-C-2011	Fluoride	95.9	98.5	98.5			0.0
SM 5310 B-2011	Organic Carbon	102	103	103			0.154

Reference Method Descriptions

Method	Description	Associated Samples
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2208090
EPA 300.0 Rev. 2.1	Chloride in aqueous matrices	2208090
EPA 300.0 Rev. 2.1	Sulfate in aqueous matrices	2208090
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2208091
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2208091
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2208091
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2208091
EPA 365.1 Rev. 2.0 dissolved	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2208092
SM 2120 B-2011	True Color measured at 450 nm (not valid for NPDES monitoring)	2208090
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2208090
SM 2540 C-2011	Total Dissolved Solids in aqueous matrices	2208090
SM 2540 D-2011	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2208090
SM 4500 F-C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2208090
SM 5310 B-2011	Nonpurgeable Organic Carbon in aqueous matrices	2208091

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	11/17/2020			11/17/2020 16:56	Yen Ta	2208090
EPA 300.0 Rev. 2.1	11/17/2020			11/24/2020 08:21	Lipi Saha	2208090
EPA 350.1 Rev. 2.0	11/17/2020			11/21/2020 12:55	Ping Hua	2208091
EPA 351.2 Rev. 2.0	11/17/2020	11/20/2020 13:20	David Boose	11/23/2020 11:32	Elliott Rodriguez	2208091
EPA 353.2 Rev. 2.0	11/17/2020			11/24/2020 11:08	Beverly Y. Sanders	2208091
EPA 365.1 Rev. 2.0	11/17/2020	11/20/2020 12:57	Yen Ta	11/23/2020 13:24	Shengyu Wang	2208091
EPA 365.1 Rev. 2.0 dissolved	11/17/2020			11/17/2020 16:20	Virginia P. Brown	2208092
SM 2120 B-2011	11/17/2020			11/17/2020 16:48	Benjamin T. Nordmann	2208090
SM 2320 B-2011	11/17/2020			11/19/2020 04:01	Dale L. Simmons	2208090
SM 2540 C-2011	11/17/2020			11/19/2020 15:12	Yijie Li	2208090
SM 2540 D-2011	11/17/2020			11/19/2020 15:12	Yijie Li	2208090
SM 4500 F-C-2011	11/17/2020			11/23/2020 15:05	Dale L. Simmons	2208090
SM 5310 B-2011	11/17/2020			11/20/2020 20:34	Touraj Touran	2208091