

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (850) 245-8085
Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
P.O. #: Lab B16970

Project Name: ⁶⁷RC-2020-01-20-36
Project Run/Location: Sarasota Crick

Project Name: RQ-2019- RC-2020-01-20-36		Laboratory Submission #:		S20010503	
Project Run/Location: Sarasota Crick					
Station ID	Surface Water Sample Matrix ² (Fresh / Marine)	Enterococci		Laboratory Sample #	
	Sample Type				
E.Coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL					
South Creek G3SD0090	F / M / Grab	E.coli / Entero / F.coli	1/23/20 1000	1	
Curry Creek G3SD0066	F / M / Grab	E.coli / Entero / F.coli	1/23/20 1045	2	
Hatchett Creek G3SD0103	F / M / Grab	E.coli / Entero / F.coli	1/23/20 1140	3	
Alligator Tidal G2SD0025	F / M / Grab	E.coli / Entero / F.coli	1/23/20 1230	4	
Alligator Creek G2SD0026	F / M / Grab	E.coli / Entero / F.coli	1/23/20 1315	5	
Curry Creek DUP G3SD0066	F / M / Grab	E.coli / Entero / F.coli	1/23/20 1050	6	
	F / M / Grab	E.coli / Entero / F.coli	Date & Time:		
	F / M / Grab	E.coli / Entero / F.coli	Date & Time:		
	F / M / Grab	E.coli / Entero / F.coli	Date & Time:		
	F / M / Grab	E.coli / Entero / F.coli	Date & Time:		
	F / M / Grab	E.coli / Entero / F.coli	Date & Time:		
	F / M / Grab	E.coli / Entero / F.coli	Date & Time:		

Sample Type is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

Sample Matrix is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), saline surface water (SSW), salt solution (SDMT), or sludge (SLDG).

Container Type is used to indicate whether the container is plastic (P) or glass (G).

Sample must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 6°C (43°F). Under "Preservative," list any preservatives that were added to the sample container.

1. Each bottle has a label identifying sample ID, preservative preservative contained in the bottle, sample type, client ID, and parameters for analysis.

2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.

3. All bottles not containing preservative may be used with appropriate sample prior to collection.

4. The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

Laboratory Sample Acceptability:
pH < 10 BEAS Temperature: 4.3°C

Collector: Gary Suarez	Date: 1/23/20	Time: 1352	Received By: [Signature]	Date: 1/23/20	Time: 1352
Relinquished by:	Date:	Time:	Received By:	Date:	Time:
Relinquished by:	Date:	Time:	Received By:	Date:	Time:
Relinquished by:	Date:	Time:	Received By:	Date:	Time:
Relinquished by:	Date:	Time:	Received By:	Date:	Time: