



*Ft. Myers Lab02
10090 Bavaria Rd.
Fort Myers, FL 33913
TEL: (239) 590-0337 FAX: (239) 590-0536
Website: www.sanderslabs.net*

March 23, 2020

Arielle Taylor-Manges
DEP-Bureau or Labs-Biology Section
Twin Towers Lab Complex A RM 216 6515
Tallahassee, FL 32399
TEL: (850) 245-8191
FAX:

RE: DEP - Fecals & Enteros

Order No.: 2003577

Dear Arielle Taylor-Manges:

Sanders Laboratories, Inc received 6 sample(s) on 3/16/2020 for the analyses presented in the following report.

These results only pertain to the samples as received. These pages may include, but are not limited to: Analytical Data, Chains of Custodies, Subcontracted Data and Case Narratives for samples. Results relate only to the samples in the report.

Reports are archived for a minimum of 5 years. Copies of reports are available for a fee of \$50.00. Copies will be provided within 2 weeks of the time of the request.
Laboratory PQL's are available upon request.

Test results meet all the requirements of the NELAP standards, unless otherwise noted.
Nokomis Certificate # E84380 Fort Myers Certificate # E85457

A statement of estimated uncertainty of results is available upon request.
Laboratory report shall not be reproduced except in full, without the written approval of Sanders Laboratories.
Sanders Laboratories follows DEP standard operating procedures for field sampling, unless otherwise noted.

Katie Strothman
Laboratory Director



*Ft. Myers Lab02
10090 Bavaria Rd.
Fort Myers, FL 33913
TEL: (239) 590-0337 FAX: (239) 590-0536
Website: www.sanderslabs.net*

Definition Only

WO#: 2003577
Date: 3/23/2020

Definitions:

B: Results based upon colony counts outside the acceptable range.

G: Sample value indicates that the analyte was detected at or above the method detection limit in both the sample and the associated field blank, equipment blank, or trip blank, and the blank value was greater than 10% of the associated sample value. The value in the blank shall not be subtracted from associated samples.

I: The reported value is greater than or equal to the laboratory MDL but less than the laboratory PQL.

J: Estimated Value.

J7: Excessive amounts of Sodium Sulfite used to dechlorinate the sample due to high levels of chlorine present.

K: Off scale low, actual value is known to be less than the value given.

L: Off scale high, actual value is known to be greater than the value given.

NC: Not Certified. Parameter was ran but is not covered under laboratory accredited scopes.

Q: Sample held beyond acceptable holding time.

U: The compound was analyzed for, but not detected.

V: Indicates that the analyte was detected at or above the MDL in both the sample and the associated method blank and the value of 10 times the blank value was equal to or greater than the associated sample value.

Y: The laboratory analysis was from an improperly preserved sample.

Z: Too many colonies were present for accurate counting.



Ft. Myers Lab02
10090 Bavaria Rd.
Fort Myers, FL 33913
TEL: (239) 590-0337 FAX: (239) 590-0536
Website: www.sanderslabs.net

Analytical Report

(continuous)

WO#: 2003577

Date Reported: 3/23/2020

CLIENT: DEP-Bureau or Labs-Biology Section

Lab Order: 2003577

Project: DEP - Fecals & Enteros

Lab ID: 2003577-001

Collection Date: 3/16/2020 11:00:00 AM

Client Sample ID: G5SD0092

Matrix: MARINE WATER

Analyses	Result	MDL	Qual	Units	DF	Date Analyzed
ENTEROCOCCUS		ENTEROLERT				Analyst: TM
Enterococcus	ND	10.0	U	MPN/100mL	10	3/16/2020 3:14:00 PM
FECAL COLIFORM		A9222D				Analyst: TM
Coliform, Fecal	ND	2.00	U	CFU/100ml	2	3/16/2020 3:49:00 PM

Lab ID: 2003577-002

Collection Date: 3/16/2020 11:05:00 AM

Client Sample ID: G5SD0092-DUP

Matrix: MARINE WATER

Analyses	Result	MDL	Qual	Units	DF	Date Analyzed
ENTEROCOCCUS		ENTEROLERT				Analyst: TM
Enterococcus	10.0	10.0		MPN/100mL	10	3/16/2020 3:14:00 PM
FECAL COLIFORM		A9222D				Analyst: TM
Coliform, Fecal	ND	2.00	U	CFU/100ml	2	3/16/2020 3:49:00 PM

Qualifiers:	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	PL	Permit Limit	RL	Reporting Detection Limit
	U	Samples with CalcVal < MDL	W	Sample container temperature is out of limit as specified at testcode



Ft. Myers Lab02
10090 Bavaria Rd.
Fort Myers, FL 33913
TEL: (239) 590-0337 FAX: (239) 590-0536
Website: www.sanderslabs.net

Analytical Report

(continuous)

WO#: 2003577

Date Reported: 3/23/2020

CLIENT: DEP-Bureau or Labs-Biology Section

Lab Order: 2003577

Project: DEP - Fecals & Enteros

Lab ID: 2003577-003

Collection Date: 3/16/2020 11:15:00 AM

Client Sample ID: G5SD0093

Matrix: MARINE WATER

Analyses	Result	MDL	Qual	Units	DF	Date Analyzed
ENTEROCOCCUS				ENTEROLERT		Analyst: TM
Enterococcus	ND	10.0	U	MPN/100mL	10	3/16/2020 3:14:00 PM
FECAL COLIFORM				A9222D		Analyst: TM
Coliform, Fecal	ND	2.00	U	CFU/100ml	2	3/16/2020 3:49:00 PM

Lab ID: 2003577-004

Collection Date: 3/16/2020 11:30:00 AM

Client Sample ID: G5SD0094

Matrix: MARINE WATER

Analyses	Result	MDL	Qual	Units	DF	Date Analyzed
ENTEROCOCCUS				ENTEROLERT		Analyst: TM
Enterococcus	ND	10.0	U	MPN/100mL	10	3/16/2020 3:14:00 PM
FECAL COLIFORM				A9222D		Analyst: TM
Coliform, Fecal	2.00	2.00	B	CFU/100ml	2	3/16/2020 3:49:00 PM

Qualifiers:	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	PL	Permit Limit	RL	Reporting Detection Limit
	U	Samples with CalcVal < MDL	W	Sample container temperature is out of limit as specified at testcode



Ft. Myers Lab02
10090 Bavaria Rd.
Fort Myers, FL 33913
TEL: (239) 590-0337 FAX: (239) 590-0536
Website: www.sanderslabs.net

Analytical Report

(continuous)

WO#: 2003577

Date Reported: 3/23/2020

CLIENT: DEP-Bureau or Labs-Biology Section

Lab Order: 2003577

Project: DEP - Fecals & Enteros

Lab ID: 2003577-005

Collection Date: 3/16/2020 11:50:00 AM

Client Sample ID: G5SD0026

Matrix: MARINE WATER

Analyses	Result	MDL	Qual	Units	DF	Date Analyzed
ENTEROCOCCUS				ENTEROLERT		Analyst: TM
Enterococcus	ND	10.0	U	MPN/100mL	10	3/16/2020 3:14:00 PM
FECAL COLIFORM				A9222D		Analyst: TM
Coliform, Fecal	ND	2.00	U	CFU/100ml	2	3/16/2020 3:49:00 PM

Lab ID: 2003577-006

Collection Date: 3/16/2020 12:00:00 PM

Client Sample ID: G5SD0119

Matrix: MARINE WATER

Analyses	Result	MDL	Qual	Units	DF	Date Analyzed
ENTEROCOCCUS				ENTEROLERT		Analyst: TM
Enterococcus	ND	10.0	U	MPN/100mL	10	3/16/2020 3:14:00 PM
FECAL COLIFORM				A9222D		Analyst: TM
Coliform, Fecal	4.00	2.00	B	CFU/100ml	2	3/16/2020 3:49:00 PM

Qualifiers:	H	Holding times for preparation or analysis exceeded	ND	Not Detected at the Reporting Limit
	PL	Permit Limit	RL	Reporting Detection Limit
	U	Samples with CalcVal < MDL	W	Sample container temperature is out of limit as specified at testcode



CHAIN OF CUSTODY RECORD

Project #
(Lab Use Only)

2003 574 571

Client Florida Dept. of Environmental Protection
Address 2600 Blairstone Rd. Tallahassee, FL 32399

Report To: DEP-OverflowMicro@dep.state.fl.us

Bill to: Carina Tull

P.O. # LAB #039

Preservative: HCL = H, HNO₃ = N, Na₂S₂O₃ = ST
H₂SO₄ = S, NaOH = SH, NH₄Cl = NH

Project Name: SMP

Project Location: Wilderness Watershed

Customer Type: FDEP - South ROC

Kit #:

Requested Due Date:

Phone 850-245-8085

Fax

Sampled By (PRINT) Gary Shorek

Sampler Signature Gary Shorek

Sample		Preservatives			Analysis Requested										Sample ID # (Lab Use Only)						
Matrix	Sample Description	Date	Time	Type	pH	Ice	S	E. coli	Enterococci	Fecal Coliforms											
M	G5SD0092	3/16/20	1100	Grab		X				X	X							1A/B			
M	G5SD0092-DUP	3/16/20	1105	Grab		X				X	X							2A/B			
M	G5SD0093	3/16/20	1115	Grab		X				X	X							3A/B			
M	G5SD0094	3/16/20	1130	Grab		X				X	X							4A/B			
M	G5SD0026	3/16/20	1150	Grab		X				X	X							5A/B			
M	G5SD0019	3/16/20	1200	Grab		X				X	X							6A/B			
Bottle Lot #		Relinquished By/Affiliation			Date	Time	Accepted By/Affiliation			Date	Time										
Samples are ambient water		Okay to Run As Is...			3/16/20		1428		GR			3/16/20		1428							
RQ-2020-03-02-70		Client Initial:																			
3.3		Samples On Ice																			
		Yes No																			

1050 Endeavor Ct, Nokomis, FL 34275-3623 (941) 485-8103 fax(941) 484-6774

10090 Bavaria Rd., Fort Myers, FL 33913 (239) 590-0337 fax (239) 590-0536

Form #: RCF-02 Approved by: KS 7/11/2016