

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (850) 245-8085
Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
P.O. #: Lab B16970

RQ-2020-04-13-15

Project Name: RQ-2018

Project Run/Location: SMP P. Riv

Laboratory Submission #:

500066671

Station ID

ID

Surface Water
Sample Matrix
(Fresh / Marine)
Sample Type

Enterococci
E.coli (SM9223B Quantitray)

Laboratory
Sample #

E.Coli = 250 mL ; Enteroc = 120 mL ; Fecal Coliform = 120 mL

638D0181

F / M / Grab

E.coli / Enteroc / F.coli

6/23/20 0950

1

F / M / Grab

E.coli / Enteroc / F.coli

Date & Time:

F / M / Grab

E.coli / Enteroc / F.coli

Date & Time:

F / M / Grab

E.coli / Enteroc / F.coli

Date & Time:

F / M / Grab

E.coli / Enteroc / F.coli

Date & Time:

F / M / Grab

E.coli / Enteroc / F.coli

Date & Time:

F / M / Grab

E.coli / Enteroc / F.coli

Date & Time:

F / M / Grab

E.coli / Enteroc / F.coli

Date & Time:

F / M / Grab

E.coli / Enteroc / F.coli

Date & Time:

F / M / Grab

E.coli / Enteroc / F.coli

Date & Time:

F / M / Grab

E.coli / Enteroc / F.coli

Date & Time:

F / M / Grab

E.coli / Enteroc / F.coli

Date & Time:

F / M / Grab

E.coli / Enteroc / F.coli

Date & Time:

F / M / Grab

E.coli / Enteroc / F.coli

Date & Time:

F / M / Grab

E.coli / Enteroc / F.coli

Date & Time:

Sample Type is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

Sample Matrix is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDMT), or sludge (SDC).

Container Type is used to indicate whether the container is plastic (P) or glass (G).

Sample must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 6°C (42.8°F). Under "Preservative" list any preservatives that were added to the sample container.

1. Each bottle has a label identifying sample ID, preservative contained in the bottle, sample type, client ID, and parameters for analysis.

2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.

3. All bottles not containing preservative may be filled with appropriate sample prior to collection.

4. The client is responsible for documentation of the sampling event. Please use special sampling events on the sample container form.

Laboratory Sample Acceptability:
pH < 2.0 BEAS Temperature: 3.6°C

1	Collector: Gary Snarek	Date: 6/23	Time: 1047	Received By: Muehnt	Date: 6/23/20	Time: 1047
2	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
3	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
4	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
5	Relinquished by:	Date:	Time:	Received By:	Date:	Time: