

Biological Analysis Report

SO-DIST-2020-07-10-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
Benchmark EnviroAnalytical, Inc. - North Port
1001 Corporate Avenue, Suite 102
North Port, FL 34289
DOH Accreditation E85086

Event Description: **2020 SMP : Myakka**
Request ID: **RQ-2020-07-06-52**
Customer: **SO-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FLDEP South District Office
2295 Victoria Ave. Suite 364
Fort Myers, FL 33901-3381
Attn: Miranda Carroll

For additional information please contact
Cheryl Swanson - Administrator
Jacqueline Savage - Microbiology
Diane Power - Bench Biology
Lauren Gottfried - Aquatic Toxicology
Puja Jasrotia, Ph.D. - Molecular Biology
Amelia Rankin - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 06-AUG-2020 18:28



NON-CONFORMANCE REPORT INCLUDED

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Horse Creek @ SR 72

Collection Date/Time: 07/09/2020 09:45

Field ID: G3SD0157

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2182337	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.6	U	ug/L	P384785	
		Phaeophytin-a	1.8	U	ug/L	P384785	
		Chlorophyll-a, Uncorrected	1.2	U	ug/L	P384785	

Sample Location: Brandy Branch @ SR 70

Collection Date/Time: 07/09/2020 10:35

Field ID: G3SD0083

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2182339	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.8	U	ug/L	P384863	
		Phaeophytin-a	2.0	U	ug/L	P384863	
		Chlorophyll-a, Uncorrected	1.3	U	ug/L	P384863	
2182342	SOP-PCR-1.0	HF183-qPCR**	71	U	GEU/100 mL	P384145	
	SOP-PCR-1.4	BacR-qPCR**	6.29E+04		TSC/100 mL	P384145	
	SOP-PCR-1.5	DG3-qPCR**	640	U	TSC/100 mL	P384145	
2182923	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	246		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Lake Myakka (Upper)

Collection Date/Time: 07/09/2020 11:55

Field ID: G3SD0133

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2182338	SM 10200 H (mod.)	Chlorophyll-a, Corrected	6.7		ug/L	P384863	
		Phaeophytin-a	2.0	U	ug/L	P384863	
		Chlorophyll-a, Uncorrected	7.9		ug/L	P384863	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Lake Myakka (Lower)

Collection Date/Time: 07/09/2020 13:10

Field ID: G3SD0107

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2182340	SM 10200 H (mod.)	Chlorophyll-a, Corrected	16	Y	ug/L	P384863	
		Phaeophytin-a	7.0	Y	ug/L	P384863	
		Chlorophyll-a, Uncorrected	21	Y	ug/L	P384863	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data. See Non-Conformance Report #8345.

Sample Location: Howard Creek NE Branch

Collection Date/Time: 07/09/2020 14:05

Field ID: G3SD0158

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2182341	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.4	I	ug/L	P384863	
		Phaeophytin-a	1.3	U	ug/L	P384863	
		Chlorophyll-a, Uncorrected	1.8	I	ug/L	P384863	

Field ID: G3SD0158

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2182924	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	262		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Non-Conformance Report

NCR ID: 8345

Event(s)

SO-DIST-2020-07-10-01

Job(s)

TLH-2020-07-10-10

Sample(s)

2182340

Test(s)

NCR Type: SHIPPING/RECEIVING

NCR Category: Preservation Not Intact

Observation: Samples received outside the acceptable temperature range.

Resolution: Data will be qualified as appropriate.

Authorized by/Date: Joshua Ayres 7/20/2020

The Non-Conformance Report details exceptions or problems encountered with the events/jobs/samples/test.
Please address questions to:

Chemistry	Colin Wright	(850) 245-8085
Biology	Cheryl Swanson	(850) 245-8177

Quality Assurance Report

Method Blank Results

Reference Method: SM 10200 H (mod.)

Batch ID: P384785

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SM 10200 H (mod.)

Batch ID: P384863

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SOP-PCR-1.0

Batch ID: P384145

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL

Reference Method: SOP-PCR-1.4

Batch ID: P384145

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Quality Assurance Report Method Blank Results

Reference Method: SOP-PCR-1.5
Batch ID: P384145

Component	Result	Code	Units
DG3-qPCR	2.6E+03	U	TSC/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P384785

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	97.4		P	84 - 116

Reference Method: SM 10200 H (mod.)
Batch ID: P384863

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	93.1		P	84 - 116

Reference Method: SOP-PCR-1.0
Batch ID: P384145

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	114	116	P/P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P384145

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	107	117	P/P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P384145

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-qPCR	93.6	93.2	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P384145

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2180711	HF183-qPCR	95.9		P	50 - 175
2180712	HF183-qPCR	96.9		P	50 - 175
2180713	HF183-qPCR	111	96.3	P/P	50 - 175
2181430	HF183-qPCR	105		P	50 - 175
2181431	HF183-qPCR	97.4		P	50 - 175
2181555	HF183-qPCR	90.8		P	50 - 175
2181556	HF183-qPCR	89.3		P	50 - 175
2181933	HF183-qPCR	98.5		P	50 - 175
2182342	HF183-qPCR	104		P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0

Batch ID: P384145

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2183113	HF183-qPCR	107		P	50 - 175
2184015	HF183-qPCR	106		P	50 - 175
2184016	HF183-qPCR	104		P	50 - 175
2184370	HF183-qPCR	102		P	50 - 175

Reference Method: SOP-PCR-1.4

Batch ID: P384145

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2180711	BacR-qPCR	77.3		P	50 - 175
2180712	BacR-qPCR	81.1		P	50 - 175
2180713	BacR-qPCR	94.8	87.1	P/P	50 - 175
2181430	BacR-qPCR	79.2		P	50 - 175
2181431	BacR-qPCR	75.5		P	50 - 175
2181555	BacR-qPCR	80.0		P	50 - 175
2181556	BacR-qPCR	72.5		P	50 - 175
2181933	BacR-qPCR	77.9		P	50 - 175
2182342	BacR-qPCR	82.7		P	50 - 175
2183113	BacR-qPCR	83.6		P	50 - 175
2184015	BacR-qPCR	86.9		P	50 - 175
2184016	BacR-qPCR	76.2		P	50 - 175
2184370	BacR-qPCR	84.8		P	50 - 175

Reference Method: SOP-PCR-1.5

Batch ID: P384145

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2180711	DG3-qPCR	80.8		P	50 - 175
2180712	DG3-qPCR	82.3		P	50 - 175
2180713	DG3-qPCR	84.0	81.7	P/P	50 - 175
2181430	DG3-qPCR	80.4		P	50 - 175
2181431	DG3-qPCR	114		P	50 - 175
2181555	DG3-qPCR	80.8		P	50 - 175
2181556	DG3-qPCR	84.3		P	50 - 175
2181933	DG3-qPCR	83.6		P	50 - 175
2182342	DG3-qPCR	82.5		P	50 - 175
2183113	DG3-qPCR	81.8		P	50 - 175
2184015	DG3-qPCR	78.5		P	50 - 175
2184016	DG3-qPCR	99.4		P	50 - 175
2184370	DG3-qPCR	87.1		P	50 - 175

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)

Batch ID: P384785

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2182186	Chlorophyll-a, Corrected	3.59	Sample	P	0 - 25
2182186	Chlorophyll-a, Uncorrected	1.75	Sample	P	0 - 25

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P384785

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2182186	Phaeophytin-a	1.52	Sample	P	0 - 25

Reference Method: SM 10200 H (mod.)
Batch ID: P384863

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2182484	Chlorophyll-a, Corrected	0.657	Sample	P	0 - 25
2182484	Chlorophyll-a, Uncorrected	1.09	Sample	P	0 - 25

Reference Method: SOP-PCR-1.0
Batch ID: P384145

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2180713	HF183-qPCR	14.3	Spike	P	0 - 25

Reference Method: SOP-PCR-1.4
Batch ID: P384145

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2180713	BacR-qPCR	8.43	Spike	P	0 - 25

Reference Method: SOP-PCR-1.5
Batch ID: P384145

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2180713	DG3-qPCR	2.78	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2182342
Field Sample ID: G3SD0083

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	94.8	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	113	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	123	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	Precision
				LCS SMP MS

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			LCS	Precision	
								SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	97.4						3.59	
	Chlorophyll-a, Corrected	93.1						0.657	
	Chlorophyll-a, Uncorrected							1.75	
	Chlorophyll-a, Uncorrected							1.09	
	Phaeophytin-a							1.52	
SOP-PCR-1.0	HF183-qPCR	116	114	95.9	96.9	111			14.3
SOP-PCR-1.4	BacR-qPCR	117	107	96.3	81.1	94.8			8.43
				87.1					
SOP-PCR-1.5	DG3-qPCR	93.2	93.6	80.8	82.3	84.0			2.78
				81.7					

Reference Method Descriptions

Method	Description	Associated Samples
SM 10200 H (mod.)	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2182337, 2182338, 2182339, 2182340, 2182341
SM 9223 Quanti-Tray	E. coli by Colilert/QT by BEA South in North Port	2182923, 2182924
SOP-PCR-1.0	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2182342
SOP-PCR-1.4	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	2182342
SOP-PCR-1.5	Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction	2182342

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 10200 H (mod.)	07/10/2020	07/10/2020 13:01	Yuliya Danyuk	07/16/2020 09:08	Jessica Fetgatter	2182337
	07/10/2020	07/10/2020 13:01	Yuliya Danyuk	07/16/2020 14:58	Yuliya Danyuk	2182338, 2182339, 2182340, 2182341
SM 9223 Quanti-Tray	07/09/2020	07/09/2020 15:39		07/10/2020 15:53	Benchmark EnviroAnalytical in North Port	2182923, 2182924
SOP-PCR-1.0	07/10/2020	07/10/2020 14:50	Lauren Campbell	07/23/2020 14:27	Lauren Campbell	2182342
SOP-PCR-1.4	07/10/2020	07/10/2020 14:50	Lauren Campbell	07/24/2020 11:56	Lauren Campbell	2182342
SOP-PCR-1.5	07/10/2020	07/10/2020 14:50	Lauren Campbell	07/24/2020 13:30	Lauren Campbell	2182342