

RQ- 2020-03-02-34

Login Checklist

Login Station ID: #2

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 3/4/2020@ 10:10

Cooler Temperature*	Samples Frozen	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # Damaged waybills only
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
2.9				21		✓			1278 4010 6267

*All samples received on ice unless otherwise noted. If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX and microbiology), received without ice, or if Evidence Seal is damaged; identify the containers in the affected cooler(s) on back of this form. HNO₃ and Formalin preserved samples do **NOT** have a temperature requirement. **DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C) without login confirmation from customer for samples requiring ice preservation; An NCR still is required.**

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ☐ No ☒

****Note:** If "No" is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an NCR.

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☐ If yes, is it intact? Yes ☐ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes ☒ No ☐ Init: IM

Chlorine detected? (One container checked per Field ID)

Yes ☐ No ☐ Init: IM

If "YES", list affected Field IDs and Test IDs below.

Field ID	List TestID(s) where Chlorine was Detected, an NCR is required.

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☐ No ☐ NA ☐ Init: IM

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☒ NA ☐ Init: IM

Coolers Unpacked/Checked by: IM Date: 3/4/2020

NCRs (Y/N)? N

Event ID: Crestview Run
NW-DIST-2020-03-04-02 (SMP)
 Date Received: 04-MAR-2020 10:10

NCR #

Samples with Incorrect pH Preservation

Field ID	Bottle Test ID(s)	pH	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_02_2018 EXP: 4/29/20
pH Test Strips 0 – 6 Lot #	213316AV Exp: 5/15/20
pH Paper 0 – 3 Lot #	
pH Paper 0 – 13 Lot #	208717 EXP: 3/31/20
Chlorine Test Strips Lot #	8261 EXP: 7/2021

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Crestview Run

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: NW-DIST

Requester: Christopher Slade

Field Report Prepared By: H Schmulke; S. Slade

Project ID: SMP

Collected By: H Schmulke

Sampling Agency: NW ROC

Field/WIN ID → G4NW0491 Location: Deadfall Creek upstream of Old River Rd Latitude: ☐ dd ☐ dms	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 3/3/2020 Time 0915	Eastern ☒ Central	Composite end Date _____ Time _____	Bottle Group(s) (See pg 2) A	
	Matrix (type, e.g., Salt, Fresh, etc) Fresh	Diss. Oxygen 8.81	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
	Temp (C) 16.0	pH 4.43	Sample Depth 0.3	☐ ft ☒ m		Sp. Conductance (umho/cm) 20.3
	☐ dd ☐ dms	Salinity (ppt) 0.01	Comments			
Field/WIN ID → G4NW0490 Location: Deadfall Creek upstream of Shockley Springs Rd Latitude: ☐ dd ☐ dms	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 3/3/2020 Time 0935	Eastern ☒ Central	Composite end Date _____ Time _____	Bottle Group(s) B	
	Matrix (type, e.g., Salt, Fresh, etc) Fresh	Diss. Oxygen 8.74	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
	Temp (C) 15.9	pH 4.11	Sample Depth 0.3	☐ ft ☒ m		Sp. Conductance (umho/cm) 19.1
	☐ dd ☐ dms	Salinity (ppt) 0.01	Comments			
Field/WIN ID → G4NW0296 Location: Panther Creek upstream John Riley Barnhill Road Latitude: ☐ dd ☐ dms	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 3/3/2020 Time 1006	Eastern ☒ Central	Composite end Date _____ Time _____	Bottle Group(s) C	
	Matrix (type, e.g., Salt, Fresh, etc) Fresh	Diss. Oxygen 9.17	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
	Temp (C) 16.3	pH 4.35	Sample Depth 0.3	☐ ft ☒ m		Sp. Conductance (umho/cm) 20.5
	☐ dd ☐ dms	Salinity (ppt) 0.01	Comments			
Field/WIN ID → G4NW0297 Location: Panther Creek upstream of High Bridge Road Latitude: ☐ dd ☐ dms	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 3/3/2020 Time 1025	Eastern ☒ Central	Composite end Date _____ Time _____	Bottle Group(s) D	
	Matrix (type, e.g., Salt, Fresh, etc) Fresh	Diss. Oxygen 9.10	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
	Temp (C) 16.1	pH 4.55	Sample Depth 6.3	☐ ft ☒ m		Sp. Conductance (umho/cm) 22.8
	☐ dd ☐ dms	Salinity (ppt) 0.01	Comments			

Relinquished By: H Schmulke	Date/Time: 3/3/20 1400	Shipping Method: FedEx	Number of Coolers Shipped: 1	Received By: IM	Date/Time: 10:10 3/4/20
-----------------------------	------------------------	------------------------	------------------------------	-----------------	-------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab <u>3</u>
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab <u>3</u>
	CHLSUITE-W					
Group: A	Bottle Type:	TEST HAS NO BOTTLE	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab <u>0</u> <i>sent to vwf contract Lab</i>
	NW-UWF-ECQ					
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	HNO3	Enter Number of Bottles Sent to Lab <u>3</u>
	W-HARD W-ICP W-ICPMS					
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab <u>3</u>
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab <u>3</u>
	W-PO4-F					
Group: B	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab <u>1</u>
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS					

Crestview Run

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: NW-DIST

Requester: Christopher Slade

Field Report Prepared By: H Schmulz; S. Slade

Project ID: SMP

Collected By: H Schmulz

Sampling Agency: NW ROC

Location		☐ Comp	Collection (comp begin or grab)		Eastern	Composite end		Bottle Group(s) (See pg 2)
Field/WIN ID →  G4NW0298		☒ Grab	Date 3/3/2020	Time 1045	Central	Date	Time	
Location: Big Horse Creek upstream of Old River Road		Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 9.34		☒ mg/L	Total Res. Chlorine (mg/L)	C
Temp (C) 16.4		pH 5.17		Sample Depth 0.2		☒ m	Sp. Conductance (umho/cm) 23.6	
☐ dd ☐ dms		Salinity (ppt) 0.01		Comments				
Location		☐ Comp	Collection (comp begin or grab)		Eastern	Composite end		Bottle Group(s)
Field/WIN ID →  G4NW0052		☒ Grab	Date 3/3/2020	Time 1120	Central	Date	Time	
Location: Trammel Creek East of Hwy 4		Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 9.35		☒ mg/L	Total Res. Chlorine (mg/L)	D
Temp (C) 16.9		pH 6.22		Sample Depth 0.3		☒ m	Sp. Conductance (umho/cm) 56.7	
☐ dd ☐ dms		Salinity (ppt) 0.03		Comments				
Location		☐ Comp	Collection (comp begin or grab)		Eastern	Composite end		Bottle Group(s)
Field/WIN ID →  G4NW0335		☒ Grab	Date 3/3/2020	Time 1145	Central	Date	Time	
Location: Baggett Creek upstream of Keyser Mill Road		Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 8.96		☒ mg/L	Total Res. Chlorine (mg/L)	A
Temp (C) 18.1		pH 5.77		Sample Depth 0.1		☒ m	Sp. Conductance (umho/cm) 31.4	
☐ dd ☐ dms		Salinity (ppt) 0.01		Comments				
Location		☐ Comp	Collection (comp begin or grab)		Eastern	Composite end		Bottle Group(s)
Field/WIN ID →  G4NW0336		☒ Grab	Date 3/3/2020	Time 1210	Central	Date	Time	
Location: Baggett Creek upstream of Hwy 90		Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 9.14		☒ mg/L	Total Res. Chlorine (mg/L)	A*
Temp (C) 17.3		pH 6.35		Sample Depth 0.25		☒ m	Sp. Conductance (umho/cm) 36.7	
☐ dd ☐ dms		Salinity (ppt) 0.02		Comments				

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By: IM	Date/Time 10:10 3/4/20
------------------	-----------	-----------------	----------------------------	-----------------	------------------------

* Taken from Field Label
IM 3/4/20

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Customer: NW-DIST

Project ID: SMP

Requester: Christopher Slade

Collected By: H Schumky

Field Report Prepared By: H Schumky, S. Slade

Sampling Agency: NW ROC

Location		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 3/3/2020 Time 1230		Eastern Central	Composite end Date Time		Bottle Group(s) (See pg 2)		
Field/WIN ID →		Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 9.03		☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		D		
Location:		Temp (C) 18.7		pH 5.36		Sample Depth 0.25		Sp. Conductance (umho/cm) 21.0			
Wilkinson Creek upstream of Wilkinson Bluff Road		Salinity (ppt) 0.01		Comments							
Location		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 3/3/2020 Time 1245		Eastern Central	Composite end Date Time		Bottle Group(s)		
Field/WIN ID →		Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 9.29		☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		D		
Location:		Temp (C) 18.1		pH 6.19		Sample Depth 0.15		Sp. Conductance (umho/cm) 30.5			
Ates Creek NE of Bryant Bridge Road above Blackwater River		Salinity (ppt) 0.01		Comments							
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		Eastern Central	Composite end Date Time		Bottle Group(s)		
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)				
WIN/STORET #		Temp (C)		pH		Sample Depth		Sp. Conductance (umho/cm)			
Latitude	Longitude	Salinity (ppt)		Comments							
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		Eastern Central	Composite end Date Time		Bottle Group(s)		
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)				
WIN/STORET #		Temp (C)		pH		Sample Depth		Sp. Conductance (umho/cm)			
Latitude	Longitude	Salinity (ppt)		Comments							

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By: IM	Date/Time
					3/4/20 10:00

Group: B	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>1</u>
Group: B	Bottle Type: NW-UWF-ECQ	TEST HAS NO BOTTLE	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>0</u> <i>Sent to vwf contract lab</i>
Group: B	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab <u>1</u>
Group: B	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 1	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab <u>1</u>
Group: C	Bottle Type: NW-UWF-ECQ	TEST HAS NO BOTTLE	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>0</u> <i>Sent to vwf contract lab</i>
Group: C	Bottle Type: W-E8321-DI W-E8321-MS	BG-500ML	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>2</u>
Group: D	Bottle Type: NW-UWF-ECQ	TEST HAS NO BOTTLE	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>0</u> <i>Sent to vwf contract lab</i>

Document Reference # 05.1.0

Method of transport: Drop off on ice by automobile

Sampler's initials : HS

Samples delivered by: H Schmuck of FDEP

Page _1_ of _1_

Sample received by: James Brown of WRL

Date/Time: 3/3/2022 1:1340

Date/Time: 3/3/2020 / 1340

Instructions: Fill in all fields except "Lab ID" on sample transport form completely. Each sample container must use a separate line. Place this form in a waterproof bag and place it with the samples for transport. If a field log or other chain of custody is attached, that information may be referenced on this form and the log or COC attached.

Comments sample container lot# 19229

RQ-2020-03-02-34

Contact organization FDEP

Address 160 W Governmental Street, suite 208, Pensacola, FL 32502

Contact name Michael King

Phone: (850) 595-8300

¹Matrix: SW = surface water, PW = pore water, GW = ground water, S = soil/sediment, X =

Sampler's name: H Schmucki

²Type codes: G = grab, C = composite, X =

³ Recorded using IRT-2

Ref:	Date: 06Jan20	SHIPPING:	0.00
Dep:	Wgt: 10.00 LBS	SPECIAL:	0.00
		HANDLING:	0.00
	PV: 0.00	TOTAL:	0.00

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED
DATE 08-11-2010 BY 60322 UCBAW

Date of Request: 10-FEB-2020
 Created By: SLADE_C On: 10-FEB-2020
 Modified By: JASROTIA_P On: 11-FEB-2020
 Customer: NW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Northwest District
 Sampling Event: Crestview Run

Send Coolers To:

Phone: 850-595-0567
 160 Government Center
 Suite 208
 Pensacola, FL 32502-5794
 Attn: Christopher Slade

Program Module Number:
 Priority: 3
 Event Status: A
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 10-FEB-2020
 Biology Request Reviewed By: JASROTIA_P On: 11-FEB-2020
 Sampling Kit Required: NO Ship on:
 Sampling Kit Shipped:
 Sampling Kit Packed By:
 Preservatives Needed: NO
 Date to Receive Samples: 02-MAR-2020
 Received By:

Send Final Report To:

160 Government Center
 Suite 208
 Pensacola, FL 32502-5794
 Attn: Cheryl Bunch

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: (WBID 145A, 275) Nutrients, Metals, Contract Lab Bacteria
 Group B: (WBID 145A) Nutrients, Contract Lab Bacteria
 Group C: (WBID 27, 28) TRACERS: W-E8321-DI, MS, Contract Lab Bacteria
 Group D: (WBID 271, 30G, 27, 336) Contract Lab Bacteria

**Please send Labels*

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B-2011) True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2011) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2120 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: TEST HAS NO	Number of Bottles: 3	Preserved With: ICE
NW-UWF-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Colilert-18/QT by UWF in Pensacola
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: HNO ₃
W-HARD	Template: DEFAULT	(SM 2340B) Hardness by calculation, in aqueous matrices, reported as mg/L CaCO ₃
Hardness		
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Barium		

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Iron		
Magnesium		
Potassium		
Sodium		
Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
*Boron		
Aluminum		
Antimony		
Arsenic		
Cadmium		
Chromium		
Copper		
Lead		
Nickel		
Selenium		
Silver		
Thallium		

Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B-2011) True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2011) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: TEST HAS NO	Number of Bottles: 1	Preserved With: ICE
NW-UWF-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Collert-18/QT by UWF in Pensacola

Bottle Group C (Water) With 2 Samples:

Bottle Type: TEST HAS NO	Number of Bottles: 2	Preserved With: ICE
NW-UWF-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Collert-18/QT by UWF in Pensacola

Bottle Group C (Water) With 2 Samples:

Bottle Type: BG-500ML Number of Bottles: 2 Preserved With: ICE
W-E8321-DI Template: DEFAULT (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS Template: DEFAULT (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group D (Water) With 4 Samples:

Bottle Type: TEST HAS NO Number of Bottles: 4 Preserved With: ICE
NW-UWF-ECQ Template: DEFAULT (SM 9223 B Quanti-Tray) E. coli by Colifert-18/QT by UWF in Pensacola

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.