

Login Checklist

RQ-2020-10 26-24

Login Station ID: #1

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 10/30/2020 10:20

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
0.7				5		✓			121XR 217 84 9145415

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO₃ and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# 8492

Chain of Custody/ Field Sheet(s) Included?

Yes ✓ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes ✓ No _____

CONTAINER CHECK

Evidence Tape on Bottles?

Yes _____ No _____ NA ✓

Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken?

Yes _____ No _____

Containers intact? Yes ✓ No _____

Caps on tight?

Yes ✓ No _____

Sufficient Sample Volume:

Yes ✓ No _____

If NO is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes ✓ No _____ Init: _____

Chlorine detected? (One container checked per Field ID)

Yes _____ No ✓ Init: _____

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH < 2.0?

Yes ✓ No _____ NA _____ Init: _____

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?

Yes _____ No _____ NA ✓ Init: _____

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: _____

Date: 10/30/2020

Event contains NCRs (Y/N)? Y

Event ID:

Mullet Creek Continuous
NW-DIST-2020-10-30-01 (SMP)
Date Received: 30-OCT-2020 10:20

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Infrared Thermometer ID:	#1 Temp Gun EXP:10/28/2021
pH Test Strips 0 – 6	N/A
pH Paper 0 – 3	N/A
pH Paper 0 – 13	231019 EXP:11/01/2022
Chlorine Test Strips	8261 EXP:07/2021

Additional Comments:

Turbidity test removed during login. Test expired upon arrival. Logged in using SMP Protocol

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____



HS
RQ-2020-10-26-24 26-24
Customer: WQAP
Project ID: SMP

Collected By: Heather Schmuki, Myranda Clark
Field Report Prepared By: Heather Schmuki
Sampling Agency: FDEP

Place Label Here						Comments:				
WIN ID/Field ID: 										
Location: Mouth Of Mullet Creek @ Hwy 20										
Matrix: Marine						(Check one) ☒ GRAB ☐ COMPOSITE				
Date	Time	DO (mg/L)	DO (%SAT)	Temp. (C°)	pH	Sample Depth (m)	Secchi Disk (m)	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPTH)
10/28/2020	09:21 CEN	5.12	60.1	23.4	4.89	0.3	0.7 ☒ VOB (S)	0.7	31.2	0.01
Central Lab please use top row for login purposes										
	CEN									
Parameter Suite		Parameter Methods				Preservation		pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)		☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				☒ Ice ☒ H2SO4*		☒ <2	1	A
		Lot # Sa9354030		Exp: 10/28/20						
Metals (P-500ML)		☐ W-ICPMS ☐ W-ICP ☐ W-HARD				☐ Ice ☐ HNO3*		☐ <2		
		Lot #		Exp:						
Filtered Nutrients (P125ML)		☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter				☒ Ice			1	A
		Filter Lot # 17097890								
		Syringe Lot # 0079929								
Chlorophyll (BP-1L)		☒ CHLSUITE-W				☒ Ice			1	A
Physical/Aggregate (Fresh) (P-1L)		☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-CHC / W-COLOR / W-SO4-IC / W-TDS				☐ Ice				
Physical/Aggregate (Marine) (P-1L)		☒ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY				☒ Ice			1	A
Macroinvertebrates (PJ-2L)		☐ MI-FW-QLDC				☐ Formalin				
Periphyton (PT-50ML)		☐ ALGAE-ID				☐ Ice				
Microbiology (Contract Lab Bottle)		☐ E Coli ☒ F Coli ☒ Enterococci ☐ Contract Lab				☒ Ice			2	A
Molecular (QPCR-P-500ML)		☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-DG3 ☐ PCR-GULL2 ☐ PCR-GFD ☐				☐ Ice				
Tracers (BG-500ML)		☒ W-E8321-DI ☒ W-E8321-MS				☒ Ice			1	A
Pesticides (BG-500ML) (BG-1L)		☐ W-E8321-DI ☐ W-E8321-MS ☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-PCL-SQ-R ☐ W-CAR8-AA (5 ml of MCAA** Buffer Solution)				☐ Ice				
						☐ Ice				
Name: Heather Schmuki Myranda Clark					Signature: 					Date: 10/28/2020

*2.0 ml of Preservative used unless noted otherwise.

**MCAA: Monochloroacetic acid buffer solution



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2020

Meter Passed End
of Day CCV
☒ es / No

WIN Station Name: Mouth Of Mullet Creek @ Hwy 20 Date: 10/28/2020

WIN/Field ID: G3NW0137 WBID: 712 ENR: Latitude: 30.4763

County: WALTON Org ID: 21FLPNS Longitude: -86.3329

Receiving Body of Water: Choctawhatchee - St. Andrew RQ- 2020-10-26-24 26-24
HS

Sampling Team Members		WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
☒	Heather Schmuki	x		x		
☒	Myranda Clark		x		x	x
☐						
☐						

Sampling Equipment	
☒ Sample Container	☐ Carboy
☐ Dipper	☐ Van Dorn
☒ Syringe	☐ Pole
Depth measured with: Meter	
Secchi Equipment ID:	
Collection Method	
☒ Wading	☐ Canoe/Kayak
☐ From Shore	☐ Electric Motor
☐ Other	☐ Gasoline Motor

Water Level: ☒ Normal ☐ Low ☐ High ☐ Dry ☐ Pooled ☐ Flooded						Meter ID# 155077 (ProDSS)	
Photos: No	Flow: FLOW	Tide: RISING		Tide Times:		High: 09:58	Low: 18:08
Biological Samples Collected:		☒ None	☐ HA	☐ SCI	☐ RPS	☐ Algae ID	☐ LVS ☐ LVI Other:
SBIO ID Numbers:							
Notes:							

Duplicate Sample

Time Zone: CEN	Time: N/A	Field ID: N/A	(WIN ID_DUP)
WIN DMT Activity ID:			

Blank

Time Zone:	Time: N/A	Field ID: N/A	(Blank Type_DDMMYYYY)
DI Source: N/A	Location: N/A		
DI Type: N/A	Equipment ID: N/A		

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: (Initials/Date) QC Station ID, Field Parameters In LIMS DMT: (Initials/Date)

Scan/Save Field Sheets (Initials/Date) Migrate Data to WIN: (Initials/Date) Verify Data In WIN: (Initials/Date)

CALIBRATION AND VERIFICATION LOG (DEP SGP FT 1000 FT 1500 FT 2000 FT 3000)

Depth: 1" min
Accuracy: 0.1%
Resolution: 0.01m
Range: 0-30m

Meter ID: 155077 RO: 2020-10-26-24 Project: SMP

- Notes: (1) Always wait for meter to stabilize before recording any readings.
(2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth)
(3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Starter): FT 3400

Date of Last Temperature Verification: 10/13/20

DO	Name	Date	Time	Temp	Bath	D.O.	Meter	% DO	Probe	Probe	Pass	Lab
DEP SGP			CT-ET	°C	meter	Chart	D.O.		Charge	Gain	Fail	Field
FT 1500					mmHg	mg/L	mg/L					
Calibr.	H. Schmitt	10/24/20	0736	24.7	760	8.3	8.44	101.6			(P) (F)	
ICV			0737	24.7	760	8.3	8.44	101.6			(P) (F)	
CCV			1143	24.3	760	8.4	8.52	101.9			(P) (F)	
CCV											P/F	L/F

DO Acceptance criteria from Table ± 0.3 mg/L. Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4. DO Charge Range 25-75.
Optical: DO gain range 0.85 to 1.15 (Pie D55 0.75 to 1.50). DO charge N/A. Steady state & Galvanic Sensors: DO Gain & Charge N/A.

Spec.	Name	Date	Time	Lot #	Expir.	Standard	Meter	Pass	Lab
Cond.			CT-ET		Date	umhos/cm	Reading	Fail	Field
FT 1200							umhos/cm		
Calibr.	H. Schmitt	10/22/20	0732	200124B	2/21	1000	1000	(P) (F)	
ICV			0739	200127A	2/21	100	101.8	(P) (F)	
CCV			1150	200124A	2/21	100	104.9	(P) (F)	
CCV								P/F	L/F

Conductivity Acceptance criteria $\pm 5\%$

pH	Name	Date	Time	Lot #	Expir.	pH	Temp	Meter	mV	Pass	Lab
DEP SGP			CT-ET		Date	Buffer	°C	reading		Fail	Field
FT 1100						SU		SU			
Calibr.	H. Schmitt	10/22/20	0741	107488Z	3/21	7.01	24.6	7.01	-14.6	(P) (F)	
Calibr.			0742	203620	6/22	4.01	24.2	4.01	13.7	(P) (F)	
Calibr.			0743	201473	5/22	7.00	24.6	7.00	7.57	(P) (F)	
ICV			0744	203620	6/22	4	24.7	3.95	16.7	(P) (F)	
CCV			1151	201473	3/21	7	24.6	7.03	-14.7	(P) (F)	
CCV										P/F	L/F

pH Acceptance criteria ± 0.2 SU. mV pH 2 Range 0 ± 30 . mV pH 4 Range $\pm 50 \pm 50$. mV pH 10 Range $\pm 30 \pm 30$.
If mV are recorded, slope from 2 to 30. Slope from 4 to 7. (min. slope between 265 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NO (no surf water direct)
If YES, complete only Calibr. & ICV sections and print date of test quarterly depth verification: 10/13/20

If NO, what will be used? (See Depth Line / Sonar / Uniquet) Date of last verification:

Depth Sensor	Name	Date	Time	Calibrated	CV Value	Pass	Lab
(Daily Calibration & ICV)			CT-ET	Value (0.00 or 0MSL, meters)	meters	Fail	Field
Pressure mode on/off	H. Schmitt	10/13/20	0745	0.00	0.00	(P) (F)	

Report two decimal places. Round numbers ≤ 0.05 to 0.00. DO acceptance criteria ± 0.3 mg/L. DO gain range 0.85 to 1.15. DO charge N/A. Steady state & Galvanic Sensors: DO Gain & Charge N/A.

COMMENTS:

Form effective August 1, 2015

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 10/28/2020 **Collected By:** Heather Schmuki, Myranda Clark
Customer: NW-DIST **Sampling Agency:** FDEP
RQ: RQ-2020-10-~~28-24~~ 26-24 **Project ID:** SMP

PLEASE RETURN THE ^{HIS} ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 1

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
Mouth Of Mullet Creek @ Hwy 20	 G3NW0137

RELINQUISHED BY(SIGNATURE):

Heather Schmuki

DATE/TIME:

10/28/2020;12:00

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By:

Rec'd/Inspected Date: 10/30/2020

University of Illinois, Urbana-Champaign, Urbana, IL 61824

MC

Revised: 01/11/2011

Continue 18/22/2020 1111

© 2000 by John Wiley & Sons, Inc. All rights reserved. This publication is intended to provide accurate and authoritative information in regard to the subject matter covered. It is sold with the understanding that the publisher is not engaged in rendering legal, accounting, or other professional service. If legal advice or other expert assistance is required, the services of a competent professional person should be sought. This publication is not a substitute for a professional service. It is sold with the understanding that the publisher is not engaged in rendering legal, accounting, or other professional service. If legal advice or other expert assistance is required, the services of a competent professional person should be sought. This publication is not a substitute for a professional service. It is sold with the understanding that the publisher is not engaged in rendering legal, accounting, or other professional service. If legal advice or other expert assistance is required, the services of a competent professional person should be sought.

Lab ID	Sample ID	Material	Type	Container Type	Analysis Requested	Preparation	Sample C/I	Sampling Date/Time
20-17698	COMMITT Mtn Creek	SWAMP	NO	Empty Plastic	Environmental	20-17698	6.8	01/21/2014 08:1

Customer Sample Collection Ref: L70020

89-1020-10-26-24

Contact Information: FJEB

Copyright

1950

Address: 180 Commercial Center, Suite 101, Pensacola, FL 32502

Water samples: SW = surface water, FW = fresh water, GW = ground water, PW = pore water.

Type codes: G = given, C = complete, X =

State Personnel Drive
Pensacola, FL 32514-7043
Phone 904-474-7001 Fax 904-474-7002

C. eurofina

Journal of the American Statistical Association

Client Contact Florida Department of Environmental Protection 2600 Bay Shore Rd. Tallahassee, FL 32301		Project Manager: Karen Berkey Email: kberkey@dep.state.fl.us Tel/Fax: 904-241-6816		Contact Supplier Date: Contact #1: 820-185-0587		Date: 10/21/05 Order #: 1055		COC #: 1055-0000-0001 Lot #: 1 Q#: 1	
Sample Identification Sample Name: <u>WASTE SWP NO. 1055-10-0001</u> Date Collected: <u>10-21-05</u> Location: <u>FL 32301</u>		Analysis Information ☐ Analysis Turnaround Time ☐ <u>2 weeks</u> ☐ <u>1 week</u> ☐ <u>3 days</u>		Sample Date: <u>10/21/05</u> Sample Time: <u>07:11</u> Sample Type: <u>D</u> Sample Weight: <u>1</u> Sample Size: <u>1</u>		Sample ID: <u>1055-10-0001</u> Sample Weight: <u>1</u> Sample Size: <u>1</u>		COC #: 1055-0000-0001 Lot #: 1 Q#: 1	
Sample Identification Sample Name: <u>WASTE SWP NO. 1055-10-0002</u> Date Collected: <u>10-21-05</u> Location: <u>FL 32301</u>		Analysis Information ☐ Analysis Turnaround Time ☐ <u>2 weeks</u> ☐ <u>1 week</u> ☐ <u>3 days</u>		Sample Date: <u>10/21/05</u> Sample Time: <u>07:11</u> Sample Type: <u>D</u> Sample Weight: <u>1</u> Sample Size: <u>1</u>		Sample ID: <u>1055-10-0002</u> Sample Weight: <u>1</u> Sample Size: <u>1</u>		COC #: 1055-0000-0001 Lot #: 1 Q#: 1	
Sample Identification Sample Name: <u>WASTE SWP NO. 1055-10-0003</u> Date Collected: <u>10-21-05</u> Location: <u>FL 32301</u>		Analysis Information ☐ Analysis Turnaround Time ☐ <u>2 weeks</u> ☐ <u>1 week</u> ☐ <u>3 days</u>		Sample Date: <u>10/21/05</u> Sample Time: <u>07:11</u> Sample Type: <u>D</u> Sample Weight: <u>1</u> Sample Size: <u>1</u>		Sample ID: <u>1055-10-0003</u> Sample Weight: <u>1</u> Sample Size: <u>1</u>		COC #: 1055-0000-0001 Lot #: 1 Q#: 1	
Sample Identification Sample Name: <u>WASTE SWP NO. 1055-10-0004</u> Date Collected: <u>10-21-05</u> Location: <u>FL 32301</u>		Analysis Information ☐ Analysis Turnaround Time ☐ <u>2 weeks</u> ☐ <u>1 week</u> ☐ <u>3 days</u>		Sample Date: <u>10/21/05</u> Sample Time: <u>07:11</u> Sample Type: <u>D</u> Sample Weight: <u>1</u> Sample Size: <u>1</u>		Sample ID: <u>1055-10-0004</u> Sample Weight: <u>1</u> Sample Size: <u>1</u>		COC #: 1055-0000-0001 Lot #: 1 Q#: 1	
Sample Identification Sample Name: <u>WASTE SWP NO. 1055-10-0005</u> Date Collected: <u>10-21-05</u> Location: <u>FL 32301</u>		Analysis Information ☐ Analysis Turnaround Time ☐ <u>2 weeks</u> ☐ <u>1 week</u> ☐ <u>3 days</u>		Sample Date: <u>10/21/05</u> Sample Time: <u>07:11</u> Sample Type: <u>D</u> Sample Weight: <u>1</u> Sample Size: <u>1</u>		Sample ID: <u>1055-10-0005</u> Sample Weight: <u>1</u> Sample Size: <u>1</u>		COC #: 1055-0000-0001 Lot #: 1 Q#: 1	
Sample Identification Sample Name: <u>WASTE SWP NO. 1055-10-0006</u> Date Collected: <u>10-21-05</u> Location: <u>FL 32301</u>		Analysis Information ☐ Analysis Turnaround Time ☐ <u>2 weeks</u> ☐ <u>1 week</u> ☐ <u>3 days</u>		Sample Date: <u>10/21/05</u> Sample Time: <u>07:11</u> Sample Type: <u>D</u> Sample Weight: <u>1</u> Sample Size: <u>1</u>		Sample ID: <u>1055-10-0006</u> Sample Weight: <u>1</u> Sample Size: <u>1</u>		COC #: 1055-0000-0001 Lot #: 1 Q#: 1	
Sample Identification Sample Name: <u>WASTE SWP NO. 1055-10-0007</u> Date Collected: <u>10-21-05</u> Location: <u>FL 32301</u>		Analysis Information ☐ Analysis Turnaround Time ☐ <u>2 weeks</u> ☐ <u>1 week</u> ☐ <u>3 days</u>		Sample Date: <u>10/21/05</u> Sample Time: <u>07:11</u> Sample Type: <u>D</u> Sample Weight: <u>1</u> Sample Size: <u>1</u>		Sample ID: <u>1055-10-0007</u> Sample Weight: <u>1</u> Sample Size: <u>1</u>		COC #: 1055-0000-0001 Lot #: 1 Q#: 1	
Sample Identification Sample Name: <u>WASTE SWP NO. 1055-10-0008</u> Date Collected: <u>10-21-05</u> Location: <u>FL 32301</u>		Analysis Information ☐ Analysis Turnaround Time ☐ <u>2 weeks</u> ☐ <u>1 week</u> ☐ <u>3 days</u>		Sample Date: <u>10/21/05</u> Sample Time: <u>07:11</u> Sample Type: <u>D</u> Sample Weight: <u>1</u> Sample Size: <u>1</u>		Sample ID: <u>1055-10-0008</u> Sample Weight: <u>1</u> Sample Size: <u>1</u>		COC #: 1055-0000-0001 Lot #: 1 Q#: 1	
Sample Identification Sample Name: <u>WASTE SWP NO. 1055-10-0009</u> Date Collected: <u>10-21-05</u> Location: <u>FL 32301</u>		Analysis Information ☐ Analysis Turnaround Time ☐ <u>2 weeks</u> ☐ <u>1 week</u> ☐ <u>3 days</u>		Sample Date: <u>10/21/05</u> Sample Time: <u>07:11</u> Sample Type: <u>D</u> Sample Weight: <u>1</u> Sample Size: <u>1</u>		Sample ID: <u>1055-10-0009</u> Sample Weight: <u>1</u> Sample Size: <u>1</u>		COC #: 1055-0000-0001 Lot #: 1 Q#: 1	
Sample Identification Sample Name: <u>WASTE SWP NO. 1055-10-0010</u> Date Collected: <u>10-21-05</u> Location: <u>FL 32301</u>		Analysis Information ☐ Analysis Turnaround Time ☐ <u>2 weeks</u>							

Date of Request: 01-OCT-2020
 Created By: KING_M On: 01-OCT-2020
 Modified By: JASROTIA_P On: 07-OCT-2020
 Customer: NW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Northwest District
 Event Description: Mullet Creek Continuous

Send Coolers To:

Phone: 850-595-0605
 160 Government Center
 Suite 208
 Pensacola, FL 32502-5794
 Attn: Michael King
 Cooler Ship Email: michael.king@dep.state.fl.us

Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: JASROTIA_P On: 07-OCT-2020
 Biology Request Reviewed By: JASROTIA_P On: 07-OCT-2020
 Sampling Kit Required: YES Ship on: 16-OCT-2020
 Sampling Kit Shipped: YES On: 13-OCT-2020
 Sampling Kit Packed By: KLUG_K
 Preservatives Needed: NO
 Date to Receive Samples: 26-OCT-2020
 Logged In By:

Send Final Report To:

160 Government Center
 Suite 208
 Pensacola, FL 32502-5794
 Attn: Cheryl Bunch
 Report Notification Email:
 Michael.King@dep.state.fl.us;Cheryl.Bunch@dep.state.fl.us

Comments: Group A: (WBID 712) Marine, Traces, Contract Lab Bacteria

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-BR-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Bromide in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML-WI-THI	Number of Bottles: 1	Preserved With: ICE
NW-TA-FC	Template: DEFAULT	(SM 9222 D) Fecal coliforms by MF by Test America in Pensacola
Bottle Type: TEST HAS NO	Number of Bottles: 1	Preserved With: ICE
NW-UWF-ENQ	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert/QT by UWF in Pensacola
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

SMP Project

Login Protocol

The SMP project can't (with certain exceptions) use either Y or Q qualified data and would rather receive not login these samples. It's considered a waste of laboratory resources to analyze affected samples that will be qualified, and their data not be used by the SMP project.

The SMP project does not want "Y" qualified preserved nutrients, unpreserved nutrients, microbiology, Chlorophyll, or metals data. (I.e. preservation NCR; acid or ice).

- Preservation Exception: qPCR and organic samples (They still want these data)
 - Preservation NCR ("Y" qualifier) are acceptable for temperature and chlorine detections for these analyses.

The SMP project does not want "Q" qualified preserved or unpreserved nutrients data. (I.e. Out of hold time).

- Hold Time Exception: microbiology, qPCR, and organic samples (They still want these data)
 - Out of hold time ("Q" qualifiers) are acceptable for these analyses.

RQ-2019-07-29-45	
Printed: 10/24/2019 10:15:58 AM	
Date of Request:	10-JUL-2019
Created By:	REISTAD_N On: 10-JUL-2019
Modified By:	JASROTIA_P On: 11-JUL-2019
Customer:	SO-DIST
Project:	SMP
Division:	Division of Environmental Assessment and Restoration
District:	South District
Sampling Event:	2019 SMP: Nowhere
Send C	
Phone: 239-344 FLDEP South D 2295 Victoria A Fort Myers, FL Attn: Nicole Rei	

Example of SMP Project RQ

If a preservation or holding time issue is observed; notify John Watts, Curtis Musson, and Joshua Ayres.