

RQ- 2020-01-18-SS

Login Checklist

Login Station ID: #4

Shipping Method: FedEx | UPS ☒ HD | GreyhoundDate/Time of Receipt: 1/16/20 @ 15:30

Cooler Temperature*	Samples Frozen	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # Damaged waybills only
					Present?		*Intact?		
					Yes	No	Yes	No	
2.7°C				22		X			
3.4°C				20		X			

*All samples received on ice unless otherwise noted. If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX and microbiology), received without ice, or if Evidence Seal is damaged; identify the containers in the affected cooler(s) on back of this form. HNO₃ and Formalin preserved samples do **NOT** have a temperature requirement. DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C) without login confirmation from customer for samples requiring ice preservation; An NCR still is required.

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes No X

****Note:** If "No" is checked below, fill out the back of this form (Field ID, Test IDs, etc.) and generate an NCR.

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No X If yes, is it intact? Yes No **Caps on tight? Yes ✓ No **Containers intact? Yes ✓ No **Sufficient Sample Volume: Yes ✓ No

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes ✓ No Init: ML

Chlorine detected? (One container checked per Field ID)

Yes No X Init: ML

If "YES", list affected Field IDs and Test IDs below.

Field ID	List TestID(s) where Chlorine was Detected, an NCR is required.

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No NA Init: MLW-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA X Init: MLCoolers Unpacked/Checked by: ML Date: 01/16/20 NCRs (Y/N)? NEvent ID: Run 5
TLH-ROC-2020-01-16-01 (SMP)NCR # Date Received: 16-JAN-2020 15

Samples with Incorrect pH Preservation

Field ID	Bottle Test ID(s)	pH	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Infrared Thermometer ID:	IR TEMP GUN #4 EXP: 11/05/2020
pH Test Strips 0 – 6 Lot #	213316AV EXP: 05/15/2020
pH Paper 0 – 3 Lot #	N/A
pH Paper 0 – 13 Lot #	215517 EXP: 06/01/2020
Chlorine Test Strips Lot #	8261 EXP: 07/30/2021

Additional Comments:

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____



RQ-2020-01-13-55

Customer: TLH-ROC

Project ID: SMP

Collected By: J. Woods J. Burchett

Field Report Prepared By: J. Burchett

Sampling Agency: FDEP - TLHR

Field/WIN ID → Location ↓ RUSS MILL CREEK @ UNION RD						Comments:				
Matrix: ☒ Fresh / ☐ Marine						(Check one) ☒ GRAB ☐ COMPOSITE				
Date	Time	DO (mg/L)	DO (%SAT)	Temp. (C°)	pH	Sample Depth (m)	Secchi Disk (m)	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPT _h)
1/16/20	1355	7.84	89.0	21.3	7.47	0.3	0.6	0.6	271.1	0.13
EST CST										
Cental Lab please use top row for login purposes										
EST / CST										
Parameter Suite		Parameter Methods				Preservation		pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)		☒ W-NH3 / ☐ W-NO2NO3 / ☐ W-TKN / ☐ W-TOC / ☐ W-S-A-TP				☒ Ice ☒ H2SO4*		☒ <2	1	D
		Lot #		920300		Exp:		7/22/20		
Metals (P-500ML)		☐ W-ICPMS ☐ W-ICP ☐ W-HARD				☐ Ice ☐ HNO3*		☐ <2	0	
		Lot #				Exp:				
Filtered Nutrients (P125ML)		☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter				☒ Ice			1	D
		Filter Lot #				Exp:				
		Syringe Lot #		9056849		Exp:				
Chlorophyll (BP-1L)		☒ CHLSUITE-W				☒ Ice			1	D
Physical/Aggregate (Fresh) (P-1L)		☐ Alkalinity / ☐ W-F / ☐ W-TSS / ☐ TURBIDITY / ☐ W-CHC / ☐ W-COLOR / ☐ W-SO4-IC / ☐ W-TDS				☐ Ice			1	D
Physical/Aggregate (Marine) (P-1L)		☐ Alkalinity / ☐ W-BR-IC / ☐ W-F / ☐ W-TSS / ☐ TURBIDITY				☐ Ice				
Macroinvertebrates (PJ-2L)		☐ MI-FW-QLDC				☐ Formalin				
Periphyton (PT-50ML)		☐ ALGAE-ID				☐ Ice				
Microbiology (Contract Lab Bottle)		☒ E Coli ☐ F Coli ☐ Enterococci				☒ Ice			2	D
Molecular (QPCR-P-500ML)		☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-DG3 ☐ PCR-GULL2 ☐ PCR-GFD ☐				☐ Ice				
Tracers (BG-500ML)		☒ W-E8321-DI ☒ W-E8321-MS				☒ Ice			1	D
Pesticides (BG-500ML) (BG-1L)		☐ W-E8321-DI ☐ WE8321-MS ☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-PCL-SQ-R ☐ W-CARB-AA (5 ml of MCAA** Buffer Solution)				☐ Ice				
						☐ Ice				
Relinquished By:		Date/Time		Shipping Method		Number of Coolers Shipped:		Received By:		Date/Time:
JB, JW		1/16/20:1525		HD		2		M		1/16/20

*2.0 ml of Preservative used unless noted otherwise.

**MCAA: Monochloroacetic acid buffer solution

Email Submittal form to : lab.receiving@floridadep.gov.



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2020

Meter Passed End
of Day CCV
Yes / No

WIN Station Name: Russ Mill Creek @ Union Rd

Date: 01/16/2020
(mm/dd/yyyy)

WIN/ Field ID: G2TLHR0037

WBID: 199

Latitude: 30.8523

(Decimal Degrees)

County: Jackson

ORG ID: 21FLTLHR

Longitude: 85.3417

(Decimal Degrees)

Receiving Body of Water: Waddells Mill Creek

RQ-2020-01-13-55

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
J. Burdett	✓	✓	✓	✓	✓
J. Woods	✓	✓	✓	✓	✓

Sampling Equipment	
☒ Sample Container	☐ Van Dorn
☒ Syringe	☐ Pole
☐ Dipper	☐ Other
Depth Measured with ProDS5	
Equipment ID 154177	
Collection Method	
☒ Wading	☐ Canoe/Kayak
☐ From Shore	☐ Electric Motor
☐ Other	☐ Gasoline Motor

Water Level: Dry/ Pooled/ Low <u>Normal</u> High / Flooded		Meter ID# 154177	
Photos: <u>Yes</u> No	Flow: No Flow / <u>Flowing</u> / NA	Tide: Rising/ Falling/ Slack <u>NA</u>	Tide Times: High Low
Biological Samples Collected: <u>None</u> HA SCI RPS Algae ID LVS LVI Other:			
SBIO ID Numbers:	SBIO-ID:	HA-ID:	RPS-ID:
Macrophyte-ID:		LIMS#:	
Notes: Nutrients (fresh), ECOLI, Tracers			

Duplicate Sample

Time Zone: EST CEN Time: _____ Field ID: _____ (WIN ID_DUP)

WIN DMT Activity ID: _____

Blank

Time Zone: EST CEN Time: _____ Field ID: _____ (Blank Type_DDMYYYY)

DI Source: _____ Location: _____

☐ Field Blank ☐ Equipment Blank ☐ Field Cleaned Equipment Blank

Equipment ID: _____

Signature: [Signature] Date: 01/16/20

LIMS EVENT ID: _____ WIN Import ID: _____

Enter Field Parameters, Verify Station ID In LIMS DMT: _____ (Initials/Date) QC Station ID, Field Parameters In LIMS DMT: _____ (Initials/Date)

Scan/Save Field Sheets _____ (Initials/Date) Migrate Data to WIN: _____ (Initials/Date) Verify Data In WIN: _____ (Initials/Date)



RQ-2020-01-13-55

Customer: TLH-ROC

Project ID: SMP

Collected By: J. Woods, J. Burchett

Field Report Prepared By: J. Burchett

Sampling Agency: FDEP - TLHR

Field/WIN ID →



G2TLHR0009

Location ↓

Blue Hole Spring @ Caverns State Park

Comments:

Matrix: ☒ Fresh ☐ Marine

(Check one)

☒ GRAB☐ COMPOSITE

Date	Time	DO (mg/L)	DO (%SAT)	Temp. (C°)	pH	Sample Depth (m)	Secchi Disk (m)	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPTH)
1/16/20	1315	4.57	50.4	20.1	7.02	0.3	2.2	5.3	195.8	0.09
EST / CST										
		☐ VOB (S)								

Cental Lab please use top row for login purposes

1318	4.47	49.3	20.1	6.99	2.8				196.0	0.09
EST / CST										

Parameter Suite	Parameter Methods	Preservation	pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☒ H2SO4* ☒ <2		1	B
	Lot # 9203100 Exp: 7/22/20				
Metals (P-500ML)	☐ W-ICPMS ☐ W-ICP ☐ W-HARD	☐ Ice ☐ HNO3* ☐ <2			
	Lot # Exp:				
Filtered Nutrients (P125ML)	☒ W-P04-F ☒ Field Filtered 0.45 µm Filter	☒ Ice		1	B
	Filter Lot # Exp:				
	Syringe Lot # 9056849 Exp:				
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☒ Ice		1	B
Physical/Aggregate (Fresh) (P-1L)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CHC / W-COLOR / W-SO4-C / W-TDS	☒ Ice		1	B
Physical/Aggregate (Marine) (P-1L)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates (PJ-2L)	☐ MI-FW-QLDC	☐ Formalin			
Periphyton (PT-50ML)	☐ ALGAE-ID	☐ Ice			
Microbiology (Contract Lab Bottle)	☒ E Coli ☐ F Coli ☐ Enterococci	☒ Ice		2	B
Molecular (QPCR-P-500ML)	☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-DG3 ☐ PCR-GULL2 ☐ PCR-GFD	☐ Ice			
Tracers (BG-500ML)	☐ W-E8321-DI ☐ W-E8321-MS	☐ Ice			
Pesticides (BG-500ML) (BG-1L)	☐ W-E8321-DI ☐ WE8321-MS ☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-PCL-SQ-R ☐ W-CARB-AA (5 ml of MCAA** Buffer Solution)	☐ Ice			
		☐ Ice			

Relinquished By:

Date/Time

Shipping Method

Number of Coolers Shipped:

Received By:

Date/Time:

*2.0 ml of Preservative used unless noted otherwise.

**MCAA: Monochloroacetic acid buffer solution

Email Submittal form to : lab.receiving@floridadep.gov.



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2020

Meter Passed End
of Day CCV
Yes / No

WIN Station Name: Blue Hole Spring @ Caverns State Park

Date: 01/16/2020
(mm/dd/yyyy)

WIN/ Field ID: G2TLHR0009

WBID: 51Z

Latitude: 30.8201

(Decimal Degrees)

County: Jackson

ORG ID: 21FTLHR

Longitude: 85.2452

(Decimal Degrees)

Receiving Body of Water: Chipola River

RQ-2020-01-13-55

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
J. Burdette	✓	✓	✓	✓	✓
J. Woods					

Sampling Equipment	
☒ Sample Container	☐ Van Dorn
☒ Syringe	☐ Pole
☐ Dipper	☐ Other
Depth Measured with 500SS	
Equipment ID 154177	
Collection Method	
☒ Wading	☐ Canoe/Kayak
☐ From Shore	☐ Electric Motor
☐ Other	☐ Gasoline Motor

Water Level: Dry/ Pooled/ Low / Normal / <u>High</u> / Flooded		Meter ID# 154177	
Photos: <u>Yes</u> / No	Flow: No Flow / Flowing / <u>NA</u>	Tide: Rising/ Falling/ Slack/ <u>NA</u>	Tide Times: High Low
Biological Samples Collected: <u>None</u> <u>JB</u> <u>HA</u> SCI RPS Algae ID LVS LVI Other:			
SBIO ID Numbers:	SBIO-ID:	HA-ID:	RPS-ID: Macrophyte-ID: LIMS#:
Notes: Nutrients (fresh), ECOLI			

Duplicate Sample

Time Zone: EST CEN Time: _____	Field ID: _____ (WIN ID_DUP)
WIN DMT Activity ID: _____	

Blank

Time Zone: EST CEN Time: _____	Field ID: _____ (Blank Type_DDMYYYY)
DI Source: _____	Location: _____
☐ Field Blank ☐ Equipment Blank ☐ Field Cleaned Equipment Blank	Equipment ID: _____

Signature: <u>[Signature]</u>	Date: 01/16/20
-------------------------------	----------------

LIMS EVENT ID: _____ WIN Import ID: _____

Enter Field Parameters, Verify Station ID In LIMS DMT: _____ (Initials/Date) QC Station ID, Field Parameters In LIMS DMT: _____ (Initials/Date)

Scan/Save Field Sheets _____ (Initials/Date) Migrate Data to WIN: _____ (Initials/Date) Verify Data In WIN: _____ (Initials/Date)



RQ-2020-

Customer: TLH-ROC

Project ID: SMP

Collected By:

J. Woods J. Burtchett

Field Report Prepared By:

J. Burtchett

Sampling Agency: FDEP - TLHR

Field/WIN ID →

Location ↓



G2TLHR0007



MARSHALL CREEK @ SR2

Comments:

Matrix: Fresh / Marine

(Check one)

☒ GRAB☐ COMPOSITE

Date	Time	DO (mg/L)	DO (%SAT)	Temp. (C°)	pH	Sample Depth (m)	Secchi Disk (m)	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPT)
1/16/2	1235	4.69	52.3	20.7	7.06	0.3	0.6	1.5	52.5 169.9	0.08
EST / CST										

Cental Lab please use top row for login purposes

1239	4.88	54.5	20.7	7.06	1.0				169.6	0.08
EST / CST										

Parameter Suite	Parameter Methods	Preservation	pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	☒ W-NH3 / ☐ W-NO2NO3 / ☐ W-TKN / ☐ W-TOC / ☐ W-S-A-TP	☒ Ice ☐ W-250,*	☒ <2	1	B
	Lot # 9203100 Exp: 7/22/20				
Metals (P-500ML)	☐ W-ICPMS ☐ W-ICP ☐ W-HARD	☐ Ice ☐ HNO3* ☐ <2			
	Lot # 9056849 Exp:				
Filtered Nutrients (P125ML)	☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter	☒ Ice		1	B
	Filter Lot # Exp:				
	Syringe Lot # 9056849 Exp:				
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☒ Ice		1	B
Physical/Aggregate (Fresh) (P-1L)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CHC / W-COLOR / W-SO4-4C / W-TDS	☒ Ice		1	B
Physical/Aggregate (Marine) (P-1L)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates (PJ-2L)	☐ MI-FW-QLDC	☐ Formalin			
Periphyton (PT-50ML)	☐ ALGAE-ID	☐ Ice			
Microbiology (Contract Lab Bottle)	☒ E Coli ☐ F Coli ☐ Enterococci	☒ Ice		2	B
	☐ Contract Lab				
Molecular (QPCR-P-500ML)	☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-DG3	☐ Ice			
	☐ PCR-GULL2 ☐ PCR-GFD				
Tracers (BG-500ML)	☐ W-E8321-DI ☐ W-E8321-MS	☐ Ice			
Pesticides (BG-500ML) (BG-1L)	☐ W-E8321-DI ☐ W-E8321-MS ☐ W-PSNP-TQ ☐ W-CT-CL-R	☐ Ice			
	☐ W-PCL-SQ-R ☐ W-CARB-AA (5 ml of MCAA** Buffer Solution)	☐ Ice			
		☐ Ice			

Relinquished By:

Date/Time

Shipping Method

Number of Coolers Shipped:

Received By:

Date/Time:

J.B. JW

1/16/20:1525

HD

2

ML

1/16/20

*2.0 ml of Preservative used unless noted otherwise.

**MCAA: Monochloroacetic acid buffer solution

Email Submittal form to: lab.receiving@floridadep.gov.



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2020

Meter Passed End
of Day CCV
Yes / No

WIN Station Name: Marshall Creek @ SR2

Date: 01/16/2020
(mm/dd/yyyy)

WIN/ Field ID: G2TLHR0007

WBID: 151A

Latitude: 30.9365

(Decimal Degrees)

County: Jackson

ORG ID: 21FTLHR

Longitude: 85.2969

(Decimal Degrees)

Receiving Body of Water: Chipola River

RQ-2020- 01-13-55

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
J. Burchett	✓		✓		
J. Woods		✓		✓	✓

Sampling Equipment	
☒ Sample Container	☐ Van Dorn
☒ Syringe	☐ Pole
☐ Dipper	☐ Other
Depth Measured with ProSS	
Equipment ID 154177	
Collection Method	
☒ Wading	☐ Canoe/Kayak
☐ From Shore	☐ Electric Motor
☐ Other	☐ Gasoline Motor

Water Level: Dry/ Pooled/ Low / Normal <u>High</u> Flooded		Meter ID# 154177	
Photos: <u>Yes</u> No	Flow: No Flow / <u>Flowing</u> / NA	Tide: Rising/ Falling/ Slack/ <u>NA</u>	Tide Times: High Low
Biological Samples Collected: <u>None</u> HA SCI RPS Algae ID LVS LVI Other:			
SBIO ID Numbers:	SBIO-ID:	HA-ID:	RPS-ID: Macrophyte-ID: LIMS#:
Notes: Nutrients (fresh), ECOLI			

Duplicate Sample

Time Zone: EST CEN Time: _____	Field ID: _____ (WIN ID_DUP)
WIN DMT Activity ID: _____	

Blank

Time Zone: EST CEN Time: _____	Field ID: _____ (Blank Type_DDMMYYYY)
DI Source: _____	Location: _____
☐ Field Blank ☐ Equipment Blank ☐ Field Cleaned Equipment Blank	Equipment ID: _____

Signature: <u>[Signature]</u>	Date: 01/16/2020
-------------------------------	------------------

LIMS EVENT ID: _____ WIN Import ID: _____

Enter Field Parameters, Verify Station ID In LIMS DMT: _____ (Initials/Date) QC Station ID, Field Parameters In LIMS DMT: _____ (Initials/Date)

Scan/Save Field Sheets _____ (Initials/Date) Migrate Data to WIN: _____ (Initials/Date) Verify Data In WIN: _____ (Initials/Date)



RQ-2020-01-13-55

Customer: TLH-ROC

Project ID: SMP

Collected By: J. Woods, J. Burtchett

Field Report Prepared By: J. Burtchett

Sampling Agency: FDEP - TLHR

Field/WIN ID →



G3TLHR0002

Location ↓

Little Creek @ Treatment Plant Rd

Comments:

Matrix: Fresh Marine

(Check one)

☒ GRAB☐ COMPOSITE

Date	Time	DO (mg/L)	DO (%SAT)	Temp. (C°)	pH	Sample Depth (m)	Secchi Disk (m)	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPT)
1/16/20	1155 12:00 (EST) CST	3.41	37.2	19.5	6.47	0.25	0.5 ✓ VOB (S)	0.5	278.9	0.13

Cental Lab please use top row for login purposes

EST / CST

Parameter Suite	Parameter Methods	Preservation	pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☐ H2SO4*	☒ <2	1	B
	Lot # 9203100 Exp: 7/22/20				
Metals (P-500ML)	☐ W-ICPMS ☐ W-ICP ☐ W-HARD	☐ Ice ☐ HNO3* ☐ <2			
	Lot # Exp:				
Filtered Nutrients (P125ML)	☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter	☒ Ice		1	B
	Filter Lot # Exp:				
	Syringe Lot # 9056849 Exp:				
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☒ Ice		1	B
Physical/Aggregate (Fresh) (P-1L)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CHC / W-COLOR / W-S04-IC / W-TDS	☒ Ice		1	B
Physical/Aggregate (Marine) (P-1L)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates (PJ-2L)	☐ MI-FW-QLDC	☐ Formalin			
Periphyton (PT-50ML)	☐ ALGAE-ID	☐ Ice			
Microbiology (Contract Lab Bottle)	☒ E Coli ☐ F Coli ☐ Enterococci	☒ Ice		2	B
	☐ Contract Lab				
Molecular (QPCR-P-500ML)	☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-DG3	☐ Ice			
	☐ PCR-GULL2 ☐ PCR-GFD				
Tracers (BG-500ML)	☐ W-E8321-DI ☐ W-E8321-MS	☐ Ice			
Pesticides (BG-500ML) (BG-1L)	☐ W-E8321-DI ☐ W-E8321-MS ☐ W-PSNP-TQ ☐ W-CT-CL-R	☐ Ice			
	☐ W-PCL-SQ-R ☐ W-CARB-AA (5 ml of MCAA** Buffer Solution)	☐ Ice			

Relinquished By:

Date/Time

Shipping Method

Number of Coolers Shipped:

Received By:

Date/Time:

JB, JW

1/16/20:1525

HD

2

ML

1/16/20

*2.0 ml of Preservative used unless noted otherwise.

**MCAA: Monochloroacetic acid buffer solution

Email Submittal form to : lab.receiving@floridadep.gov.



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2020

Meter Passed End
of Day CCV
Yes / No

WIN Station Name: Little Creek @ Treatment Plant Rd

Date: 01/16/2019
(mm/dd/yyyy)

WIN/ Field ID: G3TLHR0002

WBID: 80

Latitude: 30.9522

(Decimal Degrees)

County: Jackson

ORG ID: 21FLTLHR

Longitude: 85.5267

(Decimal Degrees)

Receiving Body of Water: Holmes Creek

RQ-2020-01-13-55

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
J. Burchett	✓	✓	✓	✓	✓
J. Woods		✓	✓	✓	✓

Sampling Equipment	
☒ Sample Container	☐ Van Dorn
☒ Syringe	☐ Pole
☐ Dipper	☐ Other
Depth Measured with ProSS	
Equipment ID 154177	
Collection Method	
☒ Wading	☐ Canoe/Kayak
☐ From Shore	☐ Electric Motor
☐ Other	☐ Gasoline Motor

Water Level: Dry/ Pooled/ Low / <u>Normal</u> / High / Flooded		Meter ID# 154177	
Photos: <u>Yes</u> / No	Flow: No Flow / <u>Flowing</u> / NA	Tide: Rising/ Falling/ Slack/ <u>NA</u>	Tide Times: High Low
Biological Samples Collected: <u>None</u> HA SCI RPS Algae ID LVS LVI Other:			
SBIO ID Numbers:	SBIO-ID:	HA-ID:	RPS-ID: Macrophyte-ID: LIMS#:
Notes: Nutrients (fresh), ECOLI Bill Dustin 850 326-0837			

Duplicate Sample

Time Zone: EST CEN Time: _____	Field ID: _____ (WIN ID_DUP)
WIN DMT Activity ID: _____	

Blank

Time Zone: EST CEN Time: _____	Field ID: _____ (Blank Type_DDDMMYYYY)
DI Source: _____	Location: _____
☐ Field Blank ☐ Equipment Blank ☐ Field Cleaned Equipment Blank	Equipment ID: _____

Signature: <u>[Signature]</u>	Date: 01/16/20
-------------------------------	----------------

LIMS EVENT ID: _____ WIN Import ID: _____

Enter Field Parameters, Verify Station ID In LIMS DMT: _____ (Initials/Date) QC Station ID, Field Parameters In LIMS DMT: _____ (Initials/Date)

Scan/Save Field Sheets _____ (Initials/Date) Migrate Data to WIN: _____ (Initials/Date) Verify Data In WIN: _____ (Initials/Date)



RQ-2020-01-13-55
Customer: TLH-ROC
Project ID: SMP

Collected By: J. Woods, J. Burtchett
Field Report Prepared By: J. Burtchett
Sampling Agency: FDEP - TLHR

Field/WIN ID → Location ↓ G3TLHR0003 LITTLE CREEK @ EZELL RD							Comments:			
Matrix: ☒ Fresh / Marine							(Check one) ☒ GRAB ☐ COMPOSITE			
Date	Time	DO (mg/L)	DO (%SAT)	Temp. (C°)	pH	Sample Depth (m)	Secchi Disk (m)	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPTH)
1/16/20	1145 EST / CST	5.36	59.0	20.0	6.54	0.15	0.3 ☒ VOB (S)	0.3	152.5	007
Cental Lab please use top row for login purposes										
EST / CST										
Parameter Suite		Parameter Methods				Preservation		pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)		☐ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				☐ Ice ☐ H2SO4*		☐ <2		
		Lot #		Exp:						
Metals (P-500ML)		☐ W-ICPMS ☐ W-ICP ☐ W-HARD				☐ Ice ☐ HNO3*		☐ <2		
		Lot #		Exp:						
Filtered Nutrients (P125ML)		☐ W-PO4-F ☐ Field Filtered 0.45 µm Filter				☐ Ice				
		Filter Lot #		Exp:						
		Syringe Lot #		Exp:						
Chlorophyll (BP-1L)		☐ CHLSUITE-W				☐ Ice				
Physical/Aggregate (Fresh) (P-1L)		☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-CHC / W-COLOR / W-SO4-IC / W-TDS				☐ Ice				
Physical/Aggregate (Marine) (P-1L)		☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY				☐ Ice				
Macroinvertebrates (PJ-2L)		☐ MI-FW-QLDC				☐ Formalin				
Periphyton (PT-50ML)		☐ ALGAE-ID				☐ Ice				
Microbiology (Contract Lab Bottle)		☒ E Coli ☐ F Coli ☐ Enterococci				☐ Ice			2	E
		☐ Contract Lab								
Molecular (QPCR-P-500ML)		☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-DG3				☐ Ice				
		☐ PCR-GULL2 ☐ PCR-GFD								
Tracers (BG-500ML)		☐ W-E8321-DI ☐ W-E8321-MS				☐ Ice				
Pesticides (BG-500ML) (BG-1L)		☐ W-E8321-DI ☐ WE8321-MS ☐ W-PSNP-TQ ☐ W-CT-CL-R				☐ Ice				
		☐ W-PCL-SQ-R ☐ W-CARB-AA (5 ml of MCAA** Buffer Solution)								
						☐ Ice				
Relinquished By:		Date/Time		Shipping Method		Number of Coolers Shipped:		Received By:		Date/Time
JB, JW		1/16/20: 1525		HO		2		M		1/16/20

*2.0 ml of Preservative used unless noted otherwise.

**MCAA: Monochloroacetic acid buffer solution

Email Submittal form to : lab.receiving@floridadep.gov.



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2020

Meter Passed End
of Day CCV
Yes / No

WIN Station Name: Little Creek @ Ezell Rd

Date: 01/16/2019
(mm/dd/yyyy)

WIN/ Field ID: G3TLHR0003

WBID: 80

Latitude: 30.954

(Decimal Degrees)

County: Jackson

ORG ID: 21FLTLHR

Longitude: 85.4969

(Decimal Degrees)

Receiving Body of Water: Holmes Creek

RQ-2020- 01-13-55

Sampling Team Members	WG Measurements	Sample Collection	Documentation	Preservation	Preservation Check
<u>J. Burchett</u>	☒	☒	☒	☒	☒
<u>J. Woods</u>	☒	☒	☒	☒	☒
	☐	☐	☐	☐	☐
	☐	☐	☐	☐	☐
	☐	☐	☐	☐	☐

Sampling Equipment	
☒ Sample Container	☐ Van Dorn
☐ Syringe	☐ Pole
☐ Dipper	☐ Other
Depth Measured with <u>ProDS</u>	
Equipment ID <u>154177</u>	
Collection Method	
☒ Wading	☐ Canoe/Kayak
☐ From Shore	☐ Electric Motor
☐ Other	☐ Gasoline Motor

Water Level: Dry/ Pooled/ Low / <u>Normal</u> / High / Flooded		Meter ID# <u>154177</u>	
Photos: ☒ Yes / No	Flow: No Flow / <u>Flowing</u> / NA	Tide: Rising/ Falling/ Slack/ <u>NA</u>	Tide Times: High Low
Biological Samples Collected: <u>None</u> HA SCI RPS Algae ID LVS LVI Other:			
SBIO ID Numbers:	SBIO-ID:	HA-ID:	RPS-ID:
Macrophyte-ID:		LIMS#:	
Notes: ECOLI			

Duplicate Sample

Time Zone: <u>EST</u> CEN Time: _____	Field ID: _____ (WIN ID_DUP)
WIN DMT Activity ID: _____	

Blank

Time Zone: <u>EST</u> CEN Time: _____	Field ID: _____ (Blank Type_D0MMYYYY)
DI Source: _____	Location: _____
☐ Field Blank ☐ Equipment Blank ☐ Field Cleaned Equipment Blank	Equipment ID: _____

Signature: [Signature] Date: 01/16/20

LIMS EVENT ID: _____ WIN Import ID: _____

Enter Field Parameters, Verify Station ID in LIMS DMT: _____ (Initials/Date) QC Station ID, Field Parameters in LIMS DMT: _____ (Initials/Date)

Scan/Save Field Sheets _____ (Initials/Date) Migrate Data to WIN: _____ (Initials/Date) Verify Data in WIN: _____ (Initials/Date)



RQ-2020-01-B-55
Customer: TLH-ROC
Project ID: SMP

Collected By: J. Burkett J. Woods
Field Report Prepared By: J. Burkett
Sampling Agency: FDEP - TLHR

Field/WIN ID → Location ↓ CAMP BRANCH @ US90							Comments:			
Matrix: ☒ Fresh ☐ Marine							(Check one) ☒ GRAB ☐ COMPOSITE			
Date	Time	DO (mg/L)	DO (%SAT)	Temp. (C°)	pH	Sample Depth (m)	Secchi Disk (m)	Total Depth (m)	Sp COND (umhos/cm)	Salinity (PPTH)
1/16/20	1110 EST / CST	7.92	86.6	19.3	6.28	0.15	0.3 ✓ VOB (S)	0.3	97.9	0.05
Cental Lab please use top row for login purposes										
EST / CST										
Parameter Suite		Parameter Methods				Preservation		pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)		☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				☒ Ice ☒ H2SO4*		☒ <2	1	B
		Lot # 9203100		Exp: 7/22/20						
Metals (P-500ML)		☐ W-ICPMS ☐ W-ICP ☐ W-HARD				☐ Ice ☐ HNO3*		☐ <2	0	
		Lot #		Exp:						
Filtered Nutrients (P-125ML)		☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter				☒ Ice			1	B
		Filter Lot #		Exp:						
		Syringe Lot # 9056849		Exp:						
Chlorophyll (BP-1L)		☒ CHLSUITE-W				☒ Ice			1	B
Physical/Aggregate (Fresh) (P-1L)		☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CH-IC / W-COLOR / W-SO4-IC / W-TDS				☒ Ice			1	B
Physical/Aggregate (Marine) (P-1L)		☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY				☐ Ice				
Macroinvertebrates (PJ-2L)		☐ MI-FW-QLDC				☐ Formalin				
Periphyton (PT-50ML)		☐ ALGAE-ID				☐ Ice				
Microbiology (Contract Lab Bottle)		☒ E Coli ☐ F Coli ☐ Enterococci				☒ Ice			2	B
		☐ Contract Lab								
Molecular (QPCR-P-500ML)		☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-DG3				☐ Ice				
		☐ PCR-GULL2 ☐ PCR-GFD ☐								
Tracers (BG-500ML)		☐ W-E8321-DI ☐ W-E8321-MS				☐ Ice				
Pesticides (BG-500ML) (BG-1L)		☐ W-E8321-DI ☐ WE8321-MS ☐ W-PSNP-TQ ☐ W-CT-CL-R				☐ Ice				
		☐ W-PCL-SQ-R ☐ W-CARB-AA (5 ml of MCAA** Buffer Solution)				☐ Ice				
						☐ Ice				
Relinquished By: JB, JW		Date/Time: 1/16/20:1525		Shipping Method: HD		Number of Coolers Shipped: 2		Received By: JM		Date/Time: 1/16/20

*2.0 ml of Preservative used unless noted otherwise.

**MCAA: Monochloroacetic acid buffer solution

Email Submittal form to : lab.receiving@floridadep.gov.



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2020

Meter Passed End
of Day CCV
Yes / No

WIN Station Name: Camp Branch @ US90

Date: 01/16/2020
(mm/dd/yyyy)

WIN/ Field ID: G3TLHR0005

WBID: 251

Latitude: 30.7828

(Decimal Degrees)

County: Holmes

ORG ID: 21FLTLHR

Longitude: 85.6481

(Decimal Degrees)

Receiving Body of Water: Open Creek

RQ-2020-01-13-53

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Check
J. Burdett					
J. Woods					

Sampling Equipment	
☒ Sample Container	☐ Van Dorn
☒ Syringe	☐ Pole
☐ Dipper	☐ Other
Depth Measured with: 154177	
Equipment ID: 154177	
Collection Method	
☒ Wading	☐ Canoe/Kayak
☐ From Shore	☐ Electric Motor
☐ Other	☐ Gasoline Motor

Water Level: Dry/ Pooled/ Low / <u>Normal</u> / High / Flooded		Meter ID# 154177	
Photos: <u>Yes</u> / No	Flow: No Flow / <u>Flowing</u> / NA	Tide: Rising/ Falling/ Slack/ <u>NA</u>	Tide Times: High Low
Biological Samples Collected: <u>None</u> HA SCI RPS Algae ID LVS LVI Other:			
SBIO ID Numbers:	SBIO-ID:	HA-ID:	RPS-ID: Macrophyte-ID: LIMS#:
Notes: Nutrients (fresh), ECOLI			

Duplicate Sample

Time Zone: EST CEN Time: _____	Field ID: _____ (WIN ID_DUP)
WIN DMT Activity ID: _____	

Blank

Time Zone: EST CEN Time: _____	Field ID: _____ (Blank Type_DDMMYYYY)
DI Source: _____	Location: _____
☐ Field Blank ☐ Equipment Blank ☐ Field Cleaned Equipment Blank	Equipment ID: _____

Signature: <u>[Signature]</u>	Date: 01/16/20
-------------------------------	----------------

LIMS EVENT ID: _____ WIN Import ID: _____

Enter Field Parameters, Verify Station ID In LIMS DMT: _____ (Initials/Date) QC Station ID, Field Parameters In LIMS DMT: _____ (Initials/Date)

Scan/Save Field Sheets _____ (Initials/Date) Migrate Data to WIN: _____ (Initials/Date) Verify Data In WIN: _____ (Initials/Date)



RQ-2020-01-13-65
Customer: TLH-ROC
Project ID: SMP

Collected By: J. Woods, J. Burtchett
Field Report Prepared By: J. Burtchett
Sampling Agency: FDEP - TLHR

Field/WIN ID → Location ↓ FLAT CREEK @ GAINER RD						Comments:				
Matrix: ☒ Fresh / ☐ Marine						(Check one) ☒ GRAB ☐ COMPOSITE				
Date	Time	DO (mg/L)	DO (%SAT)	Temp. (C°)	pH	Sample Depth (m)	Secchi Disk (m)	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPTH)
1/16/20	1035 EST / CST	6.88	75.4	19.8	5.48	0.3	0.6 ☒ VOB (S)	0.6	43.8	0.02
Cental Lab please use top row for login purposes										
EST / CST										
Parameter Suite		Parameter Methods				Preservation		pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)		☐ W-NH3 / ☐ W-NO2NO3 / ☐ W-TKN / ☐ W-TOC / ☐ W-S-A-TP				☐ Ice ☐ H2SO4*		☐ <2		
		Lot #		Exp:						
Metals (P-500ML)		☐ W-ICPMS ☐ W-ICP ☐ W-HARD				☐ Ice ☐ HNO3*		☐ <2		
		Lot #		Exp:						
Filtered Nutrients (P125ML)		☐ W-PO4-F ☐ Field Filtered 0.45 µm Filter				☐ Ice				
		Filter Lot #		Exp:						
		Syringe Lot #		Exp:						
Chlorophyll (BP-1L)		☐ CHLSUITE-W				☐ Ice				
Physical/Aggregate (Fresh) (P-1L)		☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-CHC / W-COLOR / W-SO4-IC / W-TDS				☐ Ice				
Physical/Aggregate (Marine) (P-1L)		☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY				☐ Ice				
Macroinvertebrates (PJ-2L)		☐ MI-FW-QLDC				☐ Formalin				
Periphyton (PT-50ML)		☐ ALGAE-ID				☐ Ice				
Microbiology (Contract Lab Bottle)		☒ E Coli ☐ F Coli ☐ Enterococci				☒ Ice			2	E
		☐ Contract Lab								
Molecular (QPCR-P-500ML)		☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-DG3				☐ Ice				
		☐ PCR-GULL2 ☐ PCR-GFD								
Tracers (BG-500ML)		☐ W-E8321-DI ☐ W-E8321-MS				☐ Ice				
Pesticides (BG-500ML) (BG-1L)		☐ W-E8321-DI ☐ W-E8321-MS ☐ W-PSNP-TQ ☐ W-CT-CL-R				☐ Ice				
		☐ W-PCL-SQ-R ☐ W-CARB-AA (5 ml of MCAA** Buffer Solution)				☐ Ice				
						☐ Ice				
Relinquished By:		Date/Time		Shipping Method		Number of Coolers Shipped:		Received By:		Date/Time
JB, JW		1/16/20:1525		HD		2		M		1/16/20

*2.0 ml of Preservative used unless noted otherwise.

**MCAA: Monochloroacetic acid buffer solution

Email Submittal form to : lab.receiving@floridadep.gov.



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2020

Meter Passed End
of Day CCV
Yes / No

WIN Station Name: Flat Creek @ Gainer Rd

Date: 01/16/2020
(mm/dd/yyyy)

WIN/ Field ID: G3TLHR0008

WBID: 337

Latitude: 30.6959

(Decimal Degrees)

County: Washington

ORG ID: 21FLTLHR

Longitude: 85.5506

(Decimal Degrees)

Receiving Body of Water: Hard Labor Creek

RQ-2020-01-13-55

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
J. Burtchett	✓		✓		
J. Woods		✓		✓	✓

Sampling Equipment	
☐ Sample Container	☐ Van Dorn
☐ Syringe	☐ Pole
☐ Dipper	☐ Other
Depth Measured with ProDSS	
Equipment ID 154177	
Collection Method	
☐ Wading	☐ Canoe/Kayak
☐ From Shore	☐ Electric Motor
☐ Other	☐ Gasoline Motor

Water Level: Dry/ Pooled/ Low / Normal / <u>High</u> / Flooded		Meter ID# 154177	
Photos: <u>Yes</u> / No	Flow: No Flow / <u>Flowing</u> / NA	Tide: Rising/ Falling/ Slack/ <u>NA</u>	Tide Times: High Low
Biological Samples Collected: <u>None</u> HA SCI RPS Algae ID LVS LVI Other:			
SBIO ID Numbers:	SBIO-ID:	HA-ID:	RPS-ID: Macrophyte-ID: LIMS#:
Notes: ECOLI			

Duplicate Sample

Time Zone: EST CEN Time: _____	Field ID: _____ (WIN ID_DUP)
WIN DMT Activity ID: _____	

Blank

Time Zone: EST CEN Time: _____	Field ID: _____ (Blank Type_DDMMYYYY)
DI Source: _____	Location: _____
☐ Field Blank ☐ Equipment Blank ☐ Field Cleaned Equipment Blank	Equipment ID: _____

Signature: [Signature] Date: 01/16/20

LIMS EVENT ID: _____ WIN Import ID: _____

Enter Field Parameters, Verify Station ID In LIMS DMT: _____ (Initials/Date) QC Station ID, Field Parameters In LIMS DMT: _____ (Initials/Date)

Scan/Save Field Sheets _____ (Initials/Date) Migrate Data to WIN: _____ (Initials/Date) Verify Data In WIN: _____ (Initials/Date)



RQ-2020-01-13-55

Customer: TLH-ROC

Project ID: SMP

Collected By: J. Burtchett, J. Woods

Field Report Prepared By: J. Burtchett

Sampling Agency: FDEP - TLHR

Field/WIN ID → Location ↓ Flat Creek @ Duncan Community Rd						Comments:				
Matrix: ☒ Fresh ☐ Marine						(Check one) ☒ GRAB ☐ COMPOSITE				
Date	Time	DO (mg/L)	DO (%SAT)	Temp. (C°)	pH	Sample Depth (m)	Secchi Disk (m)	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPT)
1/16/20	1015 EST / CST	6.44	70.6	19.8	5.84 5.62	0.3	0.9 ☒ VOB (S)	0.9	39.6	0.02
Cental Lab please use top row for login purposes										
EST / CST										
Parameter Suite		Parameter Methods				Preservation		pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)		☒ W-NH3 / ☐ W-NO2NO3 / ☐ W-TKN / ☐ W-TOC / ☐ W-S-A-TP				☒ Ice ☐ H2SO4*		☒ <2	1	A
		Lot #		9203100		Exp:		7/22/20		
Metals (P-500ML)		☒ W-ICPMS ☒ W-ICP ☒ W-HARD				☒ Ice ☒ HNO3*		☒ <2	1	A
		Lot #		9189080		Exp:		7/08/20		
Filtered Nutrients (P125ML)		☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter				☒ Ice			1	A
		Filter Lot #				Exp:				
		Syringe Lot #		9056849		Exp:				
Chlorophyll (BP-1L)		☒ CHLSUITE-W				☒ Ice			1	A
Physical/Aggregate (Fresh) (P-1L)		☒ Alkalinity / ☐ W-F / ☐ W-TSS / ☐ TURBIDITY / ☐ W-CHC / ☐ W-COLOR / ☐ W-SO4-IC / ☐ W-TDS				☒ Ice			1	A
Physical/Aggregate (Marine) (P-1L)		☐ Alkalinity / ☐ W-BR-IC / ☐ W-F / ☐ W-TSS / ☐ TURBIDITY				☐ Ice				
Macroinvertebrates (PJ-2L)		☐ MI-FW-QLDC				☐ Formalin				
Periphyton (PT-50ML)		☐ ALGAE-ID				☐ Ice				
Microbiology (Contract Lab Bottle)		☒ E Coli ☐ F Coli ☐ Enterococci				☒ Ice			2	A
Molecular (QPCR-P-500ML)		☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-DG3 ☐ PCR-GULL2 ☐ PCR-GFD				☐ Ice				
Tracers (BG-500ML)		☐ W-E8321-DI ☐ W-E8321-MS				☐ Ice				
Pesticides (BG-500ML) (BG-1L)		☐ W-E8321-DI ☐ WE8321-MS ☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-PCL-SQ-R ☐ W-CARB-AA (5 ml of MCAA** Buffer Solution)				☐ Ice				
						☐ Ice				
Relinquished By:		Date/Time		Shipping Method		Number of Coolers Shipped:		Received By:		Date/Time:
JB, JW		1/16/20:1528		H1		2		M		1/16/20

*2.0 ml of Preservative used unless noted otherwise.

**MCAA: Monochloroacetic acid buffer solution

Email Submittal form to : lab.receiving@floridadep.gov.



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2020

Meter Passed End
of Day CCV
Yes / No

WIN Station Name: Flat Creek @ Duncan Community Rd

Date: 01/16/2020
(mm/dd/yyyy)

WIN/ Field ID: G3TLHR0007

WBID: 337

Latitude: Washington

County: Washington

ORG ID: 21FLTLHR

Longitude: 85.5842

Receiving Body of Water: Hard Labor Creek

RQ-2020-01-13-55
(Decimal Degrees)

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Check
J. Burkhott	☒	☒	☒	☒	☒
J. WOODS	☒	☒	☒	☒	☒
	☐	☐	☐	☐	☐
	☐	☐	☐	☐	☐

Sampling Equipment	
☒ Sample Container	☐ Van Dorn
☒ Syringe	☐ Pole
☐ Dipper	☐ Other
Depth Measured with: 154177	
Equipment ID: 154177	
Collection Method	
☒ Wading	☐ Canoe/Kayak
☐ From Shore	☐ Electric Motor
☐ Other	☐ Gasoline Motor

Water Level: Dry/ Pooled/ Low / Normal ☒ High / Flooded		Meter ID# 154177	
Photos: ☒ Yes / No	Flow: No Flow / ☒ Flowing / NA	Tide: Rising/ Falling/ Slack/ ☒ NA	Tide Times: High Low
Biological Samples Collected: ☒ None HA SCI RPS Algae ID LVS LVI Other:			
SBIO ID Numbers:	SBIO-ID:	HA-ID:	RPS-ID: Macrophyte-ID: LIMS#:
Notes: Nutrients (fresh), Metals, ECOLI			

Duplicate Sample

Time Zone: EST CEN Time: Field ID: (WIN ID_DUP)

WIN DMT Activity ID:

Blank

Time Zone: EST CEN Time: Field ID: (Blank Type_DDDMMYYY)
DI Source: Location:
☐ Field Blank ☐ Equipment Blank ☐ Field Cleaned Equipment Blank
Equipment ID:

Signature: [Signature] Date: 01/16/20

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: (Initials/Date) QC Station ID, Field Parameters In LIMS DMT: (Initials/Date)

Scan/Save Field Sheets (Initials/Date) Migrate Data to WIN: (Initials/Date) Verify Data In WIN: (Initials/Date)

Date of Request: 07-JAN-2020
 Created By: ECKLES_M On: 07-JAN-2020
 Modified By: JASROTIA_P On: 07-JAN-2020
 Customer: TLH-ROC
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Not Applicable
 Sampling Event: Run 5

Send Coolers To:

Phone: 850-245-7586
 2600 Blair Stone Rd

 Tallahassee, FL 32399
 Attn: Michael Eckles

Program Module Number: 0100
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 07-JAN-2020
 Biology Request Reviewed By: JASROTIA_P On: 07-JAN-2020
 Sampling Kit Required: YES Ship on: 13-JAN-2020
 Sampling Kit Shipped: YES On: 13-JAN-2020
 Sampling Kit Packed By: REYNOLDS_T
 Preservatives Needed: NO
 Date to Receive Samples: 13-JAN-2020
 Received By:

Send Final Report To:

2600 Blair Stone Rd

 Tallahassee, FL 32399
 Attn: Michael Eckles

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A WBID 337
 Group B WBID 251, 151A, 80, & 51Z
 Group C WBID 54
 Group D WBID 199 & Dup
 Group E WBID 80 & 331 Bac T only
 Group F Blank
 No fedex labels

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B-2011) True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2011) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-120ML-WC-THI	Number of Bottles: 2	Preserved With: ICE
ECOLI-18QT	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO ₃

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-HARD	Template: DEFAULT	(SM 2340B) Hardness by calculation, in aqueous matrices, reported as mg/L CaCO3
Hardness		
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Barium		
Calcium		
Iron		
Magnesium		
Potassium		
Sodium		
Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
*Boron		
Aluminum		
Antimony		
Arsenic		
Cadmium		
Chromium		
Copper		
Lead		
Nickel		
Selenium		
Silver		
Thallium		

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 4 Samples:

Bottle Type: P-500ML	Number of Bottles: 4	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 4	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: P-1L	Number of Bottles: 4	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B-2011) True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2011) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 4	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-120ML-WC-THI	Number of Bottles: 8	Preserved With: ICE
ECOLI-18QT	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-120ML-WC-THI	Number of Bottles: 2	Preserved With: ICE
ECOLI-18QT	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
Bottle Type: QPCR-P-500ML	Number of Bottles: 1	Preserved With: ICE
PCR-BACR	Template: DEFAULT	(SOP-PCR-1.4) Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction
PCR-DG3	Template: DEFAULT	(SOP-PCR-1.5) Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction
PCR-HF183	Template: DEFAULT	(SOP-PCR-1.0) Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group D (Water) With 4 Samples:

Bottle Type: P-1L	Number of Bottles: 4	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B-2011) True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2011) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 4	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-120ML-WC-THI	Number of Bottles: 8	Preserved With: ICE
ECOLI-18QT	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
Bottle Type: BG-500ML	Number of Bottles: 4	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 4	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 4	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group E (Water) With 2 Samples:

Bottle Type: P-120ML-WC-THI	Number of Bottles: 4	Preserved With: ICE
ECOLI-18QT	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems

Bottle Group F (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B-2011) True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2011) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO ₃

Bottle Group F (Water) With 1 Samples:

Bottle Type: P-500ML		Number of Bottles: 1	Preserved With: HNO3
W-HARD	Template: DEFAULT	(SM 2340B) Hardness by calculation, in aqueous matrices, reported as mg/L CaCO3	
Hardness			
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	
Barium			
Calcium			
Iron			
Magnesium			
Potassium			
Sodium			
Zinc			
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	
*Boron			
Aluminum			
Antimony			
Arsenic			
Cadmium			
Chromium			
Copper			
Lead			
Nickel			
Selenium			
Silver			
Thallium			
Bottle Type: P-500ML		Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L	
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L	
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L	
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices	
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices	
Bottle Type: P-125ML		Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.