



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2020

Meter Passed End

of Day CCV

Yes No

06/10/2020
(mm/dd/yyyy)

WIN Station Name: See label on page 2

Date:

WIN/ Field ID: See label pg 2

WBID: 1476

Latitude:

(Decimal Degrees)

County: POLK

ORG ID: 21FLTPA

Longitude:

(Decimal Degrees)

Receiving Body of Water:

RQ-2020-05-11-15

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
JUDY ASITON					
BEN PRINCE					

Sampling Equipment	
☒ Sample Container	☐ Van Dorn
☐ Syringe	☐ Pole
☐ Dipper	☐ Other
Depth Measured with	
Equipment ID	
Collection Method	
☐ Wading	☐ Canoe/Kayak
☐ From Shore	☐ Electric Motor
☐ Other	☒ Gasoline Motor

Water Level: Dry/ Pooled/ Low / Normal / High / Flooded		Meter ID# SWD	
Photos: Yes / No	Flow: No Flow / Flowing / NA	Tide: Rising/ Falling/ Slack/ NA	Tide Times: High Low
Biological Samples Collected: None HA SCI RPS Algae ID LVS LVI Other:			
SBIO ID Numbers:	SBIO-ID: 81064	HA-ID: 16624	RPS-ID:
Macrophyte-ID: 11674		LIMS#: 2175994	
Notes:			

Duplicate Sample

Time Zone: EST CEN	Time:	Field ID:	(WIN ID_DUP)
WIN DMT Activity ID:			

Blank

Time Zone: EST CEN	Time:	Field ID:	(Blank Type_DDMYYYY)
DI Source:	Location:		
☐ Field Blank	☐ Equipment Blank	☐ Field Cleaned Equipment Blank	Equipment ID:

Signature:	Date:
------------	-------

LIMS EVENT ID: 2020-06-11-01 WIN Import ID: 21198

Enter Field Parameters, Verify Station ID In LIMS DMT: SM 06/15/2020 QC Station ID, Field Parameters In LIMS DMT: SM 07/27/2020

Scan/Save Field Sheets Migrate Data to WIN: SM 07/27/2020 Verify Data In WIN: SM 09/14/2020



RQ-2020- See page 1

Collected By: SWROC

Customer: SWDIST

Field Report Prepared By: J Ashton

ProjectID: SMP

Sampling Agency: FDEP

Field ID/WIN G4SW0110 Site Name: Lake Mattie @ Center							Comments:			
Matrix: ☒ Fresh ☐ Marine							(Check one) ☒ GRAB ☐ COMPOSITE			
Date	Time	DO (mg/L)	DO (%SAT)	Temp. (C°)	pH	Sample Depth (m)	Secchi Disk (m)	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPTH)
6/10/20	1150 EST / CST	9.58	124.9	29.3	8.41	0.3	0.8 ☐ VOB (S)	3.3	183.0	0.08
Cental Lab please use top row for login purposes										
	EST / CST	7.43	94.9	27.9	7.39	2.8			182.6	0.08
Parameter Suite		Parameter Methods				Preservation		pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)		☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				☒ Ice ☒ H2SO4*		☒ <2	1	A
		Lot # SA 9354050		Exp:		12-20-20				
Metals (P-500ML)		☐ W-ICPMS ☐ W-ICP ☐ W-HARD				☐ Ice ☐ HNO3*		☐ <2		
		Lot #		Exp:						
Filtered Nutrients (P125ML)		☒ W-P04-F ☒ Field Filtered 0.45 µm Filter				☒ Ice			1	
		Filter Lot #		Exp:						
		Syringe Lot #		Exp:						
Chlorophyll (BP-1L)		☐ CHLSUITE-W				☐ Ice			1	
Physical/Aggregate (Fresh) (P-1L)		☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-CHC / W-COLOR / W-S04-IC / W-TDS				☒ Ice			1	
Physical/Aggregate (Marine) (P-1L)		☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY				☐ Ice				
Macroinvertebrates (PJ-2L)		☐ MI-FW-QLDC				☐ Formalin				
Periphyton (PT-50ML)		☐ ALGAE-ID				☐ Ice				
Microbiology (Contract Lab Bottle)		☐ E Coli ☐ F Coli ☐ Enterococci ☐ Contract Lab				☐ Ice				
Molecular (QPCR-P-500ML)		☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-DG3 ☐ PCR-GULL2 ☐ PCR-GFD				☐ Ice				
Tracers (BG-500ML)		☐ W-E8321-DI ☐ W-E8321-MS				☐ Ice				
Pesticides (BG-500ML) (BG-1L)		☐ W-E8321-DI ☐ WE8321-MS ☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-PCL-SQ-R ☐ W-CARB-AA (5 ml of MCAA** Buffer Solution)				☐ Ice				
						☐ Ice				
Relinquished By:		Date/Time		Shipping Method		Number of Coolers Shipped:		Received By:		Date/Time: / /2020

*2.0 ml of Preservative used unless noted otherwise.

**MCAA: Monochloroacetic acid buffer solution

Email Submittal form to : lab.receiving@floridadep.gov.

Site Name: **Lake Mattie @ Center**

Waterbody:

County: **POLK**Signature: *[Handwritten Signature]*Date: **6-10-20**

quired. *General that may require lab verification*

Lake units sampled (circle one group):

1, 4, 7, 10 2, 5, 8, 11
3, 6, 9, 12

It is important to note dominant or co-dominant taxa (by areal extent) for each unit. Use "D" to denote dominant taxon, or "C" for the 2 co-dominant taxa.

SPECIES (A-F)	9	12	3	6	Collected? (✓)	SPECIES (G-L)	9	12	3	6	Collected? (✓)
Acer rubrum	X	X	X	X		Gordonia lasianthus	X	X			
Alternanthera philoxeroides	X					Habenaria repens					
Andropogon sp.	X					Hymenachne amplexicaulis					
Azolla filiculoides (A. caroliniana)						Hydrilla verticillata					
Baccharis sp.						Hydrocotyle sp.	X		X		
Bacopa caroliniana						Hygrophila polysperma					
Bacopa monnieri						*Hypericum fasciculatum					
Bidens laevis						*Hypericum hypericoides					
Bidens mitis						*Hypericum myrtifolium					
Blechnum serrulatum	X					Ilex cassine	X				
Boehmeria cylindrica						Ipomoea aquatica					
Brasenia schreberi						Ipomoea sagittata					
Cabomba caroliniana						Itea virginica					
Casuarina equisetifolia						Juncus effusus	X				
Centella asiatica						*Juncus marginatus					
Cephalanthus occidentalis	X	X	X	X		*Juncus megacephalus					
Ceratophyllum demersum						Juncus repens					
Chara sp.						*Juncus scirpoides					
Cladium jamaicense						Lachnanthes caroliniana					
Cliftonia monophylla						Leersia hexandra					
Colocasia esculenta	X			X		Landoltia punctata (Spirodela punctata)					
*Commelina						Lemna sp.					
Crinum americanum	X			X		Leucothoe racemosa (Eubotrys racemosa)					
*Cyperus alternifolius (C. involucratus)						Limnium spongia					
Cyperus articulatus						Limnophila sessiliflora					
Cyperus haspan						Liquidambar styraciflua					
*Cyperus lecontei						*Ludwigia arcuata					
*Cyperus polystachyos		X				*Ludwigia leptocarpa					
*Cyperus odoratus						*Ludwigia linearis					
*Cyperus surinamensis						*Ludwigia octovalvis	X				
Cyrilla racemiflora						*Ludwigia peruviana	X	X	X	X	
Decodon verticillatus						*Ludwigia repens					
Diodia virginiana						*Ludwigia					
*Echinochloa crus-galli						Luziola fluitans (Hydrochloa carolinensis)					
*Echinochloa muricatum						Lyonia lucida					
Echinochloa walteri						<i>CALADIUM J.</i>					
Eclipta prostrata (E. alba)											
Egeria densa											
Eichhornia crassipes	X	X	X	X							
*Eleocharis baldwinii											
*Eleocharis											
Eleocharis cellulosa											
Eleocharis equisetoides											
Eleocharis interstincta											
*Eriocaulon compressum											
*Eriocaulon decangulare											
Eupatorium capillifolium	X	X									
*Fuirena											
Fuirena scirpoidea											

Site: LAKE MATTHEW					Date: 6-10-20						
SPECIES (M-P)	9	12	3	6	Collected? (✓)	SPECIES (R-Z)	9	12	3	6	Collected? (✓)
Magnolia virginiana	X					*Rhexia					
Mayaca fluviatilis						*Rhynchospora corniculata					
Melaleuca quinquenervia						*Rhynchospora inundata					
Micranthemum glomeratum						Rhynchospora tracyi					
Micranthemum umbrosum						Ricciocarpus natans					
Mikania scandens	X					Sabal palmetto					
Mimosa pigra						Sacciolepis striata		X			
Myrica cerifera	X					*Sagittaria filiformis					
Myriophyllum aquaticum	X					*Sagittaria graminea					
*Myriophyllum heterophyllum						*Sagittaria isoetiformis					
*Myriophyllum laxum						Sagittaria lancifolia					X
*Myriophyllum pinnatum						Sagittaria latifolia					
Myriophyllum spicatum						Salix caroliniana	X	X	X	X	
*Najas filifolia						Salvinia minima	X	X			
*Najas guadalupensis						Sambucus canadensis	X				
*Najas minor						Sapium sebiferum					
Nelumbo lutea						Saururus cernuus					
Nitella spp.						Schinus terebinthifolius					
Nuphar sp.			X			*Schoenoplectus californicus (Cali bulrush)					
Nymphaea odorata						*Schoenoplectus pungens (three square)					
Nymphoides aquatica						*Schoenoplectus tabernaemontani (softstem)					
Nyssa sylvatica var. biflora						Scirpus cubensis (Oxycaryon cubense)	X	X			X
Orontium aquaticum						Scirpus cyperinus					
Osmunda cinnamomea						*Sesbania					
Osmunda regalis						Solidago sp.					
Panicum hemitomon	X	X	X	X		Sparganium americanum					
Panicum repens	X	X				Spartina bakeri					
Paspalum geminatum						Sphagneticola trilobata (Wedelia)					
*Paspalum repens						Spirodela polyrhiza					
Paspalum urvillei						Taxodium sp.		X			
Peltandra sp.						Thalia geniculata	X				
Persea sp.	X	X				Thelypteris palustris					
Pennisetum purpureum						Triadenum virginicum					
Phragmites australis						Typha sp.	X	X	X	X	
Pinus elliotii						Urochloa mutica (Brachiaria mutica)					
Pistia stratioides	X	X				*Utricularia gibba (U. biflora)					
Pluchea sp.	X	X	X	X		*Utricularia floridana					
*Polygonum glabrum (densiflorum)	X	X	X	X		*Utricularia foliosa					
*Polygonum hydropiperoides	X	X				*Utricularia inflata					
*Polygonum punctatum						*Utricularia purpurea					
*Polygonum sp.						*Utricularia cornuta					
Pontederia cordata	X	X	X	X		*Utricularia radiata					
*Potamogeton diversifolius						Vallisneria americana					
*Potamogeton illinoensis						*Websteria confervoides					
*Potamogeton pusillus						Wolffiella spp.					
*Potamogeton pectinatus						Woodwardia virginica					
Proserpinaca pectinata						Xyris sp.					
						Zizania aquatica					

Site Name: **Lake Mattie @ Center**

LATITUDE: _____

LONGITUDE: _____

SAMPLING AGENCY: **F&E**WBID: **1476**LAKE SIZE: _____ RQ: **2010-05-11-15**

FIELD ID/NAME: _____

WATERSHED / LAKESIDE FEATURES

PREDOMINANT LAND-USE IN WATERSHED (specify relative percent in each category – from GIS) :										LANDSCAPE DEVELOPMENT INTENSITY (100 m buffer)				
Forest/Natural	Silviculture	Field/Pasture	Agricultural	Residential	Commercial	Industrial	Other (Specify)							
60		10	10	20										
Local Watershed Erosion (select one) : ☐ None ☒ Slight ☐ Moderate ☐ Heavy										Artificially Impounded ☐ Yes ☒ No				
Local Watershed NPS Pollution : ☐ No evidence ☒ Slight ☐ Moderate ☐ Heavy														
STORMWATER INPUTS		Stormwater enters system via sheet flow over non-cultivated and/or natural vegetation		Some direct stormwater inputs (ditches, pipes, cultivated vegetation < 10%) but good BMPs in place		Moderate direct inputs of stormwater (ditches, pipes, cultivated vegetation 11%-50%) but few BMPs in place		Much direct input of stormwater (ditches, pipes, cultivated vegetation > 51%) and no or ineffective BMPs in place						
18		20	19	18	17	16	15	14	13	12	11			
LAKESIDE ALTERATIONS		Very few man-made structures, roads, or other disturbance adjacent to lake (<10% lakeside affected)		Moderate disturbance visible - structures, roads or other (10%-49% lakeside affected)		Many structures, roads or other human disturbance visible (50%-70% lakeside affected)		Highly developed or disturbed (>70% of lakeside affected)						
18		20	19	18	17	16	15	14	13	12	11			
BUFFER ZONE		Expected native vegetation between uplands and littoral zone, greater than 90% of shore with >18 m buffer		89%-51% of shoreline with >18m buffer or >75% with 10m to 18m buffer		50%-30% of shoreline with >18m buffer or 50%-74% with 10m to 18m buffer		< 29% of shoreline with >18m buffer						
19		20	19	18	17	16	15	14	13	12	11			

WATER / SUBSTRATE / BIOLOGICAL: SAMPLES AND OBSERVATIONS

Water: Nutrient Sample Taken? ☒ Yes ☐ No Preserved? ☐ Yes ☐ pH<2 ☐ No Color Sample Taken? ☒ Yes ☐ No Lot # _____ Exp. Date: _____ Alkalinity Sample Taken? ☒ Yes ☐ No Water Level ☐ Low ☐ Normal ☒ High						Water Odors: ☒ Normal ☐ Sewage ☐ Petroleum ☐ Other _____					
Meter Readings: Top: Depth (M) 0.3 Temp. (°C) 29.3 pH (SU) 8.41 D.O. (MG/L) 9.58 D.O. Sat. (%) 124.9 Cond. (UMHO/CM) 183.0 Salinity (PPT) 0.08 Mid-Depth: _____ Bottom: 2.8 27.9 7.39 7.43 94.9 182.6 0.08						Water Surface Oils: ☐ None ☐ Sheen/Slick ☐ Glob ☐ Other _____					
Clarity: ☐ Clear ☒ Turbid ☐ Slightly Turbid Color: ☐ Clear ☒ Tannic ☐ Green						SECCHI (M) 0.8 Total Station Depth (M) 3.3 VOB ☐					
Sediment Type: (may check more than one) ☐ Sandy ☒ Organic fibrous (peaty, CPOM) ☐ Vegetated ☐ Sand/Silt ☐ Organic smooth (muck) ☐ Other (Specify): _____						Sediment Odors: ☒ Normal ☐ Other (Specify): _____ ☐ Anaerobic					
Biological Communities: LVI Conducted? ☒ Yes ☐ No Phytoplankton Sample Taken? ☐ Yes ☒ No Sample Preserved? ☒ Yes ☐ No Lot #: _____ Exp Date: _____ Algal Bloom/Algal ID Sample Taken? Yes ☒ No ☐ Active Vegetation Mgmt? ☐ Yes ☐ No ☒ Don't Know						Abundance: Absent Rare Common Abundant Periphyton ☐ ☐ ☒ ☐ Nuisance Plants ☐ ☐ ☒ ☐ Submersed Plants ☐ ☒ ☐ ☐ Exotic Apple Snails ☐ ☒ ☐ ☐					
Additional Notes:											
Weather Conditions : Sunny and hot - REAL HOT!											
SAMPLING TEAM: ASTON, PASWATER						SIGNATURE: <i>[Signature]</i>			DATE: 6-10-20		



2. Lake Habitat Assessment Field Sheet

Site Name: **Lake Mattie @ Center**

LAKES NAME										FIELD ID / NAME:											
ECO-REGION:		COUNTY: <u>POLK</u>					SAMPLING LOCATION/DESCRIPTION:					LAKE SIZE: <u>L</u>									
PARAMETER		No surface inflow or outflow present, very long water residence time, groundwater seepage dominates ☐					Surface water inflow present, but flow is rare, moderate to long water residence time ☒					Surface water inflow and outflow present (or outflow only), sometimes with visible flow, short water residence time ☐					Impounded, hydrology of system artificially controlled ☐				
HYDROLOGY																					
Color		Very clear, uncolored water (benthic sampling appropriate) ☐					Water somewhat tannin stained (benthic sampling appropriate) ☒					Dark, discolored water (water color 20 PCU or higher) ☐					Visibility extremely reduced due to high color ☐				
		Optimal					Suboptimal					Marginal					Poor				
Secchi		Secchi >3 m Or VOB					3	2.6	2.2	1.8	1.4	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.3	0.2	0.1
		20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
Vegetation Quality		Diverse, expected native vegetation (emergent or submersed), less than 5% nuisance taxa					Mostly expected native plants, but moderate growths (6%-20% of lake) of nuisance macrophytes, or more than 50% of lake covered with plants					Large masses (21%- 40%) of nuisance macrophytes (e.g., Hydrilla, hyacinth, cattail, etc.) or algal mats					Lake choked (>40%) with nuisance macrophytes (duckweed, hyacinth, etc.) or algal mats, or few plants present at all (e.g., plants removed)				
		20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
Stormwater Inputs		Stormwater enters system via sheet flow over non-cultivated and/or natural vegetation					Some direct stormwater inputs (ditches, pipes, cultivated vegetation < 10%) but good BMPs in place					Moderate direct inputs of stormwater (ditches, pipes, cultivated vegetation 11%-50%) but few BMPs in place					Much direct input of stormwater (ditches, pipes, cultivated vegetation > 51%) and no or ineffective BMPs in place				
		20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
Bottom Substrate Quality		Diverse mixture of sand, detritus, with small amounts of CPOM/mud/muck. SAV may be present					Mixture of sand or clay and detritus with higher % CPOM/mud/muck content. SAV may be present					Moderate layer of CPOM/mud/muck, or hardpacked sand only, or moderate algal growth (mats or Chara) on bottom					Thick deposits of CPOM, or fine detritus and anaerobic muck/mud/silt, or algal growth or nuisance plants (Hydrilla) cover bottom				
		20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
Lakeside Adverse Human Alterations		Very few man-made structures, roads, or other disturbance adjacent to lake (<10%)					Moderate disturbance visible (structures, roads or other), 10%-49% lakeside affected					Many structures, roads or other human disturbance visible (50%-70%) lakeside affected					Highly developed or disturbed (>70% of lakeside affected)				
		20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
Upland Buffer Zone		Expected native vegetation between uplands and littoral zone, greater than 90% of shore with >18 m buffer					89%-51% of shoreline with >18m buffer or >75% with 10m to 18m buffer					50%-30% of shoreline with >18m buffer or 50%-74% with 10m to 18m buffer					< 29% of shoreline with >18m buffer				
		20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
Adverse Watershed Land Use		Score the potential effects from adverse human land uses, based on a continuum of amount and type, with least to most adverse as follows: Native vegetation, Silviculture, Pasture or Citrus, Low Density Residential, Row Crops, Commercial, High Density Residential, Urban, Industrial																			
		20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
TOTAL SCORE		109																			
COMMENTS:																					
ANALYSIS DATE:		10-10-20										ANALYST: <u>ANTHONY B. ROBERTS</u>									
												SIGNATURE: <u>[Signature]</u>									

Florida Department of Environmental Protection

Central Laboratory Submittal Form

LVI Lake Mattie or Henderson

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Benjamin Paswater

Field Report Prepared By: Josh Ashton

Project ID: SMP

Collected By: ASHTON + PASWATERSampling Agency: FDLP

Locat'	Field ID/WIN		G4SW0110		☐ Comp	Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s) (See pg 2)
Field			☒ Grab	Date <u>6-10-20</u> Time <u>1150</u>	Central	Date	Time		
WIN/	Site Name: Lake Mattie @ Center		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☒ mg/L	Total Res. Chlorine	A
Latitude	☐ dd	☐ dms	☐ dd	☐ dms	Temp (C) <u>29.3</u>	pH <u>8.41</u>	Sample Depth <u>0.3</u>	☒ m	
			Salinity (ppt) <u>0.08</u>		Comments				
Location			☐ Comp	Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s)		
			☐ Grab	Date	Time	Central	Date	Time	
Field ID			Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L	Total Res. Chlorine	
WIN/STORET #			Temp (C)		pH	Sample Depth	☐ ft	Sp. Conductance	
Latitude			☐ dd	Longitude	☐ dd	Salinity (ppt)	Comments		
			☐ dms	☐ dms	☐ dms				
Location			☐ Comp	Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s)		
			☐ Grab	Date	Time	Central	Date	Time	
Field ID			Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L	Total Res. Chlorine	
WIN/STORET #			Temp (C)		pH	Sample Depth	☐ ft	Sp. Conductance	
Latitude			☐ dd	Longitude	☐ dd	Salinity (ppt)	Comments		
			☐ dms	☐ dms	☐ dms				
Location			☐ Comp	Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s)		
			☐ Grab	Date	Time	Central	Date	Time	
Field ID			Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L	Total Res. Chlorine	
WIN/STORET #			Temp (C)		pH	Sample Depth	☐ ft	Sp. Conductance	
Latitude			☐ dd	Longitude	☐ dd	Salinity (ppt)	Comments		
			☐ dms	☐ dms	☐ dms				
Location			☐ Comp	Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s)		
			☐ Grab	Date	Time	Central	Date	Time	
Field ID			Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L	Total Res. Chlorine	
WIN/STORET #			Temp (C)		pH	Sample Depth	☐ ft	Sp. Conductance	
Latitude			☐ dd	Longitude	☐ dd	Salinity (ppt)	Comments		
			☐ dms	☐ dms	☐ dms				

Relinquished By: <u>J. Ashton</u>	Date/Time: <u>6-10-20 1700</u>	Shipping Method: <u>FDLP</u>	Number of Coolers Shipped: <u>1</u>	Received By:	Date/Time:
-----------------------------------	--------------------------------	------------------------------	-------------------------------------	--------------	------------

Group: A	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-TDS						
	W-TSS						

Group: A	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						

Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	1	
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						

Group: A	Bottle Type:	P-125ML	# of Bottles: 1	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	1	
	W-PO4-F						
	W-SO4-IC-F						