FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2020

Meter Passed End of Day CCV: (Yes) / No

WIN Station Name: HOWELL BRANCH @ BRASWELL PARK **Date:** 1-13-20 (mm/dd/yyyy)

WIN/ Field ID: G2SWD115 **WBID:** 1568 **Latitude:** _____ (Decimal Degrees)

County: HILLS **ORG ID:** 21FLDEP4 **Longitude:** _____ (Decimal Degrees)

Receiving Body of Water: _____ **RQ-2020-** 01-13-19

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
J. ASHTON	✓		✓		
B. BASWELL		✓		✓	✓

Sampling Equipment

- ☒ Sample Container ☐ Van Dorn
- ☐ Syringe ☐ Pole
- ☐ Dipper ☐ Other _____

Depth Measured with _____

Equipment ID _____

Collection Method

- ☐ Wading ☐ Canoe/Kayak
- ☒ From Shore ☐ Electric Motor
- ☐ Other _____ ☐ Gasoline Motor

Water Level: Dry/ Pooled/ Low/ (Normal) / High / Flooded

Meter ID# CHEW4

Photos: Yes / (No) **Flow:** No Flow / (Flowing) / NA

Tide: Rising/ Falling/ Slack/ (NA) **Tide Times:** High _____ Low _____

Biological Samples Collected: (None) HA SCI RPS Algae ID LVS LVI Other:

SBIO ID Numbers:	SBIO-ID:	HA-ID:	RPS-ID:	Macrophyte-ID:	LIMS#:

Notes:

Duplicate Sample

Time Zone: EST CEN **Time:** _____ **Field ID:** _____ (WIN ID_DUP)

WIN DMT Activity ID: _____

Blank

Time Zone: EST CEN **Time:** _____ **Field ID:** _____ (Blank Type_DDMMYYYY)

DI Source: _____ **Location:** _____

☐ Field Blank ☐ Equipment Blank ☐ Field Cleaned Equioment Blank **Equipment ID:** _____

Signature: _____ **Date:** 1-13-20

LIMS EVENT ID 2020-01-14-01 **WIN Import ID:** 18266

Enter Field Parameters, Verify Station ID In LIMS DMT: SM 01/23/2020 (Initials/Date) **QC Station ID, Field Parameters In LIMS DMT:** SM 04/06/2020 (Initials/Date)

Scan/Save Field Sheets _____ (Initials/Date) **Migrate Data to WIN:** SM 04/06/2020 (Initials/Date) **Verify Data In WIN:** SM 09/08/2020 (Initials/Date)

RQ-2020- 01-13-19 Collected By: J. ASHTON, B. PASSWATER

Customer: Field Report Prepared By: JUDY ASHTON

Project ID: SMP Sampling Agency: FDEP

Field ID/WIN G2SW0115

Site Name: Howell Branch in Beasville Park

Comments: E.COLI DROPPED WAS D AEL

Matrix: Fresh / Marine (Check one) GRAB COMPOSITE

Date	Time	DO (mg/L)	DO (%SAT)	Temp. (C°)	pH	Sample Depth (m)	Secchi Disk (m)	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPTh)
1-13-20	1015 EST / CST	6.81	76.4	20.9	6.02	0.2	0.2 VOB (S)	0.2	426.4	0.20
	Cental Lab please use top row for login purposes									
	EST / CST									

Parameter Suite	Parameter Methods			Preservation	pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	☐ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP			☒ Ice ☒ H_2SO_4*	☒ <2	1	A
	Lot #	SA9203100	**Exp:**	7/22/20			
Metals (P-500ML)	☐ W-ICPMS ☐ W-ICP ☐ W-HARD			☐ Ice ☐ HNO_3*	☐ <2		
	Lot #		**Exp:**				
Filtered Nutrients (P125ML)	☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter			☐ Ice		1	A
	Filter Lot #	16968882	**Exp:**				
	Syringe Lot #	9056849	**Exp:**				
Chlorophyll (BP-1L)	☐ CHLSUITE-W			☒ Ice		1	A
Physical/Aggregate (Fresh) (P-1L)	☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS			☐ Ice		1	A
Physical/Aggregate (Marine) (P-1L)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY			☐ Ice			
Macroinvertebrates (PJ-2L)	☐ MI-FW-QLDC			☐ Formalin			
Periphyton (PT-50ML)	☐ ALGAE-ID			☐ Ice			
Microbiology (Contract Lab Bottle)	☒ E Coli ☐ F Coli ☐ Enterococci ☐ Contract Lab			☒ Ice		1	A
Molecular (QPCR-P-500ML)	☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-DG3 ☐ PCR-GULL2 ☐ PCR-GFD ☐			☐ Ice			
Tracers (BG-500ML)	☒ W-E8321-DI ☒ W-E8321-MS			☒ Ice		1	A
Pesticides (BG-500ML) (BG-1L)	☐ W-E8321-DI ☐ WE8321-MS ☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-PCL-SQ-R ☐ W-CARB-AA (5 ml of MCAA** Buffer Solution)			☐ Ice			
				☐ Ice			

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time:
J. ASHTON	1-13-20 1600	HAND DLV	1		

*2.0 ml of Preservative used unless noted otherwise.

**MCAA: Monochloroacetic acid buffer solution

Email Submittal form to : lab.receiving@floridadep.gov.

Advanced Environmental Laboratories, Inc.

☐ **Gainesville:** 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
☐ **Jacksonville:** 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
☐ **Tallahassee:** 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
☑ **Tampa:** 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

Client Name: FDEP SW Dist.
Address: 13051 N. Telecom Pkwy. Temple Terrace FL 33637
Phone: 813-470-5770
Contact: Judy Ashton 813-470-5772
Sampled By:
Turn Around Time: ☑ STANDARD ☐ RUSH
Page: of

Project Name: SMP
P.O. Number: ~~B5A498~~
Project Address:

Special Instructions:
RQ-~~2019~~-2020-01-19-13

☐ ADaPT ☐ EQuIS ☐ Other

SAMPLE ID	SAMPLE DESCRIPTION	Grab / Comp	SAMPLING DATE	SAMPLING TIME	MATRIX	NO. COUNT	PRESERVATION	BOTTLE SIZE & TYPE	Analysis Required: E. coli	Analysis Required:	Analysis Required:	Analysis Required:	Analysis Required:	LABORATORY I.D. #
	G2SW0115 Howell Branch		1-13-20	1015	SW	1			1					

Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge

Preservation Code: I = ice H=(HCl) S = (H_2SO_4) N = (HNO_3) T = (Sodium Thiosulfate)

Received on Ice ☐ Yes ☐ No ☐ Temp taken from sample ☐ Temp from blank ☐ Where required, pH checked: Temperature when received: (in degrees celcius)

DCN: AD-051 Form last revised 04/30/2015

Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 10A A: 8A M: 3A S: 1V

	Relinquished by	Date	Time	Received by:	Date	Time
1	[illegible]	1-13-20	1309		1/14/20	1325

FOR DRINKING WATER USE:
PWS ID: