



RQ-2020-12-28-30

Customer: WQAP

Project ID: SMP

Collected By: Ben Paswater, Judy Ashton

Field Report Prepared By: Ben Paswater

Sampling Agency: FDEP

Place Label Here

WIN ID/Field ID:



G3SW0089

Location: Little Charlie Creek At 664

Comments:

Matrix: Fresh

(Check one)

☒ GRAB☐ COMPOSITE

Date	Time	DO (mg/L)	DO (%SAT)	Temp. (C°)	pH	Sample Depth (m)	Secchi Disk (m)	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPT)
12/29/2020	1150 EST	9.28	92.4	15.2	6.56	0.3	0.6 ☒ VOB (S)	0.6	422.9	0.2

Central Lab please use top row for login purposes

	EST									
--	-----	--	--	--	--	--	--	--	--	--

Parameter Suite	Parameter Methods	Preservation	pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☒ H2SO4*	☒ <2	1	A
	Lot # Exp:				
Metals (P-500ML)	☒ W-ICPMS ☒ W-ICP ☒ W-HARD	☒ Ice ☒ HNO3*	☒ <2		
	Lot # \${HNO3AcidLot} Exp: \${HNO3Exp}				
Filtered Nutrients (P125ML)	☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter	☒ Ice		\${FN_Bottl eNumber}	\${FN Bottle}
	Filter Lot # \${FilterLot}				
	Syringe Lot # \${SyringeLot}				
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☒ Ice		1	A
Physical/Aggregate (Fresh) (P-1L)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W-TDS	☒ Ice		1	A
Physical/Aggregate (Marine) (P-1L)	☒ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☒ Ice			
Macroinvertebrates (PJ-2L)	☒ MI-FW-QLDC	☒ Formalin			
Periphyton (PT-50ML)	☒ ALGAE-ID	☒ Ice			
Microbiology (Contract Lab Bottle)	☒ E Coli ☒ F Coli ☒ Enterococci	☒ Ice		1	A
	Contract Lab				
Molecular (QPCR-P-500ML)	☒ PCR-HF183 ☒ PCR-BacR ☒ PCR-DG3	☒ Ice			
	☒ PCR-GULL2 ☒ PCR-GFD				
Tracers (BG-500ML)	☒ W-E8321-DI ☒ W-E8321-MS	☒ Ice			
Pesticides (BG-500ML) (BG-1L)	☒ W-E8321-DI ☒ W-E8321-MS ☒ W-PSNP-TQ ☒ W-CT-CL-R	☒ Ice			
	☒ W-PCL-SQ-R ☒ W-CARB-AA (5 ml of MCAA** Buffer Solution) ☒ W-DIELDRIN				
Phytoplankton/Periphyton	☒ DTM-QL-C ☒ PEN-QL-C ☒ DTY-QN-C ☒ PKD-QN-C	☒ Ice			
	☒ DTM-QN-C ☒ PRN-QN-C ☒ PKD-QN-BV				

Name: Ben Paswater
Judy Ashton

Signature:

Date:

12/29/2020

*2.0 ml of Preservative used unless noted otherwise.

**MCAA: Monochloroacetic acid buffer solution



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2020

Meter Passed End
of Day CCV
Yes / No

WIN Station Name: Little Charlie Creek At 664

Date: 12/29/2020

WIN/Field ID: G3SW0089

WBID: 1774

ENR:

Latitude: 27.5888

County: HARDEE

Org ID: 21FLTPA

Longitude: -81.7705

Receiving Body of Water: Sarasota Bay - Peace - Myakka

RQ- 2020-12-28-30

Sampling Team Members		WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
☒	Ben Paswater	x		x		
☒	Judy Ashton		x		x	x
☐						
☐						

Sampling Equipment	
☒ Sample Container	☐ Carboy
☐ Dipper	☐ Van Dorn
☐ Syringe	☐ Pole
Depth measured with: Secchi	
Secchi Equipment ID: Secchi #3	
Collection Method	
☒ Wading	☐ Canoe/Kayak
☐ From Shore	☐ Electric Motor
☐ Other _____	☐ Gasoline Motor

Water Level: ☒ Normal ☐ Low ☐ High ☐ Dry ☐ Pooled ☐ Flooded						Meter ID# SWD					
Photos: YES		Flow: FLOW		Tide:		Tide Times: High: Low:					
Biological Samples Collected: ☒ None ☐ HA ☐ SCI ☐ RPS ☐ Algae ID ☐ LVS ☐ LVI Other:											
SBIO ID Numbers:											
Notes:											

Duplicate Sample

Time Zone: EST	Time: N/A	Field ID: N/A	(WIN ID_DUP)
WIN DMT Activity ID: _____			

Blank

Time Zone: _____	Time: N/A	Field ID: N/A	(Blank Type_DDDMMYYY)
DI Source: N/A		Location: N/A	
DI Type: N/A		Equipment ID: N/A	

LIMS EVENT ID: _____ WIN Import ID: _____

Enter Field Parameters, Verify Station ID In LIMS DMT: _____ QC Station ID, Field Parameters In LIMS DMT: _____
(Initials/Date) (Initials/Date)

Scan/Save Field Sheets _____ Migrate Data to WIN: _____ Verify Data In WIN: _____
(Initials/Date) (Initials/Date) (Initials/Date)

Site Name: **Little Charlie Creek @ 664**STORET STATION
NUMBER: see sticker

DATE (MM/DD/YY):

1150

SAMPLING AGENCY:

FDEP SWROC

COUNTY:

Manatee

RECEIVING BODY OF WATER:

Habitat Parameter	Optimal	Suboptimal	Marginal	Poor
Primary Habitat Components	Four or more major productive habitats present [snags, tree roots, aquatic vegetation, leaf packs (partially decayed), rock]	Three major productive habitats present. Adequate habitat. Some substrates may be new fall (fresh leaves or snags)	Two major productive habitats present. Less than desirable habitat, frequently disturbed or removed	One or less major productive habitat. Lack of habitat is obvious, substrates unstable or smothered
Substrate Diversity <u>9</u>	20 19 18 17 16	15 14 13 12 11	10 <u>9</u> 8 7 6	5 4 3 2 1
Substrate Availability <u>7</u>	Greater than 30% major productive habitat present at site 20 19 18 17 16	16% to 30% major productive habitat, by aerial extent 15 14 13 12 11	6% to 15% major productive habitat 10 9 8 <u>7</u> 6	Less than 5% major productive habitat 5 4 3 2 1
Water Velocity <u>14</u>	Max. observed at typical transect: > 0.25 m/sec. But < 1 m/sec ≥0.33 0.31 0.29 0.27 >0.25 20 19 18 17 16	Max. observed at typical transect: >0.1 to 0.25 m/sec 0.25 0.21 0.17 0.13 >0.1 15 <u>14</u> 13 12 11	Max. observed at typical transect: 0.05 to 0.1 m/sec 0.1 0.09 0.07 0.06 0.05 10 9 8 7 6	Max. observed at typical transect: <0.05 m/sec; or spate occurring: > 1 m/sec <0.05 0.04 0.03 0.01 <0.01 5 4 3 2 1
Habitat Smothering <u>11</u> ----- Primary Score <u>41</u>	Adequate number of stable pools (1-2 per 12 times width) and <25% of habitats affected by sand, silt, or algae. 20 19 18 17 16	Adequate number of stable pools (1-2 per 12 times width) and >25% of habitats affected by sand, silt, or algae. 15 14 13 12 <u>11</u>	Does not have required number of stable pools (1-2 per 12 x width) and/or has shallow pools (<2 x prevailing depth). 10 9 8 7 6	Stable pools are absent. Most habitats affected by sand, silt, or algae accumulation. 5 4 3 2 1
Secondary Habitat Components	Expected sinuosity given the stream width. No evidence of dredging or artificial straightening. No spoil banks.	Good sinuosity within old channelized area. Evidence of dredging in the past (>25 yrs) but mostly recovered.	Straightened with trapezoidal cross section, but has a small degree of sinuosity developed within channelized area.	Straightened or engineered by dredging, has trapezoidal or box cut cross section, lacks required pools. May have spoil banks.
Artificial Channelization <u>16</u>	20 19 18 17 <u>16</u>	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1
Bank Stability Right Bank <u>8</u> <u>9</u> Left Bank	Bankfull > 60% of bank height. Slope of bank ≤ 60° from bankfull to top of bank. Bankfull is within or above the root zone with few raw, eroded areas. 10 <u>9</u> <u>8</u>	Only meets 2 of the 3 requirements for optimal bank stability. <u>R</u> <u>8</u> 7 6	Only meets 1 of the 3 requirements for optimal bank stability. 5 4	Bankfull < 60% of bank height. Slope of bank > 60°. Bankfull is below the root zone with raw, eroded areas. 3 2 1
Riparian Buffer Zone Width Right Bank <u>10</u> <u>10</u> Left Bank	Width of vegetation greater than 18 m <u>LR</u> <u>10</u> 9	Width of vegetation >12 to 18m 8 7 6	Width of vegetation 6 to 12 m. human activities close to system 5 4	Less than 6 m of buffer zone due to intensive human activities 3 2 1
Riparian Zone Vegetation Quality Right Bank <u>7</u> <u>7</u> Left Bank	Over 80% of riparian surfaces consist of normal, expected plant community for given sunlight & habitat conditions (e.g., native plants; tree, shrub, and forbs represented, if appropriate). Minimal disturbance. 10 9	>50% to 80% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Some disruption in community observed. <u>LR</u> 8 <u>7</u> 6	25% to 50% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Disruption obvious. 5 4	Less than 25% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). 3 2 1
Secondary Score <u>67</u>	10 9	8 <u>7</u> 6	5 4	3 2 1

TOTAL SCORE108

Date:

12/29/20

Analyst:

Ben Ashtan, Judy Ashtan

Signature:

Ben AshtanVisit ID: 81898RPS: 9663HA: 16772



Site Name: Little Charlie Creek @ 664

EP FORM FD 9000-25 Rapid Periphyton Survey Field Sh

Investigators: JA

County: Hardee

STORET Station Number: see label

Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover	Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover
0	1	N			60	1	N		
	2					2			
	3					3			
	4			86		4			90
	5					5			
	6					6			
	7					7			
	8					8			
	9					9			
10	1	N			70	1	N		
	2					2			
	3					3			
	4			16		4			76
	5					5			
	6					6			
	7					7			
	8					8			
	9					9			
20	1	N			80	1	N		
	2					2			
	3					3			
	4			76		4			76
	5					5			
	6					6			
	7					7			
	8					8			
	9					9			
30	1	N			90	1	N		
	2					2			
	3					3			
	4			10		4			87
	5					5			
	6					6			
	7					7			
	8					8			
	9					9			
40	1	N			100	1	N		
	2					2			
	3					3			
	4			82		4			90
	5					5			
	6					6			
	7					7			
	8					8			
	9					9			
50	1	N							
	2								
	3								
	4			26					
	5								
	6								
	7								

 Secchi depth
 Estimated? No

 # points ranked 4-6
 total points assessed
 % points ranked 4-6

 Check accompanying data collected at same site/date.
 Algal mat sample
 Linear Veg Survey
 Habitat Assessment
 SCI/Biorecon
 Water sample
 RQ-

Algal Thickness Rank	
N	rough, no algae, slimy, algae up to 1mm
3	>1mm - 6mm
4	>6mm - 20mm
5	>20mm - 10 cm
6	>10 cm

Record "N" and check "Estimated" for points deeper than the Secchi depth; algae are presumed absent. Check "Estimated" if thickness estimated for deep points which can be seen but not reached.

Record "X" for points shallower than Secchi depth for which substrate cannot be seen or reached with the hand. No estimated rank.

Record canopy cover as the number of small densiometer quadrants (out of 96) that HAVE canopy cover. Measure facing upstream at point 4, 5, or 6.

Collect algal mat sample following DEP SOP FS 7240 if the percentage of total sampled points with a thickness rank of 4, 5, or 6 is >20%.




Form FD 9000-4 Stream/River Habitat Assessment Sketch Sheet

Site Name: Little Charlie Creek @ 664

Location: _____

Date: 12/29

Sampler: _____

Left
Bank

100 m: Latitude _____
Longitude _____
0 m: Latitude _____
Longitude _____

Substrates: Code key, draw proportionate habitat abundance. %

☐ S Snags 4.5
☐ R Roots/undercut banks 2.3
☐ Leaf Packs (or mats) _____
☐ Aquatic Macrophytes _____
☐ ROCKS _____
☐ _____
☐ Pools total # observed = 5
range expected = 4-6

Average width 4 m
Average depth 0.6 m

Velocity measured at 100 meter mark.

WQ & chemistry taken at 100 meter mark.

Habitat Smothering:
Note areas (on map) where sand or silt is smothering substrates, limiting habitability.

Bank Stability:
Note areas (on map) with unstable, eroding banks.

Riparian Buffer Width:
Note areas (on map) where natural vegetation is altered or eliminated.

Plants observed / other notes:

$S = 112 = 4.5$
 $R = 58 = 2.3$

4.00m

Length of grid represents 100 m of stream (not linear meters).
(Horizontal scale is double vertical scale, draw proportionately).

Site Name: **Little Charlie Creek @ 664**

Waterbody:

County:

Signature:

Date:

required. *Genera that may require lab verification*

Lake units sampled (circle one group):

1, 4, 7, 10 2, 5, 8, 11
3, 6, 9, 12

It is important to note dominant or co-dominant taxa (by areal extent) for each unit. Use "D" to denote dominant taxon, or "C" for the 2 co-dominant taxa.

SPECIES (A-F)	Collected? (✓)	SPECIES (G-L)	Collected? (✓)
Acer rubrum		Gordonia lasianthus	
Alternanthera philoxeroides		Habenaria repens	
Andropogon sp.		Hymenachne amplexicaulis	
Azolla filiculoides (A. caroliniana)		Hydrilla verticillata	
Baccharis sp.		Hydrocotyle sp.	
Bacopa caroliniana		Hygrophila polysperma	
Bacopa monnieri		*Hypericum fasciculatum	
Bidens laevis		*Hypericum hypericoides	
Bidens mitis		*Hypericum myrtifolium	
Blechnum serrulatum		Ilex cassine	
Boehmeria cylindrica		Ipomoea aquatica	
Brasenia schreberi		Ipomoea sagittata	
Cabomba caroliniana		Itea virginica	
Casuarina equisetifolia		Juncus effusus	
Centella asiatica		*Juncus marginatus	
Cephalanthus occidentalis		*Juncus megacephalus	
Ceratophyllum demersum		Juncus repens	
Chara sp.		*Juncus scirpoides	
Cladium jamaicense		Lachnanthes caroliniana	
Cliftonia monophylla		Leersia hexandra	
Colocasia esculenta		Landoltia punctata (Spirodela punctata)	
*Commelina		Lemna sp.	
Crinum americanum		Leucothoe racemosa (Eubotrys racemosa)	
*Cyperus alternifolius (C. involucratus)		Limnobia spongia	
Cyperus articulatus		Limnophila sessiliflora	
Cyperus haspan		Liquidambar styraciflua	
*Cyperus lecontei		*Ludwigia arcuata	
*Cyperus polystachyos		*Ludwigia leptocarpa	
*Cyperus odoratus		*Ludwigia linearis	
*Cyperus surinamensis		*Ludwigia octovalvis	
Cyrilla racemiflora		*Ludwigia peruviana	
Decodon verticillatus		*Ludwigia repens	
Diodia virginiana		*Ludwigia	
*Echinochloa crus-galli		Luziola fluitans (Hydrochloa carolinensis)	
*Echinochloa muricatum		Lyonia lucida	
Echinochloa walteri			
Eclipta prostrata (E. alba)			
Egeria densa			
Eichhornia crassipes			
*Eleocharis baldwinii			
*Eleocharis			
Eleocharis cellulosa			
Eleocharis equisetoides			
Eleocharis interstincta			
*Eriocaulon compressum			
*Eriocaulon decangulare			
Eupatorium capillifolium			
*Fuirena			
Fuirena scirpoidea			



1FLTPA

LATITUDE

LONGITUDE

Site Name: Little Charlie Creek @ 664

SAMPLING AGENCY FDEP SW ROC

WATER

RIPARIAN ZONE / STREAM FEATURES

PREDOMINANT LAND-USE IN WATERSHED (specify relative percent in each category):

Forest/Natural ☒ 20 Silviculture ☐ Field/Pasture ☒ 40 Agricultural ☒ 10 Residential ☐ Commercial ☐ Industry ☒ 30 Other (Specify) ☐

Landscape Development Intensity Index (LDI)

Local Watershed Erosion (select one): ☐ None ☐ Slight ☒ Moderate ☐ HeavyLocal Watershed NPS Pollution: ☐ No evidence ☐ Slight ☒ Moderate ☐ Heavy

Width of Riparian Vegetation (m) on Each Buffer Side

Left Bank: ☒ 218 Right Bank: ☒ 218

Hydrologic Modification Score (per FT 3101)

☒ 5High Water Mark: ☒ 2.2 + ☒ .6 = ☒ 2.8 (m) (above present water level) (present depth) (above bed)

Artificially Impounded

☐ Yes ☒ NoArtificially ☒ No☐ Mostly recovered, more sinuousChannelized: ☐ Some recovery☐ Recent, severe

Canopy Cover %

☐ Open☐ Lightly Shaded (11-45%)☐ Heavily Shaded☒ Moderate Shaded (46-80%)

Typical Width (m) Depth (m)/Velocity (m/sec) Transect

☒ 4 m wide☒ .01 m/s ☒ .25 m/s ☒ .21 m/s☒ .3 m deep ☒ .6 m deep ☒ .3 m deep

SEDIMENT / SUBSTRATE

Sediment Oils

☒ Absent ☐ Slight
☐ Moderate ☐ Profuse

Sediment Odors

☒ Normal ☐ Sewage ☐ Petroleum
☐ Chemical ☐ Anaerobic
☐ Other (Specify):

Smothering of Substrates

Sand Smothering: None ☐ Slight ☐ Moderate ☒ Severe ☐
Silt Smothering: None ☐ Slight ☒ Moderate ☐ Severe ☐
Algae Smothering: None ☒ Slight ☐ Moderate ☐ Severe ☐

SUBSTRATE TYPE

Assessment Tool: ☐ SCI ☒ RPS ☒ LVS☐ LCI ☐ BioRecon

INVERT PERI
% # Times # Times
Coverage Sampled Sampled

Woody Debris (Snags) ☐ ☐ ☐
Undercut Banks / Roots ☐ ☐ ☐
Leaf Packs or Mat ☐ ☐ ☐
Aquatic Vegetation ☐ ☐ ☐
Rock or Shell Rubble.. ☐ ☐ ☐
Sand..... ☐ ☐ ☐
Mud / Muck / Silt ☐ ☐ ☐
Other ☐ ☐ ☐
Other ☐ ☐ ☐

WATER QUALITY

Depth (M) Temp. (°C) pH (SU) D.O. (MG/L) D.O. Sat (%) Cond. (UMHO/CM) Salinity (PPT) SECCHI (M)
Top: ☒ .3 ☒ 15.2 ☒ 6.56 ☒ 9.28 ☒ 92.4 ☒ 422.9 ☒ .2 ☒ 0.6
Mid: ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☒ VOB
Bottom ☐ ☐ ☐ ☐ ☐ ☐ ☐ TOTAL DEPTH ☒ 0.6

Meter ID:

SWD

Water Odors Normal ☐ Petroleum ☐
Sewage ☐ Chemical ☐ Other ☐

Water Sample Taken? ☒ Yes ☐ NoSample Preserved? ☒ Yes ☐ No

Lot Number: Exp:

Algae Sample Taken? ☐ Yes ☒ NoSample Preserved? ☐ Yes ☐ No

Lot Number: Exp:

Water Surface Oils Normal ☒ Sheen ☐
Globs ☐ Slick ☐ Other ☐

Color Tannic ☐ Green (Algae) ☐
Clear ☒ Other (Specify) ☐

Clarity Clear ☒ Slightly Turbid ☐
Turbid ☐ Opaque ☐

ABUNDANCE

Not Obs. Rare Common Abundant

Periphyton: ☐ ☒ ☐ ☐Fish: ☐ ☒ ☐ ☐Aquatic Plants: ☐ ☒ ☐ ☐Iron/Sulfur Bacteria: ☒ ☐ ☐ ☐System Type: Stream ☒ Lake ☐ Wetland ☐ Estuary ☐ Other(Specify) ☐

AMBIENT FIELD CONDITIONS / NOTES:

☒ The antecedent hydrologic conditions have been met to my best knowledge.

SAMPLING TEAM

Ben Paswater, Judy Ashton

SIGNATURE

Ben Paswater

DATE:

12/29/20

Benchmark EnviroAnalytical, Inc
1711 12th Street East
Palmetto, FL 34221
941-723-9986
941-723-6061 Fax

PO# B77880

Client Information: FDEP

Address: 13051 N. Telecom Parkway

Tampa FL 33604

Phone # 815-470-5772

Report to: Judy.ashton@dep.state.fl.us DEP-
Overflomicro@dep.state.fl.us

Invoice to: FDEP Micro Overflow

Project Name: RQ-2020-

12-28-30

Laboratory Submission #

20121653

Sample Name	Sample Type ¹ / Sample Matrix ²	Collection		Container			Preservative ⁴	Parameters for Analysis	Laboratory Sample #
		Date	Time	Qty	Capacity	Type ³			
G35W0089	SW	12/29/20	1150	1	250mL	P	Plain (on Ice)	E-Coli	1
	SW				250mL	P	Plain (on Ice)		
	SW				250mL	P	Plain (on Ice)		
	SW				250mL	P	Plain (on Ice)		
	SW				250mL	P	Plain (on Ice)		
	SW				250mL	P	Plain (on Ice)		
	SW				250mL	P	Plain (on Ice)		

¹ "Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

² "Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDMNT), or sludge (SLDG).

³ "Container Type" is used to indicate whether the container is plastic (P) or glass (G).

⁴ Sample must be refrigerated or stored in wet ice after collection. The temperature during storage should be less than or equal to 6°C (42.8°F).

Under "Preservative," list any preservatives that were added to the sample container.

Instructions:

1. Each bottle has a label identifying sample ID, premeasured preservative contained in the bottle, sample type, client ID, and parameters for analysis.

2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.

3. All bottles not containing preservative may be rinsed with appropriate sample prior to collection.

4. The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

Laboratory Sample Acceptability:

Temperature: 0.6°C

1	Collected / Relinquished By: <u>[Signature]</u>	Date: <u>12/29/20</u>	Time: <u>1543</u> <u>1343</u>	Received By: <u>[Signature]</u>	Date: <u>12/29/20</u>	Time: <u>1344</u>
---	---	-----------------------	----------------------------------	---------------------------------	-----------------------	-------------------

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 12/29/2020 **Collected By:** Ben Paswater, Judy Ashton
Customer: SW-DIST **Sampling Agency:** FDEP
RQ: RQ-2020-12-28-30 **Project ID:** SMP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 1

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
Little Charlie Creek At 664	 G3SW0089

RELINQUISHED BY(SIGNATURE):



DATE/TIME:

12/29/2020

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By:

Rec'd/Inspected Date: