



RQ-2020- see page 1

Customer: SWROC

Project ID: SMP

Collected By: SWROC

Field Report Prepared By: S Meyer

Sampling Agency: DEP SWROC

Field ID/WIN G3SW0065 Site Name: Phillippe Tributary @ Cattleman Rd						Comments:				
Matrix: ☒ Fresh / ☐ Marine						(Check one) ☒ GRAB ☐ COMPOSITE				
Date	Time	DO (mg/L)	DO (%SAT)	Temp. (C°)	pH	Sample Depth (m)	Secchi Disk (m)	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPT)
02/24/2020	1230	3.49	37.8	18.9	7.40	0.1	0.2	0.2	750	0.37
EST										
↑ Cental Lab please use top row for login purposes ↑										
EST										
Parameter Suite		Parameter Methods				Preservation		pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)		☐ W-NH3 / ☐ W-NO2NO3 / ☐ W-TKN / ☐ W-TOC / ☐ W-S-A-TP				☐ Ice ☐ H2SO4*		☐ <2		
		Lot # SA9301030		Exp: 10/28/2020						
Metals (P-500ML)		☐ W-ICPMS ☐ W-ICP ☐ W-HARD				☐ Ice ☐ HNO3*		☐ <2		
		Lot # NA9189080		Exp: 7/8/2020						
Filtered Nutrients (P125ML)		☐ W-PO4-F ☐ Field Filtered 0.45 µm Filter				☐ Ice				
		Filter Lot # 16968882								
		Syringe Lot # 9056849								
Chlorophyll (BP-1L)		☐ CHLSUITE-W				☐ Ice				
Physical/Aggregate (Fresh)(P-1L)		☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-CHC / W-COLOR / W-SO4-IC / W-TDS				☐ Ice				
Physical/Aggregate (Marine P-1L)		☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY				☐ Ice				
Macroinvertebrates (PJ-2L)		☐ MI-FW-QLDC				☐ Formalin				
Periphyton (PT-50ML)		☐ ALGAE-ID				☐ Ice				
Microbiology (Contract Lab Bottle)		☐ E Coli ☐ F Coli ☐ Enterococci				☐ Ice				
		☐ Contract Lab								
Molecular (QPCR-P-500ML)		☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-DG3				☐ Ice				
		☐ PCR-GULL2 ☐ PCR-GFD ☐ See Notes								
Tracers (BG-500ML)		☐ W-E8321-DI ☐ W-E8321-MS				☐ Ice				
Pesticides (BG-500ML) (BG-1L)		☐ W-E8321-DI ☐ WE8321-MS ☐ W-PSNP-TQ ☐ W-CT-CL-R				☐ Ice				
		☐ W-PCL-SQ-R ☐ W-CARB-AA (5 ml of MCAA** Buffer Solution)								
Name: <u>Sarah Meyer</u>					Signature: <u>Sarah Meyer</u>			Date: <u>02/24/2020</u>		

*2.0 ml of Preservative used unless noted otherwise.

**MCAA: Monochloroacetic acid buffer solution



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2020

Meter Passed End
of Day CCV
☒ Yes / ☐ No

page 1
of 2

WIN Station Name: See label on page 2

Date: 01/24/2020
(mm/dd/yyyy)

WIN/ Field ID: See label on page 2

WBID: _____

Latitude: _____

(Decimal Degrees)

County: _____

ORG ID: 21FLTPA

Longitude: _____

(Decimal Degrees)

Receiving Body of Water: _____

RQ-2020- 02-24-08

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Ben Paswater					
Sarah Meyer					

Sampling Equipment	
☒ Sample Container	☐ Van Dorn
Syringe	Pole
Dipper	Other _____
Depth Measured with _____	
Equipment ID Secchi #3	
Collection Method	
☐ Wading	☐ Canoe/Kayak
☐ From Shore	☐ Electric Motor
Other _____	☐ Gasoline Motor

Water Level: Dry/ Pooled/ Low / Normal / High / Flooded		Meter ID# Chewy	
Photos: Yes / No	Flow: No Flow / <u>Flowing</u> / NA	Tide: Rising/ Falling/ Slack/ NA	Tide Times: High Low
Biological Samples Collected: <u>None</u> HA SCI RPS Algae ID LVS LVI Other:			
SBIO ID Numbers:	SBIO-ID:	HA-ID:	RPS-ID: Macrophyte-ID: LIMS#:
Notes:			

Duplicate Sample

Time Zone: EST	Time: _____	Field ID: _____ (WIN ID_DUP)
WIN DMT Activity ID: _____		

Blank

Time Zone: EST	Time: _____	Field ID: _____ (Blank Type_DDMMYYYY)
DI Source: SWDIST DI Machine	Location: _____	
☐ Field Blank	☐ Equipment Blank	☐ Field Cleaned Equipment Blank
Equipment ID: _____		

LIMS EVENT ID: 2020-02-25-01

WIN Import ID: 18289

Enter Field Parameters, Verify Station ID In LIMS DMT: SM 03/23/2020
(Initials/Date)

QC Station ID, Field Parameters In LIMS DMT: SM 04/06/2020
(Initials/Date)

Scan/Save Field Sheets _____
(Initials/Date)

Migrate Data to WIN: SM 04/06/2020
(Initials/Date)

Verify Data In WIN: SM 09/08/2020
(Initials/Date)

Benchmark EnviroAnalytical, Inc
1711 12th Street East
Palmetto, FL 34221
941-723-9986
941-723-6061 Fax

PO# B578C6

Client Information: FDEP

Address: 13051 N. Telecom Parkway

Tampa FL 33604

Phone # 815-470-5772

Report to: Judy.ashton@dep.state.fl.us, DEP-Overflomicro@dep.state

Invoice to: FDEP Micro Overflow

Project Name: RQ-2020- 02-24-08

Laboratory Submission # 20021270

Sample Name	Sample Type ¹ / Sample Matrix ²	Collection		Container			Preservative ⁴	Parameters for Analysis	Laboratory Sample #
		Date	Time	Qty	Capacity	Type ³			
G3SW0068	SW	02/24/2020	10 35	1	120mL	P	Plain (on Ice)	Enteroc	1
G3SW0069	SW	02/24/2020	10 20	1	120mL	P	Plain (on Ice)	Enteroc	2
G3SW0070	SW	02/24/2020	10 10	1	120mL	P	Plain (on Ice)	Enteroc	3
G3SW0062	SW	02/24/2020	11 00	1	120mL	P	Plain (on Ice)	Enteroc	4
G3SW0065	SW	02/24/2020	12 30	1	120mL	P	Plain (on Ice)	E. Coli *	5
G3SW0061	SW	02/24/2020	13 25	1	120mL	P	Plain (on Ice)	Enteroc	6
G3SW0060	SW				120mL	P	Plain (on Ice)	Enteroc	

1. "Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).
2. "Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediments (SDMNT), or sludge (SLDG).
3. "Container Type" is used to indicate whether the container is plastic (P) or glass (G).
4. Sample must be refrigerated or stored in wet ice after collection. The temperature during storage should be less than or equal to 6°C (42.8°F).
Under "Preservative," list any preservatives that were added to the sample container.

Instructions:
1. Each bottle has a label identifying sample ID, preservative contained in the bottle, sample type, client ID, and parameters for analysis.
2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sample's name or initials, and any field number or ID.
3. All bottles not containing preservative may be rinsed with appropriate sample prior to collection.
4. The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

Laboratory Sample Acceptability:
Temperature: 3.9°C

1	Collected / Relinquished By: <u>Sarah Meyer</u>	Date: <u>2/24/20</u>	Time: <u>1322</u>	Received By: <u>[Signature]</u>	Date: <u>2-24-20</u>	Time: <u>15202</u>
2	Relinquished By:	Date:	Time:	Received By:	Date:	Time:

Benchmark EnviroAnalytical, Inc
1711 12th Street East
Palmetto, FL 34221
941-723-9986
941-723-6061 Fax

Client Information: FDEP

Address: 13051 N. Telecom Parkway
Tampa FL 33604

Phone # 815-470-5772

Report to: Judy.ashton@dep.state.fl.us, DEP-Overflomicro@dep.state

Invoice to: FDEP Micro Overflow

PO# B578C6

Project Name: RQ-2020- 02-24-08

Laboratory Submission # 20021270

Sample Name	Sample Type ¹ / Sample Matrix ²	Collection		Container			Preservative ⁴	Parameters for Analysis	Laboratory Sample #
		Date	Time	Qty	Capacity	Type ³			
G3SW0063	SW	02/24/2020	1200	1	120mL	P	Plain (on Ice)	Enteroc	7
G3SW0064	SW	02/24/2020	1150	1	120mL	P	Plain (on Ice)	Enteroc	8
G3SW0066	SW	02/24/2020	1130	1	120mL	P	Plain (on Ice)	Ecoli *	9
G3SW0067	SW	02/24/2020	1120	1	120mL	P	Plain (on Ice)	E Coli *	10
	SW				120mL	P	Plain (on Ice)		
	SW				120mL	P	Plain (on Ice)		
	SW				120mL	P	Plain (on Ice)		

1. "Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).
2. "Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDA/NT), or sludge (SLDG).
3. "Container Type" is used to indicate whether the container is plastic (P) or glass (G).
4. Sample must be refrigerated or stored in wet ice after collection. The temperature during storage should be less than or equal to 6°C (42.8°F).
Under "Preservative," list any preservatives that were added to the sample container.
Instructions:
1. Each bottle has a label identifying sample ID, premeasured preservative contained in the bottle, sample type, client ID, and parameters for analysis.
2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sample's name or initials, and any field number or ID.
3. All bottles not containing preservative may be rinsed with appropriate sample prior to collection.
4. The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

Laboratory Sample Acceptability:
Temperature: 39°C

1	Collected / Relinquished By: <u>Sarah Meyer</u>	Date: <u>2/24/20</u>	Time: <u>1522</u>	Received By: <u>[Signature]</u>	Date: <u>2-24-20</u>	Time: <u>1522</u>
2	Relinquished By:	Date:	Time:	Received By:	Date:	Time:

Request Number: RQ-2020-02-24-08

Island Park, Philippe Tidal, Philip Trib, Clark, Eligraw

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Page 1 of 3

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Judy Ashton

Field Report Prepared By: S Meyer

Project ID: SMP

Collected By: B Paswater + S Meyer

Sampling Agency: FDEP SW ROC

Location	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 02/24/2020 Time 10:35	☒ Eastern ☐ Central	Composite end Date — Time —	Bottle Group(s) (See pg 2)
Field ID/WIN G3SW0068		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 6.24	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) —
Site Name: Elligraw Bayou by Tamiami Trail		Temp (C) 20.5	pH 7.82	Sample Depth 0.3	Sp. Conductance (umho/cm) 46982
	☐ dd ☐ dms	Salinity (ppt) 30.60	Comments		
Location	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 02/24/2020 Time 10:20	☒ Eastern ☐ Central	Composite end Date — Time —	Bottle Group(s)
Field ID/WIN G3SW0069		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 3.26	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) —
Site Name: Elligraw Bayou @ Biltmore Drive		Temp (C) 18.5	pH 7.48	Sample Depth 0.3	Sp. Conductance (umho/cm) 902
	☐ dd ☐ dms	Salinity (ppt) 0.45	Comments		
Location	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 02/24/2020 Time 10:10	☒ Eastern ☐ Central	Composite end Date — Time —	Bottle Group(s)
Field ID/WIN G3SW0070		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 3.41	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) —
Site Name: Elligraw Bayou @ Curtiss Ave		Temp (C) 18.4	pH 7.62	Sample Depth 0.2	Sp. Conductance (umho/cm) 1096
	☐ dd ☐ dms	Salinity (ppt) 0.55	Comments		
Location	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 02/24/2020 Time 11:00	☒ Eastern ☐ Central	Composite end Date — Time —	Bottle Group(s)
Field ID/WIN G3SW0062		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 6.36	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) —
Site Name: Phillipi Creek in Park		Temp (C) 20.7	pH 7.81	Sample Depth 0.2	Sp. Conductance (umho/cm) 44244
	☐ dd ☐ dms	Salinity (ppt) 28.62	Comments		

Relinquished By: B. Paswater	Date/Time 2/24/20	Shipping Method Fed EX	Number of Coolers Shipped: 1	Received By:	Date/Time
---------------------------------	----------------------	---------------------------	---------------------------------	--------------	-----------

Group: A	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: A	Bottle Type:	QPCR-P-500ML	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	PCR-BACR PCR-DG3 PCR-HF183						
Group: A	Bottle Type:	TEST HAS NO BOTTLE	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3 to BEA
	SW-BEA-ECQ						
Group: A	Bottle Type:	BG-500ML	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	W-E8321-DI W-E8321-MS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	1
	W-PO4-F						
Group: B	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY TURBIDITY W-BR-IC W-F						

Request Number: RQ-2020-02-24-08

Florida Department of Environmental Protection

Page 1 of 3

Island Park, Philippe Tidal, Philip Trib, Clark, Eligraw

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SW-DIST

Requester: Judy Ashton

Field Report Prepared By: S Meyer

Project ID: SMP

Collected By: B Paswater & S Meyer

Sampling Agency: FDEP SW RY

Location		☐ Comp	Collection (comp begin or grab)		☒ Eastern	Composite end		Bottle Group(s) (See pg 2) A, B	
Field ID/WIN G3SW0063		☒ Grab	Date	02/24/2020	Time	1200	Date		Time
Site Name: Phillipi Creek by Siesta Circle		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☒ mg/L	Total Res. Chlorine (mg/L)		
		Temp (C)		pH	Sample Depth	☐ ft	Sp. Conductance (umho/cm)		
		Salinity (ppt)		Comments					
		☐ dd	4.68						
		☐ dms							
Location		☐ Comp	Collection (comp begin or grab)		☒ Eastern	Composite end		Bottle Group(s) D	
Field ID/WIN G3SW0064		☒ Grab	Date	02/24/2020	Time	1150	Date		Time
Site Name: Phillipi Creek @ Bee Ridge		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☒ mg/L	Total Res. Chlorine (mg/L)		
		Temp (C)		pH	Sample Depth	☐ ft	Sp. Conductance (umho/cm)		
		Salinity (ppt)		Comments					
		☐ dd	6.7						
		☐ dms							
Location		☐ Comp	Collection (comp begin or grab)		☒ Eastern	Composite end		Bottle Group(s) C	
Field ID/WIN G3SW0066		☒ Grab	Date	02/24/2020	Time	1130	Date		Time
Site Name: Clark Lake Drainage @ Brookside		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☒ mg/L	Total Res. Chlorine (mg/L)		
		Temp (C)		pH	Sample Depth	☐ ft	Sp. Conductance (umho/cm)		
		Salinity (ppt)		Comments					
		☐ dd	0.35						
		☐ dms							
Location		☐ Comp	Collection (comp begin or grab)		☒ Eastern	Composite end		Bottle Group(s) C	
Field ID/WIN G3SW0067		☒ Grab	Date	02/24/2020	Time	1120	Date		Time
Site Name: Clark Lake Drainage above Proctor Rd		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☒ mg/L	Total Res. Chlorine (mg/L)		
		Temp (C)		pH	Sample Depth	☐ ft	Sp. Conductance (umho/cm)		
		Salinity (ppt)		Comments					
		☐ dd	0.33						
		☐ dms							

Relinquished By:

Date/Time

Shipping Method

Number of Coolers Shipped:

Received By:

Date/Time

Sarah Meyer

02/24/2020 1700

FedEx

1

Request Number: RQ-2020-02-24-08

Island Park, Philippe Tidal, Philip Trib, Clark, Eligraw

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Page 1 of 3

last revised Jan 25, 2018

Customer: SW-DIST

Project ID: SMP

Requester: Judy Ashton

Field Report Prepared By: S Meyer

Collected By: B Paswater & S Meyer

Sampling Agency: FDEP SW ROC

Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 02/24/2020 Time 12 30	Eastern Central	Composite end Date — Time —	Bottle Group(s) (See pg 2)
Field ID/WIN G3SW0065		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 3.49	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Site Name: Phillippe Tributary @ Cattleman Rd		Temp (C) 18.9	pH 7.40	Sample Depth 0.1	☐ ft ☒ m	Sp. Conductance (umho/cm) 750
☐ dd ☐ dms		Salinity (ppt) 0.37	Comments			
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 02/24/2020 Time 1325	Eastern Central	Composite end Date — Time —	Bottle Group(s)
Field ID/WIN G3SW0061		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 7.60	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Site Name: Island Park Boat Basin off Dock		Temp (C) 20.4	pH 7.97	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 50851
☐ dd ☐ dms		Salinity (ppt) 33.43	Comments			
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date — Time —	Eastern Central	Composite end Date — Time —	Bottle Group(s)
		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
☐ dd ☐ dms		Salinity (ppt)	Comments			
Loc.		☐ Comp ☐ Grab	Collection (comp begin or grab) Date — Time —	Eastern Central	Composite end Date — Time —	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
WIN/STORET #		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments	

Relinquished By: Sarah Meyer	Date/Time 02/24/2020 1700	Shipping Method FedEx	Number of Coolers Shipped: 1	Received By:	Date/Time
---------------------------------	------------------------------	--------------------------	---------------------------------	--------------	-----------

5 of 5

Group: B	Bottle Type: W-TSS	P-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: B	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: B	Bottle Type: SW-BEA-ENQ	TEST HAS NO BOTTLE	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1 BEA
Group: B	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
Group: B	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 1	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	1
Group: C	Bottle Type: SW-BEA-ENQ	TEST HAS NO BOTTLE	# of Bottles: 6	Preservative: ICE	Enter Number of Bottles Sent to Lab	6 to BEA
Group: D	Bottle Type: PCR-BACR PCR-DG3 PCR-HF183	QPCR-P-500ML	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
Group: D	Bottle Type: SW-BEA-ECQ	TEST HAS NO BOTTLE	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	2 to AEL