

Chemical Analysis Report

SW-DIST-2020-02-25-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Island Park, Philippe Tidal, Philip Trib, Clark, Eligraw**
Request ID: **RQ-2020-02-24-08**
Customer: **SW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Attn: Judy Ashton

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Kerry Tate, Ph.D., Environmental Administrator

Date Certified: 19-MAR-2020 12:56

A handwritten signature in black ink that reads "Kerry Tate". The signature is written in a cursive, flowing style with a horizontal line above the first name.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Nutrients and Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Phillipi Creek by Siesta Circle

Collection Date/Time: 02/24/2020 12:00

Field ID: G3SW0063

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2160517	EPA 8321B	2,4-D	0.020		ug/L	P379716	
		Acesulfame K**	0.10	U	ug/L	P379709	
		AMPA**	0.10	U	ug/L	P379709	
		Sucralose**	0.44		ug/L	P379709	
		Acetaminophen**	0.0080	U	ug/L	P379716	
		Acetamiprid**	0.0020	U	ug/L	P379716	
		Endothall**	0.25	U	ug/L	P379709	
		Glufosinate**	0.10	U	ug/L	P379709	
		Glyphosate**	1.9		ug/L	P379709	
		Afidopyropen**	0.0020	UJ	ug/L	P379716	
		Bentazon	0.19		ug/L	P379716	
		Benzovindiflupyr**	0.0020	UJ	ug/L	P379716	
		Carbamazepine**	0.0045		ug/L	P379716	
		Clothianidin**	0.0020	U	ug/L	P379716	
		Dinotefuran**	0.0020	U	ug/L	P379716	
		Diuron	0.0065	I	ug/L	P379716	
		Fenuron	0.016	U	ug/L	P379716	
		Fluridone**	0.026		ug/L	P379716	
		Imazapyr**	1.6		ug/L	P379716	
		Hydrocodone**	0.0020	U	ug/L	P379716	
		Ibuprofen**	0.020	U	ug/L	P379716	
		Imidacloprid	0.014		ug/L	P379716	
		Linuron	0.0040	U	ug/L	P379716	
		Mandestrobin**	0.0020	UJ	ug/L	P379716	
		MCPP	0.0020	UJ	ug/L	P379716	LCS, MS
		Naproxen**	0.0080	U	ug/L	P379716	
		Primidone**	0.0040	U	ug/L	P379716	
		Pyraclostrobin**	0.0020	U	ug/L	P379716	
		Thiamethoxam**	0.0044	I	ug/L	P379716	
		Tolfenpyrad**	0.0020	U	ug/L	P379716	
		Triclopyr**	0.0040	U	ug/L	P379716	

Ref. Method and Comment:

EPA 8321B: J - second source check standards for some analytes were not available for analysis. MS accuracy for some analytes could not be assessed due to high concentration of parameter in the spiked sample. Refer to the Lab Analysis Report for an explanation of QC Codes.

Sample Location: Clark Lake Drainage @ Brookside

Collection Date/Time: 02/24/2020 11:30

Field ID: G3SW0066

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2160540	EPA 8321B	2,4-D	0.021		ug/L	P379716	
		Acesulfame K**	0.10	U	ug/L	P379709	
		AMPA**	0.80		ug/L	P379709	
		Sucralose**	1.8		ug/L	P379709	
		Acetaminophen**	0.0080	U	ug/L	P379716	
		Acetamiprid**	0.0020	U	ug/L	P379716	
		Endothall**	0.25	U	ug/L	P379709	
		Glufosinate**	0.10	U	ug/L	P379709	
		Glyphosate**	1.3		ug/L	P379709	
		Afidopyropen**	0.0020	UJ	ug/L	P379716	
		Bentazon	0.034		ug/L	P379716	
		Benzovindiflupyr**	0.0020	UJ	ug/L	P379716	
		Carbamazepine**	0.014		ug/L	P379716	
		Clothianidin**	0.0020	U	ug/L	P379716	
		Dinotefuran**	0.0055	I	ug/L	P379716	
		Diuron	0.068		ug/L	P379716	
		Fenuron	0.016	U	ug/L	P379716	
		Fluridone**	0.035		ug/L	P379716	
		Imazapyr**	0.23		ug/L	P379716	
		Hydrocodone**	0.0020	U	ug/L	P379716	
		Ibuprofen**	0.020	U	ug/L	P379716	
		Imidacloprid	0.034		ug/L	P379716	
		Linuron	0.0040	U	ug/L	P379716	
		Mandestrobin**	0.0020	UJ	ug/L	P379716	
		MCPP	0.010	J	ug/L	P379716	LCS, MS
		Naproxen**	0.0080	U	ug/L	P379716	
		Primidone**	0.0045	I	ug/L	P379716	
		Pyraclostrobin**	0.0020	U	ug/L	P379716	
		Thiamethoxam**	0.0030	I	ug/L	P379716	
		Tolfenpyrad**	0.0020	U	ug/L	P379716	
		Triclopyr**	0.0040	U	ug/L	P379716	

Ref. Method and Comment:

EPA 8321B: J - second source check standards for some analytes were not available for analysis. MS accuracy for some analytes could not be assessed due to high concentration of parameter in the spiked sample. Refer to the Lab Analysis Report for an explanation of QC Codes.

Sample Location: Phillippe Tributary @ Cattleman Rd

Collection Date/Time: 02/24/2020 12:30

Field ID: G3SW0065

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2160488	EPA 180.1 Rev. 2.0	Turbidity	1.3		NTU	P379640	
	EPA 300.0 Rev. 2.1	Chloride	58		mg Cl/L	P380163	
		Sulfate	93		mg SO4/L	P380166	
	SM 2120 B-2011	Color (true)	35		PCU	P379673	
	SM 2320 B-2011	Total Alkalinity	209		mg CaCO3/L	P380267	
	SM 2540 C-2011	TDS	446	A	mg/L	P379949	
	SM 2540 D-2011	TSS	3	IA	mg/L	P379975	
	SM 4500 F-C-2011	Fluoride	0.49		mg F/L	P380272	
2160489	EPA 350.1 Rev. 2.0	Ammonia-N	0.010		mg N/L	P379913	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.70		mg N/L	P379760	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.17		mg N/L	P380100	
	EPA 365.1 Rev. 2.0	Total-P	0.072		mg P/L	P380041	
	SM 5310 B-2011	Organic Carbon	13		mg C/L	P379712	
2160490	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.045		mg P/L	P379689	
2160518	EPA 8321B	2,4-D	1.4		ug/L	P379716	
		Acesulfame K**	0.10	U	ug/L	P379709	
		AMPA**	0.60		ug/L	P379709	
		Sucralose**	1.9		ug/L	P379709	
		Acetaminophen**	0.0080	U	ug/L	P379716	
		Acetamiprid**	0.0020	U	ug/L	P379716	
		Endothall**	0.25	U	ug/L	P379709	
		Glufosinate**	0.10	U	ug/L	P379709	
		Glyphosate**	1.1		ug/L	P379709	
		Afidopyropen**	0.0020	UJ	ug/L	P379716	
		Bentazon	0.048		ug/L	P379716	
		Benzovindiflupyr**	0.0020	UJ	ug/L	P379716	
		Carbamazepine**	0.0052		ug/L	P379716	
		Clothianidin**	0.0047	I	ug/L	P379716	
		Dinotefuran**	0.0020	U	ug/L	P379716	
		Diuron	0.0020	U	ug/L	P379716	
		Fenuron	0.016	U	ug/L	P379716	
		Fluridone**	0.011		ug/L	P379716	
		Imazapyr**	1.4		ug/L	P379716	
		Hydrocodone**	0.0020	U	ug/L	P379716	
		Ibuprofen**	0.020	U	ug/L	P379716	
		Imidacloprid	0.014		ug/L	P379716	
		Linuron	0.0040	U	ug/L	P379716	
		Mandestrobin**	0.0020	UJ	ug/L	P379716	
		MCP	0.0071	IJ	ug/L	P379716	LCS, MS
		Naproxen**	0.0080	U	ug/L	P379716	
		Primidone**	0.024		ug/L	P379716	
		Pyraclostrobin**	0.0020	U	ug/L	P379716	
		Thiamethoxam**	0.0020	U	ug/L	P379716	

Field ID: G3SW0065

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2160518	EPA 8321B	Tolfenpyrad**	0.0020	U	ug/L	P379716	
		Triclopyr**	0.0040	U	ug/L	P379716	

Ref. Method and Comment:

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 8321B: J - second source check standards for some analytes were not available for analysis. MS accuracy for some analytes could not be assessed due to high concentration of parameter in the spiked sample. Refer to the Lab Analysis Report for an explanation of QC Codes.

Sample Location: Island Park Boat Basin off Dock

Collection Date/Time: 02/24/2020 13:25

Field ID: G3SW0061

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2160491	EPA 180.1 Rev. 2.0	Turbidity	8.4		NTU	P379640	
	EPA 300.0 Rev. 2.1	Bromide	67		mg Br/L	P380275	
	SM 2320 B-2011	Total Alkalinity	127		mg CaCO3/L	P379903	
	SM 2540 D-2011	TSS	17		mg/L	P379976	
	SM 4500 F-C-2011	Fluoride	1.2		mg F/L	P380180	
2160492	EPA 350.1 Rev. 2.0	Ammonia-N	0.010		mg N/L	P379909	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.48		mg N/L	P379876	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P380209	
	EPA 365.1 Rev. 2.0	Total-P	0.065		mg P/L	P380039	
	SM 5310 B-2011	Organic Carbon	2.7		mg C/L	P379713	
2160493	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.009	I	mg P/L	P379688	

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P379640

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P380163

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P380166

Component	Result	Code	Units
Sulfate	0.20	U	mg SO ₄ /L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P380275

Component	Result	Code	Units
Bromide	0.013	U	mg Br/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P379909

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P379913

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P379760

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P379876

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P380100

Component	Result	Code	Units
NO ₂ NO ₃ -N	0.004	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P380209

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P380039

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P380041

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P379688

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P379689

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 8321B
Batch ID: P379709

Component	Result	Code	Units
Acesulfame K	0.10	U	ug/L
AMPA	0.10	U	ug/L
Endothall	0.25	U	ug/L
Glufosinate	0.10	U	ug/L
Glyphosate	0.10	U	ug/L
Sucralose	0.014	I	ug/L

Reference Method: EPA 8321B
Batch ID: P379716

Component	Result	Code	Units
2,4-D	0.0020	U	ug/L
Acetaminophen	0.0080	U	ug/L
Acetamiprid	0.0020	U	ug/L
Afidopyropen	0.0020	U	ug/L
Bentazon	8.0E-04	U	ug/L
Benzovindiflupyr	0.0020	U	ug/L
Carbamazepine	8.0E-04	U	ug/L
Clothianidin	0.0020	U	ug/L
Dinotefuran	0.0020	U	ug/L
Diuron	0.0020	U	ug/L
Fenuron	0.016	U	ug/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 8321B
Batch ID: P379716

Component	Result	Code	Units
Fluridone	8.0E-04	U	ug/L
Hydrocodone	0.0020	U	ug/L
Ibuprofen	0.020	U	ug/L
Imazapyr	0.0040	U	ug/L
Imidacloprid	0.0020	U	ug/L
Linuron	0.0040	U	ug/L
Mandestrobin	0.0020	U	ug/L
MCPP	0.0020	U	ug/L
Naproxen	0.0080	U	ug/L
Primidone	0.0040	U	ug/L
Pyraclostrobin	0.0020	U	ug/L
Thiamethoxam	0.0020	U	ug/L
Tolfenpyrad	0.0020	U	ug/L
Triclopyr	0.0040	U	ug/L

Reference Method: SM 2120 B-2011
Batch ID: P379673

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-2011
Batch ID: P379903

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2320 B-2011
Batch ID: P380267

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-2011
Batch ID: P379949

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-2011
Batch ID: P379975

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 2540 D-2011
Batch ID: P379976

Component	Result	Code	Units
TSS	3	U	mg/L

Quality Assurance Report

Method Blank Results

Reference Method: SM 4500 F-C-2011
Batch ID: P380180

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 4500 F-C-2011
Batch ID: P380272

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-2011
Batch ID: P379712

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Reference Method: SM 5310 B-2011
Batch ID: P379713

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P380163

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	98.8		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P380166

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	101		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P380275

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Bromide	99.1		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P379909

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	99.3		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P379913

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	103		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P379760

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	100		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P379876

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	100		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P380100

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO ₂ NO ₃ -N	99.0		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P380209

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO ₂ NO ₃ -N	101		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P380039

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	103		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P380041

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	103		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P379688

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	101		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P379689

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	97.8		P	90 - 110

Reference Method: EPA 8321B
Batch ID: P379709

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Acesulfame K	119		P	40 - 150
AMPA	126		P	40 - 150
Endothall	87.3		P	40 - 150
Glufosinate	133		P	40 - 150
Glyphosate	120		P	40 - 140
Sucralose	107		P	40 - 150

Reference Method: EPA 8321B
Batch ID: P379716

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2,4-D	125		P	30 - 160
Acetaminophen	81.6		P	30 - 160
Acetamiprid	89.8		P	30 - 160
Afidopyropen	83.0		P	30 - 160
Bentazon	102		P	30 - 160
Benzovindiflupyr	77.0		P	30 - 160
Carbamazepine	92.2		P	30 - 160
Clothianidin	61.7		P	30 - 160
Dinotefuran	74.3		P	30 - 160
Diuron	78.4		P	30 - 160
Fenuron	93.1		P	30 - 160
Fluridone	86.7		P	30 - 160
Hydrocodone	79.0		P	30 - 160
Ibuprofen	70.5		P	30 - 160
Imazapyr	71.9		P	30 - 160
Imidacloprid	90.9		P	30 - 160
Linuron	72.4		P	30 - 160

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 8321B
Batch ID: P379716

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Mandestrobin	91.5		P	30 - 160
MCP	167		F	30 - 160
Naproxen	69.0		P	30 - 160
Primidone	77.8		P	30 - 160
Pyraclostrobin	76.4		P	30 - 160
Thiamethoxam	84.8		P	30 - 160
Tolfenpyrad	60.8		P	30 - 160
Triclopyr	113		P	30 - 160

Reference Method: SM 2120 B-2011
Batch ID: P379673

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	100		P	85 - 115

Reference Method: SM 2320 B-2011
Batch ID: P379903

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	102		P	98 - 106

Reference Method: SM 2320 B-2011
Batch ID: P380267

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	101		P	98 - 106

Reference Method: SM 4500 F-C-2011
Batch ID: P380180

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	99.3		P	92 - 103

Reference Method: SM 4500 F-C-2011
Batch ID: P380272

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	102		P	92 - 103

Reference Method: SM 5310 B-2011
Batch ID: P379712

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	99.8		P	85 - 115

Reference Method: SM 5310 B-2011
Batch ID: P379713

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	99.8		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P380163

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2160611	Chloride	99.5		P	90 - 110
2160712	Chloride	97.1		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P380166

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2160611	Sulfate	100		P	90 - 110
2160712	Sulfate	99.8		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P380275

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2162533	Bromide	93.6	94.4	P/P	90 - 110
2162535	Bromide	94.2		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P379909

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2160259	Ammonia-N	104	101	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P379913

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2160489	Ammonia-N	100	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P379760

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2160489	Kjeldahl Nitrogen	106	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P379876

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2160836	Kjeldahl Nitrogen	101	102	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P380100

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2160431	NO2NO3-N	95.7	95.2	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P380209

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2160386	NO2NO3-N	100	103	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P380039

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2160260	Total-P	98.3	99.3	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P380041

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2160430	Total-P	105	106	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P379688

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2160381	O-Phosphate-P	94.3	96.2	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P379689

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2160490	O-Phosphate-P	92.6	94.3	P/P	90 - 110

Reference Method: EPA 8321B
 Batch ID: P379709

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2160294	Acesulfame K	42.9	40.1	P/P	40 - 150
2160294	AMPA	67.1	90.0	P/P	40 - 150
2160294	Endothall	124	119	P/P	40 - 150
2160294	Glufosinate	134	129	P/P	40 - 150
2160294	Glyphosate	61.4	78.5	P/P	40 - 140
2160294	Sucralose	101	99.4	P/P	40 - 150

Reference Method: EPA 8321B
 Batch ID: P379716

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2160407	2,4-D	140	143	P/P	30 - 160
2160407	Acetaminophen	74.3	72.2	P/P	30 - 160
2160407	Acetamiprid	94.5	101	P/P	30 - 160
2160407	Afidopyropen	98.5	95.0	P/P	30 - 160
2160407	Benzovindiflupyr	75.2	77.8	P/P	30 - 160
2160407	Carbamazepine	86.9	91.0	P/P	30 - 160
2160407	Clothianidin	84.0	85.4	P/P	30 - 160
2160407	Dinotefuran	103	106	P/P	30 - 160
2160407	Diuron	60.6	65.1	P/P	30 - 160
2160407	Fenuron	70.5	72.6	P/P	30 - 160
2160407	Hydrocodone	90.7	89.6	P/P	30 - 160
2160407	Ibuprofen	72.1	57.1	P/P	30 - 160
2160407	Imidacloprid	159	159	P/P	30 - 160
2160407	Linuron	61.5	62.9	P/P	30 - 160
2160407	Mandestrobin	84.7	90.6	P/P	30 - 160
2160407	MCP	174	174	F/F	30 - 160
2160407	Naproxen	107	111	P/P	30 - 160

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 8321B
Batch ID: P379716

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2160407	Primidone	85.9	78.8	P/P	30 - 160
2160407	Pyraclostrobin	80.4	82.9	P/P	30 - 160
2160407	Thiamethoxam	127	128	P/P	30 - 160
2160407	Tolfenpyrad	49.8	49.6	P/P	30 - 160
2160407	Triclopyr	141	134	P/P	30 - 160

Reference Method: SM 4500 F-C-2011
Batch ID: P380180

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2160182	Fluoride	100	100	P/P	89 - 106

Reference Method: SM 4500 F-C-2011
Batch ID: P380272

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2161920	Fluoride	104	102	P/P	89 - 106

Reference Method: SM 5310 B-2011
Batch ID: P379712

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2160431	Organic Carbon	98.1		P	85 - 115

Reference Method: SM 5310 B-2011
Batch ID: P379713

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2160386	Organic Carbon	98.4	98.9	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P379640

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160425	Turbidity	3.85	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P380163

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160712	Chloride	1.39	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P380166

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160712	Sulfate	1.09	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P380275

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2162533	Bromide	0.653	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P379909

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160259	Ammonia-N	2.92	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P379913

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160489	Ammonia-N	0.924	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P379760

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160489	Kjeldahl Nitrogen	2.69	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P379876

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160836	Kjeldahl Nitrogen	0.480	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P380100

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160431	NO2NO3-N	0.504	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P380209

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160386	NO2NO3-N	2.28	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P380039

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160260	Total-P	0.970	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P380041

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160430	Total-P	0.614	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P379688

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160381	O-Phosphate-P	1.74	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P379689

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160490	O-Phosphate-P	1.23	Spike	P	0 - 20

Reference Method: EPA 8321B
Batch ID: P379709

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160294	Acesulfame K	6.70	Spike	P	0 - 30
2160294	AMPA	29.1	Spike	P	0 - 30
2160294	Endothall	3.83	Spike	P	0 - 30
2160294	Glufosinate	4.15	Spike	P	0 - 30
2160294	Glyphosate	24.5	Spike	P	0 - 30
2160294	Sucralose	1.35	Spike	P	0 - 30

Quality Assurance Report Precision

Reference Method: EPA 8321B
Batch ID: P379716

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160407	2,4-D	1.90	Spike	P	0 - 30
2160407	Acetaminophen	2.86	Spike	P	0 - 30
2160407	Acetamiprid	6.86	Spike	P	0 - 30
2160407	Afidopyropen	3.68	Spike	P	0 - 30
2160407	Bentazon	10.6	Spike	P	0 - 30
2160407	Benzovindiflupyr	3.38	Spike	P	0 - 30
2160407	Carbamazepine	3.80	Spike	P	0 - 30
2160407	Clothianidin	1.66	Spike	P	0 - 30
2160407	Dinotefuran	3.42	Spike	P	0 - 30
2160407	Diuron	7.21	Spike	P	0 - 30
2160407	Fenuron	2.91	Spike	P	0 - 30
2160407	Fluridone	0.433	Spike	P	0 - 30
2160407	Hydrocodone	1.23	Spike	P	0 - 30
2160407	Ibuprofen	23.3	Spike	P	0 - 30
2160407	Imazapyr	17.3	Spike	P	0 - 30
2160407	Imidacloprid	0.326	Spike	P	0 - 30
2160407	Linuron	2.40	Spike	P	0 - 30
2160407	Mandestrobin	6.74	Spike	P	0 - 30
2160407	MCPP	0.236	Spike	P	0 - 30
2160407	Naproxen	4.29	Spike	P	0 - 30
2160407	Primidone	7.05	Spike	P	0 - 30
2160407	Pyraclostrobin	3.18	Spike	P	0 - 30
2160407	Thiamethoxam	0.742	Spike	P	0 - 30
2160407	Tolfenpyrad	0.414	Spike	P	0 - 30
2160407	Triclopyr	5.10	Spike	P	0 - 30

Reference Method: SM 2120 B-2011
Batch ID: P379673

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160379	Color (true)	0.531	Sample	P	0 - 20

Reference Method: SM 2320 B-2011
Batch ID: P379903

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160182	Total Alkalinity	0.125	Sample	P	0 - 2.8

Reference Method: SM 2320 B-2011
Batch ID: P380267

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2161920	Total Alkalinity	1.15	Sample	P	0 - 2.8

Quality Assurance Report Precision

Reference Method: SM 2540 C-2011
 Batch ID: P379949

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160488	TDS	2.91	Sample	P	0 - 10

Reference Method: SM 2540 D-2011
 Batch ID: P379976

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160248	TSS	3.85	Sample	P	0 - 10

Reference Method: SM 4500 F-C-2011
 Batch ID: P380180

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160182	Fluoride	0.0	Spike	P	0 - 2.5

Reference Method: SM 4500 F-C-2011
 Batch ID: P380272

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2161920	Fluoride	0.921	Spike	P	0 - 2.5

Reference Method: SM 5310 B-2011
 Batch ID: P379712

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160431	Organic Carbon	0.557	Spike	P	0 - 20

Reference Method: SM 5310 B-2011
 Batch ID: P379713

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160386	Organic Carbon	0.450	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2160517
Field Sample ID: G3SW0063

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	2,4-D-d3	86.1	P	30 - 160
EPA 8321B	Acetaminophen-d4	56.7	P	30 - 160
EPA 8321B	Carbamazepine-d10	80.2	P	30 - 160
EPA 8321B	Diuron-d6	58.8	P	30 - 160
EPA 8321B	Endothall-d6	144	P	30 - 160
EPA 8321B	Endothall-d6	144	P	30 - 160
EPA 8321B	Glyphosate 13C 15N	48.9	P	30 - 160
EPA 8321B	Glyphosate 13C 15N	48.9	P	30 - 160
EPA 8321B	Ibuprofen-d3	76.7	P	30 - 160
EPA 8321B	Primidone-d5	71.0	P	30 - 160
EPA 8321B	Sucralose-d6	30.3	P	30 - 160
EPA 8321B	Sucralose-d6	30.3	P	30 - 160

Lab Sample ID: 2160518
Field Sample ID: G3SW0065

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	2,4-D-d3	101	P	30 - 160
EPA 8321B	Acetaminophen-d4	55.1	P	30 - 160
EPA 8321B	Carbamazepine-d10	75.6	P	30 - 160
EPA 8321B	Diuron-d6	61.1	P	30 - 160
EPA 8321B	Endothall-d6	151	P	30 - 160
EPA 8321B	Endothall-d6	151	P	30 - 160
EPA 8321B	Glyphosate 13C 15N	116	P	30 - 160
EPA 8321B	Glyphosate 13C 15N	116	P	30 - 160
EPA 8321B	Ibuprofen-d3	67.4	P	30 - 160
EPA 8321B	Primidone-d5	68.6	P	30 - 160
EPA 8321B	Sucralose-d6	97.2	P	30 - 160
EPA 8321B	Sucralose-d6	97.2	P	30 - 160

Lab Sample ID: 2160540
Field Sample ID: G3SW0066

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	2,4-D-d3	85.9	P	30 - 160
EPA 8321B	Acetaminophen-d4	55.1	P	30 - 160
EPA 8321B	Carbamazepine-d10	74.3	P	30 - 160
EPA 8321B	Diuron-d6	58.0	P	30 - 160
EPA 8321B	Endothall-d6	156	P	30 - 160
EPA 8321B	Endothall-d6	156	P	30 - 160
EPA 8321B	Glyphosate 13C 15N	111	P	30 - 160
EPA 8321B	Glyphosate 13C 15N	111	P	30 - 160
EPA 8321B	Ibuprofen-d3	68.9	P	30 - 160
EPA 8321B	Primidone-d5	60.2	P	30 - 160
EPA 8321B	Sucralose-d6	86.1	P	30 - 160
EPA 8321B	Sucralose-d6	86.1	P	30 - 160

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A97813

Included Lab Sample IDs: 2160488, 2160491

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	99.0	P/P	95 - 105

Reference Method: SM 2120 B-2011

Run ID: A97827

Included Lab Sample IDs: 2160488

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	101	102	P/P	90 - 115

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A97828

Included Lab Sample IDs: 2160490, 2160493

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	92.9	92.6	P/P	90 - 110
O-Phosphate-P	95.2	92.9	P/P	90 - 110

Reference Method: SM 5310 B-2011

Run ID: A97841

Included Lab Sample IDs: 2160489, 2160492

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	96.5	96.8	P/P	90 - 110
Organic Carbon	99.5	98.2	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A97877

Included Lab Sample IDs: 2160489

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	96.0	105	P/P	90 - 110

Reference Method: SM 2320 B-2011

Run ID: A97924

Included Lab Sample IDs: 2160491

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	101	103	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A97928

Included Lab Sample IDs: 2160489, 2160492

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	101	101	P/P	90 - 110
Ammonia-N	102	101	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 8321B

Run ID: A97956

Included Lab Sample IDs: 2160517, 2160518, 2160540

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Acesulfame K	112	106	P/P	60 - 160
Endothall	116	115	P/P	60 - 160

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A97957

Included Lab Sample IDs: 2160492

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	101	96.8	P/P	90 - 110

Reference Method: EPA 8321B

Run ID: A97959

Included Lab Sample IDs: 2160517, 2160518, 2160540

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
AMPA	81.3	79.7	P/P	40 - 200
Glufosinate	123	115	P/P	40 - 200
Glyphosate	123	121	P/P	40 - 200

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A98001

Included Lab Sample IDs: 2160488

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	98.2	97.7	P/P	90 - 110
Sulfate	98.5	98.0	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A98011

Included Lab Sample IDs: 2160489

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	102	102	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A98012

Included Lab Sample IDs: 2160489

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	101	P/P	90 - 110

Reference Method: SM 4500 F-C-2011

Run ID: A98031

Included Lab Sample IDs: 2160491

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	97.2	96.6	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A98039

Included Lab Sample IDs: 2160492

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	102	102	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A98056

Included Lab Sample IDs: 2160491

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Bromide	103	104	P/P	90 - 110

Reference Method: SM 2320 B-2011

Run ID: A98059

Included Lab Sample IDs: 2160488

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	99.2	93.8	P/P	90 - 110

Reference Method: SM 4500 F-C-2011

Run ID: A98059

Included Lab Sample IDs: 2160488

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	105	102	P/P	90 - 110

Reference Method: EPA 8321B

Run ID: A98067

Included Lab Sample IDs: 2160517, 2160518, 2160540

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
2,4-D	101	106	P/P	50 - 150
2,4-D	95.1	89.0	P/P	50 - 150
Acetaminophen	114	122	P/P	60 - 160
Acetamiprid	93.8	94.4	P/P	50 - 150
Afidopyropen	103	103	P/P	50 - 150
Bentazon	107	104	P/P	50 - 160
Bentazon	87.7	88.8	P/P	50 - 160
Benzovindiflupyr	102	97.8	P/P	50 - 150
Carbamazepine	101	97.5	P/P	60 - 150
Clothianidin	84.5	96.1	P/P	60 - 150
Dinotefuran	81.7	83.7	P/P	50 - 150
Diuron	83.6	91.7	P/P	60 - 150
Fenuron	88.7	89.6	P/P	60 - 150
Fluridone	99.5	98.9	P/P	60 - 160
Hydrocodone	85.2	94.5	P/P	60 - 150
Ibuprofen	80.1	79.7	P/P	50 - 160
Imazapyr	79.2	101	P/P	50 - 150
Imazapyr	98.1	93.1	P/P	50 - 150
Imidacloprid	87.3	86.6	P/P	60 - 150
Linuron	65.1	106	P/P	60 - 150
Mandestrobin	107	103	P/P	50 - 150
MCPP	89.3	88.5	P/P	50 - 150
Naproxen	69.0	90.7	P/P	50 - 160

Quality Assurance Report Calibration Verification

Reference Method: EPA 8321B

Run ID: A98067

Included Lab Sample IDs: 2160517, 2160518, 2160540

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Primidone	97.7	101	P/P	60 - 150
Pyraclostrobin	103	98.9	P/P	60 - 150
Thiamethoxam	77.5	99.9	P/P	50 - 150
Tolfenpyrad	103	99.3	P/P	60 - 150
Triclopyr	97.4	98.3	P/P	50 - 150

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A98071

Included Lab Sample IDs: 2160492

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	102	102	P/P	90 - 110

Reference Method: EPA 8321B

Run ID: A98073

Included Lab Sample IDs: 2160517, 2160518, 2160540

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Sucralose	110	108	P/P	60 - 160

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery			Precision SMP	MS
			LCS				
EPA 180.1 Rev. 2.0	Turbidity					3.85	
EPA 300.0 Rev. 2.1	Bromide	99.1	93.6	94.4	94.2		0.653
	Chloride	98.8	97.1	99.5		1.39	
	Sulfate	101	99.8	100		1.09	
EPA 350.1 Rev. 2.0	Ammonia-N	99.3	104	101			2.92
	Ammonia-N	103	100	101			0.924
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	100	106	101			2.69
	Kjeldahl Nitrogen	100	101	102			0.480
EPA 353.2 Rev. 2.0	NO2NO3-N	99.0	95.7	95.2			0.504
	NO2NO3-N	101	100	103			2.28
EPA 365.1 Rev. 2.0	Total-P	103	98.3	99.3			0.970
	Total-P	103	105	106			0.614
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	101	94.3	96.2			1.74
	O-Phosphate-P	97.8	92.6	94.3			1.23
EPA 8321B	2,4-D	125	140	143			1.90
	Acesulfame K	119	42.9	40.1			6.70
	Acetaminophen	81.6	74.3	72.2			2.86
	Acetamiprid	89.8	94.5	101			6.86
	Afidopyropen	83.0	98.5	95.0			3.68
	AMPA	126	67.1	90.0			29.1
	Bentazon	102					10.6
	Benzovindiflupyr	77.0	75.2	77.8			3.38
	Carbamazepine	92.2	86.9	91.0			3.80
	Clothianidin	61.7	84.0	85.4			1.66
	Dinotefuran	74.3	103	106			3.42
	Diuron	78.4	60.6	65.1			7.21
	Endothall	87.3	124	119			3.83
	Fenuron	93.1	70.5	72.6			2.91
	Fluridone	86.7					0.433
	Glufosinate	133	134	129			4.15
	Glyphosate	120	61.4	78.5			24.5
	Hydrocodone	79.0	90.7	89.6			1.23
	Ibuprofen	70.5	72.1	57.1			23.3
	Imazapyr	71.9					17.3
	Imidacloprid	90.9	159	159			0.326
	Linuron	72.4	61.5	62.9			2.40
	Mandestrobin	91.5	84.7	90.6			6.74
	MCPP	167	174	174			0.236
	Naproxen	69.0	107	111			4.29
	Primidone	77.8	85.9	78.8			7.05
	Pyraclostrobin	76.4	80.4	82.9			3.18
	Sucralose	107	101	99.4			1.35
	Thiamethoxam	84.8	127	128			0.742
	Tolfenpyrad	60.8	49.8	49.6			0.414
	Triclopyr	113	141	134			5.10
SM 2120 B-2011	Color (true)	100				0.531	
SM 2320 B-2011	Total Alkalinity	102				0.125	
	Total Alkalinity	101				1.15	
SM 2540 C-2011	TDS					2.91	
SM 2540 D-2011	TSS					3.85	
SM 4500 F-C-2011	Fluoride	99.3	100	100			0.0
	Fluoride	102	104	102			0.921
SM 5310 B-2011	Organic Carbon	99.8	98.1				0.557
	Organic Carbon	99.8	98.4	98.9			0.450

Reference Method Descriptions

Method	Description	Associated Samples
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2160488, 2160491
EPA 300.0 Rev. 2.1	Bromide in aqueous matrices	2160491
EPA 300.0 Rev. 2.1	Chloride in aqueous matrices	2160488
EPA 300.0 Rev. 2.1	Sulfate in aqueous matrices	2160488
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2160489, 2160492
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2160489, 2160492
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2160489, 2160492
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2160489, 2160492
EPA 365.1 Rev. 2.0 dissolved	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2160490, 2160493
EPA 8321B	Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS	2160517, 2160518, 2160540
EPA 8321B	Water soluble organic compounds by HPLC/MS/MS	2160517, 2160518, 2160540
SM 2120 B-2011	True Color measured at 450 nm (not valid for NPDES monitoring)	2160488
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2160488, 2160491
SM 2540 C-2011	Total Dissolved Solids in aqueous matrices	2160488
SM 2540 D-2011	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2160488, 2160491
SM 4500 F-C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2160488, 2160491
SM 5310 B-2011	Nonpurgeable Organic Carbon in aqueous matrices	2160489, 2160492

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	02/25/2020			02/25/2020 16:14	Blanca Fach	2160488, 2160491
EPA 300.0 Rev. 2.1	02/25/2020			03/05/2020 20:44	Lipi Saha	2160488
	02/25/2020			03/06/2020 22:09	Lipi Saha	2160491
EPA 350.1 Rev. 2.0	02/25/2020			03/02/2020 11:18	Ping Hua	2160492
	02/25/2020			03/02/2020 12:58	Ping Hua	2160489
EPA 351.2 Rev. 2.0	02/25/2020	02/27/2020 12:00	Sima Feizi	02/28/2020 10:06	Jhamieka S. Greenwood	2160489
	02/25/2020	03/02/2020 14:25	Sima Feizi	03/03/2020 11:57	Jhamieka S. Greenwood	2160492
EPA 353.2 Rev. 2.0	02/25/2020			03/05/2020 10:20	Beverly Y. Sanders	2160489
	02/25/2020			03/06/2020 10:37	Lauren Lees	2160492
EPA 365.1 Rev. 2.0	02/25/2020	03/04/2020 13:06	Yen Ta	03/05/2020 12:26	Benjamin T. Nordmann	2160489
	02/25/2020	03/04/2020 13:06	Yen Ta	03/09/2020 12:06	Benjamin T. Nordmann	2160492
EPA 365.1 Rev. 2.0 dissolved	02/25/2020			02/25/2020 17:32	Carlos Miranda	2160493
	02/25/2020			02/25/2020 17:49	Carlos Miranda	2160490
EPA 8321B	02/25/2020	02/27/2020 11:30	Rebecca Ware	02/27/2020 20:08	Rebecca Ware	2160517
	02/25/2020	02/27/2020 11:30	Rebecca Ware	02/27/2020 20:21	Rebecca Ware	2160518
	02/25/2020	02/27/2020 11:30	Rebecca Ware	02/27/2020 20:35	Rebecca Ware	2160540
	02/25/2020	02/27/2020 11:30	Rebecca Ware	02/28/2020 15:04	Rebecca Ware	2160517
	02/25/2020	02/27/2020 11:30	Rebecca Ware	02/28/2020 15:14	Rebecca Ware	2160518
	02/25/2020	02/27/2020 11:30	Rebecca Ware	02/28/2020 15:25	Rebecca Ware	2160540
	02/25/2020	02/27/2020 11:30	Rebecca Ware	03/06/2020 00:03	Rebecca Ware	2160517
	02/25/2020	02/27/2020 11:30	Rebecca Ware	03/06/2020 00:14	Rebecca Ware	2160518
	02/25/2020	02/27/2020 11:30	Rebecca Ware	03/06/2020 00:26	Rebecca Ware	2160540
	02/25/2020	02/28/2020 10:00	Hoor Shaik	03/08/2020 09:58	Juyoung Kim	2160517
	02/25/2020	02/28/2020 10:00	Hoor Shaik	03/08/2020 10:33	Juyoung Kim	2160518
	02/25/2020	02/28/2020 10:00	Hoor Shaik	03/08/2020 11:07	Juyoung Kim	2160540
	02/25/2020	02/28/2020 10:00	Hoor Shaik	03/09/2020 10:00	Juyoung Kim	2160517
	02/25/2020	02/28/2020 10:00	Hoor Shaik	03/09/2020 10:35	Juyoung Kim	2160518
SM 2120 B-2011	02/25/2020			02/25/2020 16:19		2160488
SM 2320 B-2011	02/25/2020			02/29/2020 18:25	Dale L. Simmons	2160491
	02/25/2020			03/07/2020 05:49	Samantha Davila	2160488
SM 2540 C-2011	02/25/2020			02/26/2020 14:06	Yijie Li	2160488
SM 2540 D-2011	02/25/2020			02/26/2020 14:06	Yijie Li	2160488, 2160491
SM 4500 F-C-2011	02/25/2020			03/05/2020 16:40	Dale L. Simmons	2160491
	02/25/2020			03/07/2020 05:49	Samantha Davila	2160488
SM 5310 B-2011	02/25/2020			02/26/2020 23:17	Lauren Lees	2160489
	02/25/2020			02/27/2020 04:44	Lauren Lees	2160492