

Chemical Analysis Report

SW-DIST-2020-02-27-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **Lake Valrico TMDL**
Request ID: **RQ-2020-02-24-50**
Customer: **SW-DIST**
Project ID: **TMDL**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Attn: Judy Ashton

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Kerry Tate, Ph.D., Environmental Administrator

Date Certified: 18-MAR-2020 11:26

A handwritten signature in black ink that reads "Kerry Tate". The signature is written in a cursive, flowing style with a horizontal line above the first name.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Metals and Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Lake Valrico

Collection Date/Time: 02/26/2020 09:05

Field ID: G2SW0005

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2160965	EPA 180.1 Rev. 2.0	Turbidity	10		NTU	P379772	
	EPA 300.0 Rev. 2.1	Chloride	27		mg Cl/L	P380164	
		Sulfate	13		mg SO4/L	P380167	
		Color (true)	19		PCU	P379770	
	SM 2120 B-2011	Total Alkalinity	31		mg CaCO3/L	P380322	
	SM 2540 C-2011	TDS	101		mg/L	P380329	
	SM 2540 D-2011	TSS	22	I	mg/L	P380333	
	SM 4500 F-C-2011	Fluoride	0.16		mg F/L	P380273	
2160966	EPA 350.1 Rev. 2.0	Ammonia-N	0.005	I	mg N/L	P380067	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.1		mg N/L	P379955	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P380233	
	EPA 365.1 Rev. 2.0	Total-P	0.15		mg P/L	P380138	
	SM 5310 B-2011	Organic Carbon	6.5		mg C/L	P379929	
2160967	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	I	mg P/L	P379766	
2160974	EPA 200.7 Rev. 4.4	Barium	5.9		ug/L	P379953	
		Calcium	16.0		mg/L	P379953	
		Iron	42	I	ug/L	P379953	
		Magnesium	2.97		mg/L	P379953	
		Potassium	3.1		mg/L	P379953	
		Sodium	16.1		mg/L	P379953	
		Zinc	5.0	U	ug/L	P379953	
	EPA 200.8 Rev. 5.4	Aluminum	94		ug/L	P379953	
		Antimony	0.10	I	ug/L	P379953	
		Arsenic	1.49		ug/L	P379953	
		Boron**	36.6		ug/L	P379953	
		Cadmium	0.020	U	ug/L	P379953	
		Chromium	0.40	U	ug/L	P379953	
		Copper	0.81		ug/L	P379953	
		Lead	0.35	I	ug/L	P379953	
		Nickel	0.50	U	ug/L	P379953	
		Selenium	0.20	U	ug/L	P379953	
		Silver	0.010	U	ug/L	P379953	
		Thallium	0.10	U	ug/L	P379953	
	SM 2340B	Hardness	52.1		mg/L	P379953	

Ref. Method and Comment:

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample. The PQL was elevated because of sample matrix interference.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P379772

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P379953

Component	Result	Code	Units
Barium	1.0	U	ug/L
Calcium	0.075	U	mg/L
Iron	30	U	ug/L
Magnesium	0.040	U	mg/L
Potassium	0.30	U	mg/L
Sodium	0.50	U	mg/L
Zinc	5.0	U	ug/L

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P379953

Component	Result	Code	Units
Aluminum	5.0	U	ug/L
Antimony	0.050	U	ug/L
Arsenic	0.050	U	ug/L
Boron	2.0	U	ug/L
Cadmium	0.020	U	ug/L
Chromium	0.40	U	ug/L
Copper	0.40	U	ug/L
Lead	0.20	U	ug/L
Nickel	0.50	U	ug/L
Selenium	0.20	U	ug/L
Silver	0.010	U	ug/L
Thallium	0.10	U	ug/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P380164

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P380167

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P380067

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P379955

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P380233

Component	Result	Code	Units
NO ₂ NO ₃ -N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P380138

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P379766

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B-2011
Batch ID: P379770

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-2011
Batch ID: P380322

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-2011
Batch ID: P380329

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-2011
Batch ID: P380333

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-2011
Batch ID: P380273

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Quality Assurance Report

Method Blank Results

Reference Method: SM 5310 B-2011
Batch ID: P379929

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P379953

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Barium	99.2		P	85 - 115
Calcium	101		P	85 - 115
Iron	99.0		P	85 - 115
Magnesium	105		P	85 - 115
Potassium	100		P	85 - 115
Sodium	104		P	85 - 115
Zinc	100		P	85 - 115

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P379953

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Aluminum	101		P	85 - 115
Antimony	96.7		P	85 - 115
Arsenic	98.8		P	85 - 115
Boron	99.7		P	85 - 115
Cadmium	99.5		P	85 - 115
Chromium	103		P	85 - 115
Copper	102		P	85 - 115
Lead	98.5		P	85 - 115
Nickel	100		P	85 - 115
Selenium	98.6		P	85 - 115
Silver	102		P	85 - 115
Thallium	101		P	85 - 115

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P380164

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	100		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P380167

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	97.9		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P380067

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	99.8		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P379955

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	103		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P380233

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	98.5		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P380138

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	107		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P379766

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	94.6		P	90 - 110

Reference Method: SM 2120 B-2011
Batch ID: P379770

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	99.9		P	85 - 115

Reference Method: SM 2320 B-2011
Batch ID: P380322

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	103		P	98 - 106

Reference Method: SM 4500 F-C-2011
Batch ID: P380273

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	101		P	92 - 103

Reference Method: SM 5310 B-2011
Batch ID: P379929

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	97.4		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P379953

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2160544	Barium	97.0		P	80 - 120
2160544	Calcium	97.6		P	80 - 120
2160544	Iron	100		P	80 - 120
2160544	Magnesium	101		P	80 - 120
2160544	Potassium	94.7		P	80 - 120
2160544	Sodium	103		P	80 - 120
2160544	Zinc	100		P	80 - 120
2160921	Barium	98.6	98.8	P/P	80 - 120
2160921	Calcium	101		P	80 - 120
2160921	Iron	102	102	P/P	80 - 120
2160921	Magnesium	105		P	80 - 120
2160921	Potassium	110	111	P/P	80 - 120
2160921	Sodium	107		P	80 - 120
2160921	Zinc	100	101	P/P	80 - 120

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P379953

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2160544	Aluminum	95.7		P	80 - 120
2160544	Antimony	98.8		P	80 - 120
2160544	Arsenic	102		P	80 - 120
2160544	Boron	98.8		P	80 - 120
2160544	Cadmium	104		P	80 - 120
2160544	Chromium	107		P	80 - 120
2160544	Copper	100		P	80 - 120
2160544	Lead	99.5		P	80 - 120
2160544	Nickel	99.5		P	80 - 120
2160544	Selenium	99.9		P	80 - 120
2160544	Silver	101		P	80 - 120
2160544	Thallium	104		P	80 - 120
2160921	Aluminum	95.9	100	P/P	80 - 120
2160921	Antimony	96.0	99.0	P/P	80 - 120
2160921	Arsenic	103	101	P/P	80 - 120
2160921	Boron	95.9	96.7	P/P	80 - 120
2160921	Cadmium	100	103	P/P	80 - 120
2160921	Chromium	103	104	P/P	80 - 120
2160921	Copper	98.3	101	P/P	80 - 120
2160921	Lead	95.3	99.0	P/P	80 - 120
2160921	Nickel	96.5	99.6	P/P	80 - 120
2160921	Selenium	101	98.7	P/P	80 - 120
2160921	Silver	102	102	P/P	80 - 120
2160921	Thallium	101	106	P/P	80 - 120

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P380164

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2160748	Chloride	103		P	90 - 110
2160965	Chloride	100		P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P380167

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2160748	Sulfate	102		P	90 - 110
2160965	Sulfate	99.7		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P380067

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2160966	Ammonia-N	97.8	96.9	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P379955

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2161143	Kjeldahl Nitrogen	104	104	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P380233

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2160907	NO2NO3-N	96.8	96.8	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P380138

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2160934	Total-P	108	107	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P379766

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2160901	O-Phosphate-P	90.1	94.8	P/P	90 - 110

Reference Method: SM 4500 F-C-2011
Batch ID: P380273

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2161279	Fluoride	103	105	P/P	89 - 106

Reference Method: SM 5310 B-2011
Batch ID: P379929

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2160718	Organic Carbon	104		P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P379772

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160932	Turbidity	2.99	Sample	P	0 - 20

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P379953

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160921	Barium	0.232	Spike	P	0 - 20
2160921	Calcium	0.000615	Spike	P	0 - 20
2160921	Iron	0.371	Spike	P	0 - 20
2160921	Magnesium	1.08	Spike	P	0 - 20
2160921	Potassium	1.00	Spike	P	0 - 20
2160921	Sodium	0.0555	Spike	P	0 - 20
2160921	Zinc	0.847	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P379953

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160921	Aluminum	4.16	Spike	P	0 - 20
2160921	Antimony	3.05	Spike	P	0 - 20
2160921	Arsenic	1.29	Spike	P	0 - 20
2160921	Boron	0.683	Spike	P	0 - 20
2160921	Cadmium	2.85	Spike	P	0 - 20
2160921	Chromium	1.17	Spike	P	0 - 20
2160921	Copper	2.59	Spike	P	0 - 20
2160921	Lead	3.82	Spike	P	0 - 20
2160921	Nickel	3.22	Spike	P	0 - 20
2160921	Selenium	1.80	Spike	P	0 - 20
2160921	Silver	0.159	Spike	P	0 - 20
2160921	Thallium	5.28	Spike	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P380164

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160748	Chloride	0.387	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P380167

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160748	Sulfate	0.903	Sample	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P380067

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160966	Ammonia-N	0.864	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P379955

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2161143	Kjeldahl Nitrogen	0.00635	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P380233

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160907	NO2NO3-N	0.0	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P380138

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160934	Total-P	1.10	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P379766

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160901	O-Phosphate-P	4.85	Spike	P	0 - 20

Reference Method: SM 2120 B-2011
Batch ID: P379770

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160932	Color (true)	0.553	Sample	P	0 - 20

Reference Method: SM 2320 B-2011
Batch ID: P380322

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160714	Total Alkalinity	0.124	Sample	P	0 - 2.8

Reference Method: SM 2540 C-2011
Batch ID: P380329

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160748	TDS	2.30	Sample	P	0 - 10

Quality Assurance Report Precision

Reference Method: SM 4500 F-C-2011
Batch ID: P380273

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2161279	Fluoride	0.960	Spike	P	0 - 2.5

Reference Method: SM 5310 B-2011
Batch ID: P379929

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2160718	Organic Carbon	1.05	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A97861

Included Lab Sample IDs: 2160967

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	94.0	90.8	P/P	90 - 110

Reference Method: SM 2120 B-2011

Run ID: A97863

Included Lab Sample IDs: 2160965

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	100	101	P/P	90 - 115

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A97865

Included Lab Sample IDs: 2160965

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.0	99.5	P/P	95 - 105

Reference Method: SM 5310 B-2011

Run ID: A97937

Included Lab Sample IDs: 2160966

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	96.0	96.6	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A97988

Included Lab Sample IDs: 2160966

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	105	99.5	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A97999

Included Lab Sample IDs: 2160966

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	100	100	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A98001

Included Lab Sample IDs: 2160965

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	101	100	P/P	90 - 110
Sulfate	101	101	P/P	90 - 110

Reference Method: EPA 200.7 Rev. 4.4

Run ID: A98009

Included Lab Sample IDs: 2160974

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Barium	101	101	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 200.7 Rev. 4.4

Run ID: A98009

Included Lab Sample IDs: 2160974

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Calcium	96.8	96.8	P/P	90 - 110
Iron	98.8	98.1	P/P	90 - 110
Magnesium	99.0	98.5	P/P	90 - 110
Potassium	98.0	98.2	P/P	90 - 110
Sodium	101	102	P/P	90 - 110
Zinc	99.6	100	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A98029

Included Lab Sample IDs: 2160974

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Aluminum	102	102	P/P	90 - 110
Antimony	96.0	97.1	P/P	90 - 110
Arsenic	99.3	102	P/P	90 - 110
Boron	99.8	100	P/P	90 - 110
Cadmium	101	101	P/P	90 - 110
Chromium	101	103	P/P	90 - 110
Copper	101	101	P/P	90 - 110
Lead	101	102	P/P	90 - 110
Nickel	101	101	P/P	90 - 110
Selenium	103	102	P/P	90 - 110
Silver	98.1	98.1	P/P	90 - 110
Thallium	98.2	98.1	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A98035

Included Lab Sample IDs: 2160966

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	101	P/P	90 - 110

Reference Method: SM 4500 F-C-2011

Run ID: A98059

Included Lab Sample IDs: 2160965

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	104	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A98070

Included Lab Sample IDs: 2160966

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	102	102	P/P	90 - 110

Reference Method: SM 2320 B-2011

Run ID: A98082

Included Lab Sample IDs: 2160965

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
-----------	---------	---------	------------	----------------

Quality Assurance Report Calibration Verification

Reference Method: SM 2320 B-2011

Run ID: A98082

Included Lab Sample IDs: 2160965

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	99.6	102	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery			Precision SMP	MS
			LCS				
EPA 180.1 Rev. 2.0	Turbidity					2.99	
EPA 200.7 Rev. 4.4	Barium	99.2	97.0	98.6	98.8		0.232
	Calcium	101	97.6	101			0.0006
	Iron	99.0	100	102	102		0.371
	Magnesium	105	101	105			1.08
	Potassium	100	94.7	110	111		1.00
	Sodium	104	103	107			0.0555
	Zinc	100	100	100	101		0.847
EPA 200.8 Rev. 5.4	Aluminum	101	95.7	95.9	100		4.16
	Antimony	96.7	98.8	96.0	99.0		3.05
	Arsenic	98.8	102	103	101		1.29
	Boron	99.7	98.8	95.9	96.7		0.683
	Cadmium	99.5	104	100	103		2.85
	Chromium	103	107	103	104		1.17
	Copper	102	100	98.3	101		2.59
	Lead	98.5	99.5	95.3	99.0		3.82
	Nickel	100	99.5	96.5	99.6		3.22
	Selenium	98.6	99.9	101	98.7		1.80
	Silver	102	101	102	102		0.159
	Thallium	101	104	101	106		5.28
EPA 300.0 Rev. 2.1	Chloride	100	103	100		0.387	
	Sulfate	97.9	102	99.7		0.903	
EPA 350.1 Rev. 2.0	Ammonia-N	99.8	97.8	96.9			0.864
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	103	104	104			0.0063
EPA 353.2 Rev. 2.0	NO2NO3-N	98.5	96.8	96.8			0.0
EPA 365.1 Rev. 2.0	Total-P	107	108	107			1.10
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	94.6	90.1	94.8			4.85
SM 2120 B-2011	Color (true)	99.9				0.553	
SM 2320 B-2011	Total Alkalinity	103				0.124	
SM 2540 C-2011	TDS					2.30	
SM 4500 F-C-2011	Fluoride	101	103	105			0.960
SM 5310 B-2011	Organic Carbon	97.4	104				1.05

Reference Method Descriptions

Method	Description	Associated Samples
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2160965
EPA 200.7 Rev. 4.4	Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	2160974
EPA 200.8 Rev. 5.4	Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	2160974
EPA 300.0 Rev. 2.1	Chloride in aqueous matrices	2160965
EPA 300.0 Rev. 2.1	Sulfate in aqueous matrices	2160965
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2160966
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2160966
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2160966
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2160966
EPA 365.1 Rev. 2.0 dissolved	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2160967
SM 2120 B-2011	True Color measured at 450 nm (not valid for NPDES monitoring)	2160965
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO3/L	2160965
SM 2340B	Hardness by calculation, in aqueous matrices, reported as mg/L CaCO3	2160974
SM 2540 C-2011	Total Dissolved Solids in aqueous matrices	2160965

Reference Method Descriptions

Method	Description	<u>Associated Samples</u>
SM 2540 D-2011	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2160965
SM 4500 F-C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2160965
SM 5310 B-2011	Nonpurgeable Organic Carbon in aqueous matrices	2160966

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	02/27/2020			02/27/2020 15:38	Yen Ta	2160965
EPA 200.7 Rev. 4.4	02/27/2020	03/03/2020 15:15	Elliott D. Healy	03/04/2020 18:22	Betina Topolski	2160974
EPA 200.8 Rev. 5.4	02/27/2020	03/03/2020 15:15	Elliott D. Healy	03/05/2020 17:29	Alexander Thompson	2160974
EPA 300.0 Rev. 2.1	02/27/2020			03/06/2020 02:45	Lipi Saha	2160965
EPA 350.1 Rev. 2.0	02/27/2020			03/04/2020 12:01	Ping Hua	2160966
EPA 351.2 Rev. 2.0	02/27/2020	03/03/2020 09:25	Sima Feizi	03/04/2020 11:19	Jhamieka S. Greenwood	2160966
EPA 353.2 Rev. 2.0	02/27/2020			03/06/2020 11:53	Beverly Y. Sanders	2160966
EPA 365.1 Rev. 2.0	02/27/2020	03/05/2020 13:48	Yen Ta	03/06/2020 15:08	Benjamin T. Nordmann	2160966
EPA 365.1 Rev. 2.0 dissolved	02/27/2020			02/27/2020 16:21	Carlos Miranda	2160967
SM 2120 B-2011	02/27/2020			02/27/2020 16:23	Madeline Funaro	2160965
SM 2320 B-2011	02/27/2020			03/10/2020 01:14	Lauren Lees	2160965
SM 2340B	02/27/2020			03/04/2020 18:22	Betina Topolski	2160974
SM 2540 C-2011	02/27/2020			03/02/2020 15:08	Yijie Li	2160965
SM 2540 D-2011	02/27/2020			03/02/2020 14:22	Yijie Li	2160965
SM 4500 F-C-2011	02/27/2020			03/07/2020 11:46	Samantha Davila	2160965
SM 5310 B-2011	02/27/2020			03/03/2020 02:59	Lauren Lees	2160966