

Chemical Analysis Report

SW-DIST-2020-07-28-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **Pinellas sites**
Request ID: **RQ-2020-07-27-03**
Customer: **SW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Attn: Judy Ashton

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Colin Wright, Program Administrator

Date Certified: 06-AUG-2020 08:51

A handwritten signature in black ink, appearing to read "Colin Wright", is displayed on a light gray rectangular background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Klosterman Creek, Innisbrook Golf Court

Collection Date/Time: 07/27/2020 12:24

Field ID: G5SW0171

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2186534	EPA 8321B	2,4-D	0.050		ug/L	P385308	
		Acesulfame K**	0.10	U	ug/L	P385298	
		AMPA**	9.0		ug/L	P385298	
		Sucralose**	7.9		ug/L	P385298	
		Acetaminophen**	0.0080	U	ug/L	P385308	
		Acetamiprid**	0.0020	U	ug/L	P385308	
		Endothall**	0.25	U	ug/L	P385298	
		Glufosinate**	0.10	U	ug/L	P385298	
		Glyphosate**	930		ug/L	P385298	
		Afidopyropen**	0.0020	U	ug/L	P385308	
		Bentazon	0.41		ug/L	P385308	
		Benzovindiflupyr**	0.0020	U	ug/L	P385308	
		Carbamazepine**	0.0088		ug/L	P385308	
		Clothianidin**	0.0048	I	ug/L	P385308	
		Dinotefuran**	0.0025	I	ug/L	P385308	
		Diuron	0.0020	U	ug/L	P385308	
		Fenuron	0.016	U	ug/L	P385308	
		Fluridone**	0.011		ug/L	P385308	
		Imazapyr**	2.8		ug/L	P385308	
		Hydrocodone**	0.0020	U	ug/L	P385308	
		Ibuprofen**	0.020	U	ug/L	P385308	
		Imidacloprid	0.013		ug/L	P385308	
		Linuron	0.0040	U	ug/L	P385308	
		Mandestrobin**	0.0020	U	ug/L	P385308	
		MCPP	0.011		ug/L	P385308	
		Naproxen**	0.0080	U	ug/L	P385308	
		Primidone**	0.035		ug/L	P385308	
		Pyraclostrobin**	0.0020	U	ug/L	P385308	
		Thiamethoxam**	0.0020	U	ug/L	P385308	
		Tolfenpyrad**	0.0020	U	ug/L	P385308	
		Triclopyr**	0.0040	U	ug/L	P385308	

Ref. Method and Comment:

EPA 8321B: MS accuracy for 2,4-D and bentazon could not be assessed due to high concentration of parameter in the spiked sample.

Quality Assurance Report

Method Blank Results

Reference Method: EPA 8321B
Batch ID: P385298

Component	Result	Code	Units
Acesulfame K	0.10	U	ug/L
AMPA	0.10	U	ug/L
Endothall	0.25	U	ug/L
Glufosinate	0.10	U	ug/L
Glyphosate	0.10	U	ug/L
Sucralose	0.010	U	ug/L

Reference Method: EPA 8321B
Batch ID: P385308

Component	Result	Code	Units
2,4-D	0.0020	U	ug/L
Acetaminophen	0.0080	U	ug/L
Acetamiprid	0.0020	U	ug/L
Afidopyropen	0.0020	U	ug/L
Bentazon	8.0E-04	U	ug/L
Benzovindiflupyr	0.0020	U	ug/L
Carbamazepine	8.0E-04	U	ug/L
Clothianidin	0.0020	U	ug/L
Dinotefuran	0.0020	U	ug/L
Diuron	0.0020	U	ug/L
Fenuron	0.016	U	ug/L
Fluridone	8.0E-04	U	ug/L
Hydrocodone	0.0020	U	ug/L
Ibuprofen	0.020	U	ug/L
Imazapyr	0.0040	U	ug/L
Imidacloprid	0.0020	U	ug/L
Linuron	0.0040	U	ug/L
Mandestrobin	0.0020	U	ug/L
MCPP	0.0020	U	ug/L
Naproxen	0.0080	U	ug/L
Primidone	0.0040	U	ug/L
Pyraclostrobin	0.0020	U	ug/L
Thiamethoxam	0.0020	U	ug/L
Tolfenpyrad	0.0020	U	ug/L
Triclopyr	0.0040	U	ug/L

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 8321B
Batch ID: P385298

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Acesulfame K	115		P	40 - 150
AMPA	82.0		P	40 - 150
Endothall	97.0		P	40 - 150
Glufosinate	92.9		P	40 - 150
Glyphosate	89.5		P	40 - 140
Sucralose	89.9		P	40 - 150

Reference Method: EPA 8321B
Batch ID: P385308

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2,4-D	93.9		P	30 - 160
Acetaminophen	87.5		P	30 - 160
Acetamiprid	80.1		P	30 - 160
Afidopyropen	68.4		P	30 - 160
Bentazon	68.9		P	30 - 160
Benzovindiflupyr	59.6		P	30 - 160
Carbamazepine	73.9		P	30 - 160
Clothianidin	91.5		P	30 - 160
Dinotefuran	93.3		P	30 - 160
Diuron	67.5		P	30 - 160
Fenuron	92.9		P	30 - 160
Fluridone	97.5		P	30 - 160
Hydrocodone	83.9		P	30 - 160
Ibuprofen	79.0		P	30 - 160
Imazapyr	58.2		P	30 - 160
Imidacloprid	113		P	30 - 160
Linuron	69.3		P	30 - 160
Mandestrobin	78.5		P	30 - 160
MCPP	112		P	30 - 160
Naproxen	62.6		P	30 - 160
Primidone	92.3		P	30 - 160
Pyraclostrobin	56.9		P	30 - 160
Thiamethoxam	91.1		P	30 - 160
Tolfenpyrad	30.9		P	30 - 160
Triclopyr	70.2		P	30 - 160

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 8321B
 Batch ID: P385298

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2186301	Acesulfame K	105	108	P/P	40 - 150
2186301	AMPA	49.0	60.6	P/P	40 - 150
2186301	Endothall	118	121	P/P	40 - 150
2186301	Glufosinate	93.5	106	P/P	40 - 150
2186301	Glyphosate	77.8	77.8	P/P	40 - 140
2186301	Sucralose	93.7	98.6	P/P	40 - 150

Reference Method: EPA 8321B
 Batch ID: P385308

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2186499	Acetaminophen	81.0	81.0	P/P	30 - 160
2186499	Acetamiprid	72.3	72.1	P/P	30 - 160
2186499	Afidopyropen	68.1	62.0	P/P	30 - 160
2186499	Benzovindiflupyr	54.4	51.4	P/P	30 - 160
2186499	Carbamazepine	60.4	59.5	P/P	30 - 160
2186499	Clothianidin	78.8	81.8	P/P	30 - 160
2186499	Dinotefuran	86.9	88.0	P/P	30 - 160
2186499	Diuron	50.1	50.6	P/P	30 - 160
2186499	Fenuron	74.3	72.3	P/P	30 - 160
2186499	Fluridone	92.2	91.9	P/P	30 - 160
2186499	Hydrocodone	71.4	67.6	P/P	30 - 160
2186499	Ibuprofen	60.6	64.1	P/P	30 - 160
2186499	Imazapyr	61.8	50.6	P/P	30 - 160
2186499	Imidacloprid	131	135	P/P	30 - 160
2186499	Linuron	55.8	58.1	P/P	30 - 160
2186499	Mandestrobin	71.8	68.2	P/P	30 - 160
2186499	MCPP	101	97.8	P/P	30 - 160
2186499	Naproxen	48.7	48.5	P/P	30 - 160
2186499	Primidone	79.4	93.2	P/P	30 - 160
2186499	Pyraclostrobin	52.9	54.0	P/P	30 - 160
2186499	Thiamethoxam	90.0	78.2	P/P	30 - 160
2186499	Tolfenpyrad	36.3	39.4	P/P	30 - 160
2186499	Triclopyr	60.6	71.5	P/P	30 - 160

Quality Assurance Report Precision

Reference Method: EPA 8321B
Batch ID: P385298

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2186301	Acesulfame K	3.41	Spike	P	0 - 30
2186301	AMPA	21.2	Spike	P	0 - 30
2186301	Endothall	2.22	Spike	P	0 - 30
2186301	Glufosinate	12.9	Spike	P	0 - 30
2186301	Glyphosate	0.0167	Spike	P	0 - 30
2186301	Sucralose	5.07	Spike	P	0 - 30

Reference Method: EPA 8321B
Batch ID: P385308

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2186499	2,4-D	1.18	Spike	P	0 - 30
2186499	Acetaminophen	0.0156	Spike	P	0 - 30
2186499	Acetamiprid	0.348	Spike	P	0 - 30
2186499	Afidopyropen	9.32	Spike	P	0 - 30
2186499	Bentazon	0.458	Spike	P	0 - 30
2186499	Benzovindiflupyr	5.54	Spike	P	0 - 30
2186499	Carbamazepine	1.52	Spike	P	0 - 30
2186499	Clothianidin	3.38	Spike	P	0 - 30
2186499	Dinotefuran	1.28	Spike	P	0 - 30
2186499	Diuron	0.833	Spike	P	0 - 30
2186499	Fenuron	2.75	Spike	P	0 - 30
2186499	Fluridone	0.266	Spike	P	0 - 30
2186499	Hydrocodone	5.39	Spike	P	0 - 30
2186499	Ibuprofen	5.60	Spike	P	0 - 30
2186499	Imazapyr	13.0	Spike	P	0 - 30
2186499	Imidacloprid	2.62	Spike	P	0 - 30
2186499	Linuron	4.10	Spike	P	0 - 30
2186499	Mandestrobin	5.15	Spike	P	0 - 30
2186499	MCP	3.62	Spike	P	0 - 30
2186499	Naproxen	0.365	Spike	P	0 - 30
2186499	Primidone	15.9	Spike	P	0 - 30
2186499	Pyraclostrobin	2.18	Spike	P	0 - 30
2186499	Thiamethoxam	13.9	Spike	P	0 - 30
2186499	Tolfenpyrad	8.17	Spike	P	0 - 30
2186499	Triclopyr	16.5	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2186534

Field Sample ID: G5SW0171

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	2,4-D-d3	82.9	P	30 - 160
EPA 8321B	Acetaminophen-d4	74.8	P	30 - 160
EPA 8321B	Carbamazepine-d10	51.1	P	30 - 160
EPA 8321B	Diuron-d6	57.8	P	30 - 160
EPA 8321B	Endothall-d6	81.8	P	30 - 160
EPA 8321B	Endothall-d6	81.8	P	30 - 160
EPA 8321B	Glyphosate 13C 15N	140	P	30 - 160
EPA 8321B	Glyphosate 13C 15N	140	P	30 - 160
EPA 8321B	Ibuprofen-d3	66.5	P	30 - 160
EPA 8321B	Primidone-d5	76.9	P	30 - 160
EPA 8321B	Sucralose-d6	98.7	P	30 - 160
EPA 8321B	Sucralose-d6	98.7	P	30 - 160

Quality Assurance Report Calibration Verification

Reference Method: EPA 8321B
Run ID: A100159
Included Lab Sample IDs: 2186534

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Sucralose	95.5	98.4	P/P	60 - 160

Reference Method: EPA 8321B
Run ID: A100198
Included Lab Sample IDs: 2186534

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Acesulfame K	68.0	74.3	P/P	60 - 160
Endothall	103	106	P/P	60 - 160

Reference Method: EPA 8321B
Run ID: A100223
Included Lab Sample IDs: 2186534

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
AMPA	80.2	70.1	P/P	60 - 160
Glufosinate	105	107	P/P	60 - 160
Glyphosate	92.7	99.2	P/P	60 - 160

Reference Method: EPA 8321B
Run ID: A100276
Included Lab Sample IDs: 2186534

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
2,4-D	82.4	82.9	P/P	50 - 150
Acetaminophen	108	116	P/P	60 - 160
Acetamiprid	113	108	P/P	50 - 150
Afidopyropen	97.2	103	P/P	50 - 150
Benzovindiflupyr	94.2	101	P/P	50 - 150
Carbamazepine	120	119	P/P	60 - 150
Clothianidin	111	112	P/P	60 - 150
Dinotefuran	96.3	99.8	P/P	50 - 150
Diuron	107	107	P/P	60 - 160
Fenuron	109	114	P/P	60 - 150
Fluridone	125	128	P/P	60 - 160
Hydrocodone	106	105	P/P	60 - 150
Ibuprofen	89.9	89.5	P/P	50 - 160
Imidacloprid	106	112	P/P	60 - 150
Linuron	97.7	101	P/P	60 - 150
Mandestrobin	119	123	P/P	50 - 150
MCPP	93.4	90.3	P/P	50 - 150
Naproxen	82.9	94.0	P/P	50 - 160
Primidone	103	111	P/P	60 - 150
Pyraclostrobin	93.6	101	P/P	60 - 150
Thiamethoxam	120	113	P/P	50 - 150
Tolfenpyrad	78.1	81.1	P/P	60 - 150
Triclopyr	82.1	86.8	P/P	50 - 150

Quality Assurance Report Calibration Verification

Reference Method: EPA 8321B

Run ID: A100283

Included Lab Sample IDs: 2186534

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Bentazon	102	117	P/P	50 - 160
Imazapyr	114	108	P/P	50 - 150

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision SMP	MS
			LCS			
EPA 8321B	2,4-D	93.9				1.18
	Acesulfame K	115	105	108		3.41
	Acetaminophen	87.5	81.0	81.0		0.0156
	Acetamiprid	80.1	72.3	72.1		0.348
	Afidopyropen	68.4	68.1	62.0		9.32
	AMPA	82.0	49.0	60.6		21.2
	Bentazon	68.9				0.458
	Benzovindiflupyr	59.6	51.4	54.4		5.54
	Carbamazepine	73.9	60.4	59.5		1.52
	Clothianidin	91.5	78.8	81.8		3.38
	Dinotefuran	93.3	86.9	88.0		1.28
	Diuron	67.5	50.1	50.6		0.833
	Endothall	97.0	118	121		2.22
	Fenuron	92.9	74.3	72.3		2.75
	Fluridone	97.5	92.2	91.9		0.266
	Glufosinate	92.9	93.5	106		12.9
	Glyphosate	89.5	77.8	77.8		0.0167
	Hydrocodone	83.9	71.4	67.6		5.39
	Ibuprofen	79.0	64.1	60.6		5.60
	Imazapyr	58.2	50.6	61.8		13.0
	Imidacloprid	113	131	135		2.62
	Linuron	69.3	55.8	58.1		4.10
	Mandestrobin	78.5	71.8	68.2		5.15
	MCPP	112	97.8	101		3.62
	Naproxen	62.6	48.5	48.7		0.365
	Primidone	92.3	79.4	93.2		15.9
	Pyraclostrobin	56.9	54.0	52.9		2.18
	Sucralose	89.9	93.7	98.6		5.07
	Thiamethoxam	91.1	90.0	78.2		13.9
	Tolfenpyrad	30.9	39.4	36.3		8.17
	Triclopyr	70.2	71.5	60.6		16.5

Reference Method Descriptions

Method	Description	Associated Samples
EPA 8321B	Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS	2186534
EPA 8321B	Water soluble organic compounds by HPLC/MS/MS	2186534

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 8321B	07/28/2020	07/29/2020 12:00	Mohammad Ghaffari	07/30/2020 07:41	Mohammad Ghaffari	2186534
	07/28/2020	07/29/2020 12:00	Mohammad Ghaffari	07/30/2020 14:53	Rebecca Ware	2186534
	07/28/2020	07/29/2020 12:00	Mohammad Ghaffari	07/31/2020 13:58	Rebecca Ware	2186534
	07/28/2020	07/29/2020 12:00	Mohammad Ghaffari	07/31/2020 16:34	Rebecca Ware	2186534
	07/28/2020	07/30/2020 14:00	Hoor Shaik	08/01/2020 18:42	Juyoung Kim	2186534
	07/28/2020	07/30/2020 14:00	Hoor Shaik	08/05/2020 03:55	Juyoung Kim	2186534