

Chemical Analysis Report

SW-DIST-2020-08-13-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Highland Lake**
Request ID: **RQ-2020-08-10-54**
Customer: **SW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Attn: Judy Ashton

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Thekkekalathil Chandrasekhar, Chemist Administrator

Date Certified: 03-SEP-2020 09:37



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Highland Lake

Collection Date/Time: 08/12/2020 11:10

Field ID: G5SW0153

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2190267	EPA 180.1 Rev. 2.0	Turbidity	2.7		NTU	P386009	
	EPA 300.0 Rev. 2.1	Chloride	4.8		mg Cl/L	P386275	
		Sulfate	0.34	I	mg SO4/L	P386279	
	SM 2120 B-2011	Color (true)	85		PCU	P386023	
	SM 2320 B-2011	Total Alkalinity	30		mg CaCO3/L	P386118	
	SM 2540 C-2011	TDS	76		mg/L	P386374	
	SM 2540 D-2011	TSS	6	I	mg/L	P386186	
	SM 4500 F-C-2011	Fluoride	0.035	U	mg F/L	P386122	
2190269	EPA 350.1 Rev. 2.0	Ammonia-N	0.064		mg N/L	P386240	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.4		mg N/L	P386309	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.013		mg N/L	P386037	
	EPA 365.1 Rev. 2.0	Total-P	0.017		mg P/L	P386106	
	SM 5310 B-2011	Organic Carbon	16		mg C/L	P386259	
2190271	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P386019	

Ref. Method and Comment:

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: FB 08122020

Collection Date/Time: 08/12/2020 15:00

Field ID: FB 08122020

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2190268	EPA 180.1 Rev. 2.0	Turbidity	0.10	U	NTU	P386009	
	EPA 300.0 Rev. 2.1	Chloride	0.20	U	mg Cl/L	P386275	
		Sulfate	0.20	U	mg SO4/L	P386279	
	SM 2120 B-2011	Color (true)	2.5	U	PCU	P386022	
	SM 2320 B-2011	Total Alkalinity	0.65	U	mg CaCO3/L	P386118	
	SM 2540 C-2011	TDS	15	U	mg/L	P386375	
	SM 2540 D-2011	TSS	2	U	mg/L	P386187	
	SM 4500 F-C-2011	Fluoride	0.035	U	mg F/L	P386122	
2190270	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	U	mg N/L	P386438	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.080	U	mg N/L	P386309	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P386038	
	EPA 365.1 Rev. 2.0	Total-P	0.002	U	mg P/L	P386106	
	SM 5310 B-2011	Organic Carbon	0.50	U	mg C/L	P386259	
2190272	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P386019	

Ref. Method and Comment:

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P386009

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P386275

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P386279

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P386240

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P386438

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P386309

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P386037

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P386038

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P386106

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P386019

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B-2011
Batch ID: P386022

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2120 B-2011
Batch ID: P386023

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-2011
Batch ID: P386118

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-2011
Batch ID: P386374

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 C-2011
Batch ID: P386375

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-2011
Batch ID: P386186

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 2540 D-2011
Batch ID: P386187

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-2011
Batch ID: P386122

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Quality Assurance Report

Method Blank Results

Reference Method: SM 5310 B-2011
Batch ID: P386259

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P386275

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	101		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P386279

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	103		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P386240

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	102		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P386438

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	97.0		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P386309

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	105		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P386037

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	102		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P386038

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	102		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P386106

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	103		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P386019

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	99.8		P	90 - 110

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: SM 2120 B-2011
Batch ID: P386022

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	102		P	85 - 115

Reference Method: SM 2120 B-2011
Batch ID: P386023

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	102		P	85 - 115

Reference Method: SM 2320 B-2011
Batch ID: P386118

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	100		P	93 - 104

Reference Method: SM 4500 F-C-2011
Batch ID: P386122

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	101		P	90 - 106

Reference Method: SM 5310 B-2011
Batch ID: P386259

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	97.9		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P386275

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2190230	Chloride	101		P	90 - 110
2190289	Chloride	98.2		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P386279

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2190230	Sulfate	103		P	90 - 110
2190289	Sulfate	101		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P386240

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2189429	Ammonia-N	100	101	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P386438

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2191434	Ammonia-N	95.2	96.8	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P386037

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2190269	NO2NO3-N	100	99.2	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P386038

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2190283	NO2NO3-N	98.5	99.0	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P386106

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2190239	Total-P	104	103	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P386019

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2190271	O-Phosphate-P	92.9	92.5	P/P	90 - 110

Reference Method: SM 4500 F-C-2011
Batch ID: P386122

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2190150	Fluoride	100	101	P/P	94 - 107

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SM 5310 B-2011
Batch ID: P386259

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2190174	Organic Carbon	97.8	96.4	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P386009

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2190091	Turbidity	3.56	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P386275

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2190230	Chloride	1.24	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P386279

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2190230	Sulfate	1.53	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P386240

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2189429	Ammonia-N	0.826	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P386438

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2191434	Ammonia-N	1.34	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P386309

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2190195	Kjeldahl Nitrogen	3.46	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P386037

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2190269	NO2NO3-N	0.943	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P386038

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2190283	NO2NO3-N	0.506	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P386106

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2190239	Total-P	1.13	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P386019

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2190271	O-Phosphate-P	0.431	Spike	P	0 - 20

Reference Method: SM 2120 B-2011
Batch ID: P386022

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2190188	Color (true)	0.295	Sample	P	0 - 20

Reference Method: SM 2120 B-2011
Batch ID: P386023

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2190273	Color (true)	1.87	Sample	P	0 - 20

Reference Method: SM 2320 B-2011
Batch ID: P386118

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2190150	Total Alkalinity	3.11	Sample	P	0 - 8.1

Reference Method: SM 2540 C-2011
Batch ID: P386374

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2190207	TDS	0.398	Sample	P	0 - 10

Reference Method: SM 2540 C-2011
Batch ID: P386375

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2190273	TDS	2.38	Sample	P	0 - 10

Reference Method: SM 2540 D-2011
Batch ID: P386186

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2190207	TSS	4.08	Sample	P	0 - 10

Quality Assurance Report Precision

Reference Method: SM 4500 F-C-2011
Batch ID: P386122

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2190150	Fluoride	0.454	Spike	P	0 - 2.8

Reference Method: SM 5310 B-2011
Batch ID: P386259

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2190174	Organic Carbon	0.839	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A100446

Included Lab Sample IDs: 2190267, 2190268

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.5	99.0	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A100450

Included Lab Sample IDs: 2190271, 2190272

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	99.5	99.8	P/P	90 - 110

Reference Method: SM 2120 B-2011

Run ID: A100451

Included Lab Sample IDs: 2190267, 2190268

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	104	104	P/P	90 - 115
Color (true)	104	104	P/P	90 - 115

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A100462

Included Lab Sample IDs: 2190269, 2190270

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	102	102	P/P	90 - 110

Reference Method: SM 2320 B-2011

Run ID: A100491

Included Lab Sample IDs: 2190267, 2190268

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	99.9	99.2	P/P	90 - 110

Reference Method: SM 4500 F-C-2011

Run ID: A100491

Included Lab Sample IDs: 2190267, 2190268

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	102	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A100524

Included Lab Sample IDs: 2190269, 2190270

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	98.8	98.8	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A100530

Included Lab Sample IDs: 2190269

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	99.9	99.3	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 5310 B-2011

Run ID: A100535

Included Lab Sample IDs: 2190269, 2190270

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	97.1	96.1	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A100543

Included Lab Sample IDs: 2190267, 2190268

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	103	103	P/P	90 - 110
Sulfate	103	103	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A100590

Included Lab Sample IDs: 2190269, 2190270

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	101	100	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A100600

Included Lab Sample IDs: 2190270

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	99.2	98.1	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision	
					LCS	MS
EPA 180.1 Rev. 2.0	Turbidity				3.56	
EPA 300.0 Rev. 2.1	Chloride	101	101	98.2	1.24	
	Sulfate	103	103	101	1.53	
EPA 350.1 Rev. 2.0	Ammonia-N	102	100	101		0.826
	Ammonia-N	97.0	95.2	96.8		1.34
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	105				3.46
EPA 353.2 Rev. 2.0	NO2NO3-N	102	100	99.2		0.943
	NO2NO3-N	102	98.5	99.0		0.506
EPA 365.1 Rev. 2.0	Total-P	103	104	103		1.13
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	99.8	92.9	92.5		0.431
SM 2120 B-2011	Color (true)	102			0.295	
	Color (true)	102			1.87	
SM 2320 B-2011	Total Alkalinity	100			3.11	
SM 2540 C-2011	TDS				0.398	
	TDS				2.38	
SM 2540 D-2011	TSS				4.08	
SM 4500 F-C-2011	Fluoride	101	100	101		0.454
SM 5310 B-2011	Organic Carbon	97.9	97.8	96.4		0.839

Reference Method Descriptions

Method	Description	Associated Samples
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2190267, 2190268
EPA 300.0 Rev. 2.1	Chloride in aqueous matrices	2190267, 2190268
EPA 300.0 Rev. 2.1	Sulfate in aqueous matrices	2190267, 2190268
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2190269, 2190270
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2190269, 2190270
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2190269, 2190270
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2190269, 2190270
EPA 365.1 Rev. 2.0 dissolved	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2190271, 2190272
SM 2120 B-2011	True Color measured at 450 nm (not valid for NPDES monitoring)	2190267, 2190268
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO3/L	2190267, 2190268
SM 2540 C-2011	Total Dissolved Solids in aqueous matrices	2190267, 2190268
SM 2540 D-2011	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2190267, 2190268
SM 4500 F-C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2190267, 2190268
SM 5310 B-2011	Nonpurgeable Organic Carbon in aqueous matrices	2190269, 2190270

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	08/13/2020			08/13/2020 14:55	Yen Ta	2190267, 2190268
EPA 300.0 Rev. 2.1	08/13/2020			08/18/2020 16:25	Julia Storbeck	2190267
	08/13/2020			08/18/2020 16:37	Julia Storbeck	2190268
EPA 350.1 Rev. 2.0	08/13/2020			08/18/2020 14:54	Virginia P. Brown	2190269
	08/13/2020			08/23/2020 17:21	Ping Hua	2190270
EPA 351.2 Rev. 2.0	08/13/2020	08/20/2020 10:05	Sima Feizi	08/21/2020 12:08	Jhamieka S. Greenwood	2190269
	08/13/2020	08/20/2020 10:05	Sima Feizi	08/21/2020 12:09	Jhamieka S. Greenwood	2190270
EPA 353.2 Rev. 2.0	08/13/2020			08/14/2020 09:42	Beverly Y. Sanders	2190269
	08/13/2020			08/14/2020 10:09	Beverly Y. Sanders	2190270
EPA 365.1 Rev. 2.0	08/13/2020	08/17/2020 11:03	Shengyu Wang	08/19/2020 07:48	Lipi Saha	2190269
	08/13/2020	08/17/2020 11:03	Shengyu Wang	08/19/2020 07:49	Lipi Saha	2190270
EPA 365.1 Rev. 2.0 dissolved	08/13/2020			08/13/2020 16:18	Samantha Davila	2190271
	08/13/2020			08/13/2020 16:21	Samantha Davila	2190272
SM 2120 B-2011	08/13/2020			08/13/2020 15:31	Madeline Gruver	2190268
	08/13/2020			08/13/2020 15:35	Madeline Gruver	2190267
SM 2320 B-2011	08/13/2020			08/15/2020 01:37	Dale L. Simmons	2190267
	08/13/2020			08/15/2020 01:54	Dale L. Simmons	2190268
SM 2540 C-2011	08/13/2020			08/14/2020 17:50	Madeline Gruver	2190267, 2190268
SM 2540 D-2011	08/13/2020			08/14/2020 17:50	Madeline Gruver	2190267, 2190268
SM 4500 F-C-2011	08/13/2020			08/15/2020 01:37	Dale L. Simmons	2190267
	08/13/2020			08/15/2020 01:54	Dale L. Simmons	2190268
SM 5310 B-2011	08/13/2020			08/19/2020 04:37	David Boose	2190269
	08/13/2020			08/19/2020 04:49	David Boose	2190270