

Biological Analysis Report

SE-DIST-2020-01-30-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **SMP- Glades**
Request ID: **RQ-2020-01-20-08**
Customer: **SE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
2199 South Rock Road
Fort Pierce, FL 34945
Attn: Matthew Sewell

For additional information please contact
Cheryl Swanson - Administrator
Jacqueline Savage - Microbiology
Diane Power - Bench Biology
Andrew Tintle - Aquatic Toxicology
Puja Jasrotia, Ph.D. - Molecular Biology
Amelia Rankin - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Puja Jasrotia, Environmental Manager

Date Certified: 24-FEB-2020 11:30

A handwritten signature in black ink, appearing to be 'Puja Jasrotia', with a horizontal line underneath it.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD and Microbiology.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: C-16N @ Bellaggio

Collection Date/Time: 01/29/2020 10:50

Field ID: G3SE0031

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2152878	SM 10200 H (mod.)	Chlorophyll-a, Corrected	27		ug/L	P378293	
		Phaeophytin-a	6.9		ug/L	P378293	
		Chlorophyll-a, Uncorrected	32		ug/L	P378293	
2152886	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	7.4	Q	MPN/100 mL	P378234	

Sample Location: C-16N @ Bellaggio

Collection Date/Time: 01/29/2020 10:55

Field ID: G3SE0031_DUP

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2152879	SM 10200 H (mod.)	Chlorophyll-a, Corrected	28	A	ug/L	P378293	
		Phaeophytin-a	6.4	A	ug/L	P378293	
		Chlorophyll-a, Uncorrected	33	A	ug/L	P378293	
2152887	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	5.2	Q	MPN/100 mL	P378234	

Sample Location: ACME South

Collection Date/Time: 01/29/2020 11:25

Field ID: G3SE0038

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2152877	SM 10200 H (mod.)	Chlorophyll-a, Corrected	7.5		ug/L	P378293	
		Phaeophytin-a	3.6	I	ug/L	P378293	
		Chlorophyll-a, Uncorrected	10		ug/L	P378293	
2152885	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	3.0	AQ	MPN/100 mL	P378234	

Sample Location: South Shore Blvd 2

Collection Date/Time: 01/29/2020 12:20

Field ID: G3SE0004

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2152875	SM 10200 H (mod.)	Chlorophyll-a, Corrected	36		ug/L	P378293	
		Phaeophytin-a	5.4		ug/L	P378293	
		Chlorophyll-a, Uncorrected	40		ug/L	P378293	
2152883	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	19.7	Q	MPN/100 mL	P378234	

Sample Location: Lake Wellington

Collection Date/Time: 01/29/2020 12:40

Field ID: G3SE0039

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2152876	SM 10200 H (mod.)	Chlorophyll-a, Corrected	22		ug/L	P378293	
		Phaeophytin-a	3.4	I	ug/L	P378293	
		Chlorophyll-a, Uncorrected	25		ug/L	P378293	
2152884	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	47.1	Q	MPN/100 mL	P378234	

Sample Location: Culvert 12 Canal @ Harris Rd.

Collection Date/Time: 01/29/2020 13:50

Field ID: G4SE0046

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
-----------	-------------	-----------	--------	------	-------	----------	----------

Field ID: G4SE0046

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2152874	SM 10200 H (mod.)	Chlorophyll-a, Corrected	14		ug/L	P378293	
		Phaeophytin-a	8.3		ug/L	P378293	
		Chlorophyll-a, Uncorrected	20		ug/L	P378293	
2152882	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	9.8	Q	MPN/100 mL	P378234	

Sample Location: Pelican River @ McClure

Collection Date/Time: 01/29/2020 14:20

Field ID: G5SE0059

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2152873	SM 10200 H (mod.)	Chlorophyll-a, Corrected	8.3		ug/L	P378293	
		Phaeophytin-a	2.7	I	ug/L	P378293	
		Chlorophyll-a, Uncorrected	10		ug/L	P378293	
2152880	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	49.5	Q	MPN/100 mL	P378234	

Sample Location: Pelican River across from Palm Blvd.

Collection Date/Time: 01/29/2020 14:30

Field ID: G5SE0078

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2152881	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	42.2	Q	MPN/100 mL	P378234	

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)

Batch ID: P378293

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SM 9223 Quanti-Tray

Batch ID: P378234

Component	Result	Code	Units
Escherichia Coli-Quanti-Tray	1.0	U	MPN/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)

Batch ID: P378293

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	114		P	84 - 116

Quality Assurance Report Precision

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P378293

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2152879	Chlorophyll-a, Corrected	4.49	Sample	P	0 - 25
2152879	Chlorophyll-a, Uncorrected	3.06	Sample	P	0 - 25
2152879	Phaeophytin-a	7.96	Sample	P	0 - 25

Reference Method: SM 9223 Quanti-Tray
Batch ID: P378234

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2152711	Escherichia Coli-Quanti-Tray	11.8	Sample	P	0 - 80
2152885	Escherichia Coli-Quanti-Tray	68.9	Sample	P	0 - 80

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	Precision		
				LCS	SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	114			4.49	
	Chlorophyll-a, Uncorrected				3.06	
	Phaeophytin-a				7.96	
SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray				68.9	11.8

Reference Method Descriptions

Method	Description	Associated Samples
SM 10200 H (mod.)	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2152873, 2152874, 2152875, 2152876, 2152877, 2152878, 2152879
SM 9223 Quanti-Tray	Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems	2152880, 2152881, 2152882, 2152883, 2152884, 2152885, 2152886, 2152887

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 10200 H (mod.)	01/30/2020	01/30/2020 13:33	Carina A. Tull	02/04/2020 09:54	Jessica Fetgatter	2152873, 2152874, 2152875, 2152876, 2152877, 2152878, 2152879
SM 9223 Quanti-Tray	01/30/2020	01/30/2020 16:23	Yuliya Danyuk	01/31/2020 10:57	Anthony Mirabito	2152880, 2152881, 2152882, 2152883, 2152884, 2152885, 2152886, 2152887