

Biological Analysis Report

SE-DIST-2020-02-07-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **SMP-Palm Beach**
Request ID: **RQ-2020-01-20-25**
Customer: **SE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
2199 South Rock Road
Fort Pierce, FL 34945
Attn: Matthew Sewell

For additional information please contact
Cheryl Swanson - Administrator
Jacqueline Savage - Microbiology
Diane Power - Bench Biology
Andrew Tintle - Aquatic Toxicology
Puja Jasrotia, Ph.D. - Molecular Biology
Amelia Rankin - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Puja Jasrotia, Environmental Manager

Date Certified: 05-MAR-2020 13:34



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD and Microbiology.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Lake Clarke Center

Collection Date/Time: 02/06/2020 11:30

Field ID: G3SE0043

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2155689	SM 10200 H (mod.)	Chlorophyll-a, Corrected	17		ug/L	P378946	
		Phaeophytin-a	11		ug/L	P378946	
		Chlorophyll-a, Uncorrected	24		ug/L	P378946	

Sample Location: Pine Lake East of Airport Hotel

Collection Date/Time: 02/06/2020 12:40

Field ID: G3SE0051

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2155696	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	12.1	Q	MPN/100 mL	P378675	

Sample Location: Pine Lake Center

Collection Date/Time: 02/06/2020 12:50

Field ID: G3SE0045

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2155691	SM 10200 H (mod.)	Chlorophyll-a, Corrected	35		ug/L	P378946	
		Phaeophytin-a	11		ug/L	P378946	
		Chlorophyll-a, Uncorrected	43		ug/L	P378946	
2155695	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	12.1	Q	MPN/100 mL	P378675	

Sample Location: C-17 @ 45th

Collection Date/Time: 02/06/2020 13:25

Field ID: G3SE0023

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2155687	SM 10200 H (mod.)	Chlorophyll-a, Corrected	14		ug/L	P378857	
		Phaeophytin-a	7.7		ug/L	P378857	
		Chlorophyll-a, Uncorrected	19		ug/L	P378857	
2155692	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	97.8	AQ	MPN/100 mL	P378675	

Sample Location: Lake Mangonia North

Collection Date/Time: 02/06/2020 14:00

Field ID: G3SE0030

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2155690	SM 10200 H (mod.)	Chlorophyll-a, Corrected	8.8		ug/L	P378946	
		Phaeophytin-a	2.7		ug/L	P378946	
		Chlorophyll-a, Uncorrected	11		ug/L	P378946	
2155694	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	686.7	Q	MPN/100 mL	P378675	

Sample Location: M-Canal @ Haverhill

Collection Date/Time: 02/06/2020 15:00

Field ID: G3SE0029

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2155688	SM 10200 H (mod.)	Chlorophyll-a, Corrected	11		ug/L	P378946	
		Phaeophytin-a	1.7	I	ug/L	P378946	
		Chlorophyll-a, Uncorrected	12		ug/L	P378946	
2155693	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	307.6	Q	MPN/100 mL	P378675	

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)
Batch ID: P378857

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.89	U	ug/L
Chlorophyll-a, Uncorrected	0.65	U	ug/L
Phaeophytin-a	0.98	U	ug/L

Reference Method: SM 10200 H (mod.)
Batch ID: P378946

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SM 9223 Quanti-Tray
Batch ID: P378675

Component	Result	Code	Units
Escherichia Coli-Quanti-Tray	1.0	U	MPN/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P378857

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	100		P	84 - 116

Reference Method: SM 10200 H (mod.)
Batch ID: P378946

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	99.3		P	84 - 116

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P378857

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2155363	Chlorophyll-a, Corrected	8.27	Sample	P	0 - 25
2155363	Chlorophyll-a, Uncorrected	8.48	Sample	P	0 - 25
2155363	Phaeophytin-a	9.76	Sample	P	0 - 25

Reference Method: SM 10200 H (mod.)
Batch ID: P378946

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2156345	Chlorophyll-a, Corrected	9.87	Sample	P	0 - 25

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
 Batch ID: P378946

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2156345	Chlorophyll-a, Uncorrected	9.63	Sample	P	0 - 25
2156345	Phaeophytin-a	9.26	Sample	P	0 - 25

Reference Method: SM 9223 Quanti-Tray
 Batch ID: P378675

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2155692	Escherichia Coli-Quanti-Tray	50.1	Sample	P	0 - 80

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	Precision		
				LCS	SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	100			8.27	
	Chlorophyll-a, Corrected	99.3			9.87	
	Chlorophyll-a, Uncorrected				8.48	
	Chlorophyll-a, Uncorrected				9.63	
	Phaeophytin-a				9.76	
	Phaeophytin-a				9.26	
SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray				50.1	

Reference Method Descriptions

Method	Description	Associated Samples
SM 10200 H (mod.)	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2155687, 2155688, 2155689, 2155690, 2155691
SM 9223 Quanti-Tray	Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems	2155692, 2155693, 2155694, 2155695, 2155696

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 10200 H (mod.)	02/07/2020	02/07/2020 14:05	Carina A. Tull	02/12/2020 10:00	Jessica Fetgatter	2155687
	02/07/2020	02/07/2020 14:05	Carina A. Tull	02/13/2020 08:57	Jessica Fetgatter	2155688, 2155689, 2155690, 2155691
SM 9223 Quanti-Tray	02/07/2020	02/07/2020 16:42	Jessica Fetgatter	02/08/2020 13:25	Jessica Fetgatter	2155692, 2155693, 2155694, 2155695, 2155696