

Biological Analysis Report

SE-DIST-2020-02-19-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **SMP- MARTIN**
Request ID: **RQ-2020-01-27-22**
Customer: **SE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
2199 South Rock Road
Fort Pierce, FL 34945
Attn: Matthew Sewell

For additional information please contact
Cheryl Swanson - Administrator
Jacqueline Savage - Microbiology
Diane Power - Bench Biology
Jacqueline Savage - Aquatic Toxicology
Puja Jasrotia, Ph.D. - Molecular Biology
Amelia Rankin - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 06-MAR-2020 10:56



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD and Microbiology.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Willoughby Creek

Collection Date/Time: 02/18/2020 13:50

Field ID: G2SE0034

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2159193	SM 10200 H (mod.)	Chlorophyll-a, Corrected	13		ug/L	P379546	
		Phaeophytin-a	2.0	I	ug/L	P379546	
		Chlorophyll-a, Uncorrected	15		ug/L	P379546	
2159205	Enterolert/QT	Enterococci-Quanti-Tray	8664.0	Q	MPN/100 mL	P379363	

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: South Fork SLR @ Hosford Park

Collection Date/Time: 02/18/2020 14:45

Field ID: G2SE0043

Matrix: W-BRACKISH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2159194	SM 10200 H (mod.)	Chlorophyll-a, Corrected	22		ug/L	P379546	
		Phaeophytin-a	1.8	I	ug/L	P379546	
		Chlorophyll-a, Uncorrected	24		ug/L	P379546	
2159206	Enterolert/QT	Enterococci-Quanti-Tray	277.3	AQ	MPN/100 mL	P379363	

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Roebuck Creek @ Locks

Collection Date/Time: 02/18/2020 15:00

Field ID: G2SE0029

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2159195	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.3	I	ug/L	P379621	
		Phaeophytin-a	1.1	I	ug/L	P379621	
		Chlorophyll-a, Uncorrected	3.0		ug/L	P379621	
2159207	Enterolert/QT	Enterococci-Quanti-Tray	727.0	Q	MPN/100 mL	P379363	

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Lake Eden

Collection Date/Time: 02/18/2020 10:45

Field ID: G2SE0014

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2159191	SM 10200 H (mod.)	Chlorophyll-a, Corrected	12		ug/L	P379546	
		Phaeophytin-a	2.8		ug/L	P379546	
		Chlorophyll-a, Uncorrected	14		ug/L	P379546	

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Warner Creek @ 24th

Collection Date/Time: 02/18/2020 12:00

Field ID: G2SE0038

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2159192	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.9		ug/L	P379546	
		Phaeophytin-a	2.1	I	ug/L	P379546	

Field ID: G2SE0038

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2159192	SM 10200 H (mod.)	Chlorophyll-a, Uncorrected	5.3		ug/L	P379546	
2159204	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	816.4	Q	MPN/100 mL	P379363	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Bessey Creek @ Murphy

Collection Date/Time: 02/18/2020 13:00

Field ID: G2SE0017

Matrix: W-BRACKISH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2159196	SM 10200 H (mod.)	Chlorophyll-a, Corrected	4.8		ug/L	P379621	
		Phaeophytin-a	0.90	U	ug/L	P379621	
		Chlorophyll-a, Uncorrected	5.2		ug/L	P379621	
2159208	Enterolert/QT	Enterococci-Quanti-Tray	146.0	Q	MPN/100 mL	P379363	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Danforth Creek @ Martin Hwy

Collection Date/Time: 02/18/2020 13:30

Field ID: G2SE0018

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2159197	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.2		ug/L	P379621	
		Phaeophytin-a	1.9	I	ug/L	P379621	
		Chlorophyll-a, Uncorrected	4.5		ug/L	P379621	
2159209	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	328.2	AQ	MPN/100 mL	P379363	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Quality Assurance Report Method Blank Results

Reference Method: Enterolert/QT

Batch ID: P379363

Component	Result	Code	Units
Enterococci-Quanti-Tray	1.0	U	MPN/100 mL

Reference Method: SM 10200 H (mod.)

Batch ID: P379546

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SM 10200 H (mod.)

Batch ID: P379621

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)
Batch ID: P379621

Component	Result	Code	Units
Phaeophytin-a	0.90	U	ug/L

Reference Method: SM 9223 Quanti-Tray
Batch ID: P379363

Component	Result	Code	Units
Escherichia Coli-Quanti-Tray	1.0	U	MPN/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P379546

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	99.2		P	84 - 116

Reference Method: SM 10200 H (mod.)
Batch ID: P379621

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	96.5		P	84 - 116

Quality Assurance Report Precision

Reference Method: Enterolert/QT
Batch ID: P379363

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2159206	Enterococci-Quanti-Tray	48.7	Sample	P	0 - 80

Reference Method: SM 10200 H (mod.)
Batch ID: P379546

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2159183	Chlorophyll-a, Corrected	21.6	Sample	P	0 - 25
2159183	Chlorophyll-a, Uncorrected	20.4	Sample	P	0 - 25

Reference Method: SM 9223 Quanti-Tray
Batch ID: P379363

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2158765	Escherichia Coli-Quanti-Tray	6.43	Sample	P	0 - 80
2159209	Escherichia Coli-Quanti-Tray	22.7	Sample	P	0 - 80

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	Precision		
				LCS	SMP	MS
Enterolert/QT	Enterococci-Quanti-Tray				48.7	
SM 10200 H (mod.)	Chlorophyll-a, Corrected	99.2			21.6	
	Chlorophyll-a, Corrected	96.5				
	Chlorophyll-a, Uncorrected				20.4	
SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray				6.43	22.7

Reference Method Descriptions

Method	Description	Associated Samples
Enterolert/QT	Enterococci by Enterolert Quanti-Tray method - non-chlorinated water systems	2159205, 2159206, 2159207, 2159208
SM 10200 H (mod.)	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2159191, 2159192, 2159193, 2159194, 2159195, 2159196, 2159197
SM 9223 Quanti-Tray	Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems	2159204, 2159209

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
Enterolert/QT	02/19/2020	02/19/2020 15:20	Anthony Mirabito	02/20/2020 15:46	Jessica Sherman	2159205, 2159206, 2159207, 2159208
SM 10200 H (mod.)	02/19/2020	02/19/2020 14:01	Yuliya Danyuk	02/24/2020 08:20	Jessica Fetgatter	2159191, 2159192, 2159193, 2159194
	02/19/2020	02/19/2020 14:01	Yuliya Danyuk	02/24/2020 13:50	Jessica Fetgatter	2159195, 2159196, 2159197
SM 9223 Quanti-Tray	02/19/2020	02/19/2020 16:21	Anthony Mirabito	02/20/2020 12:19	Jessica Sherman	2159204, 2159209