Login Checklist

RQ- 2020-06-22-46

Login Station ID: #5

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 6/ 25 /20 @ 11:00

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO_3	Formalin		Yes	No	Yes	No	
0.3				12 (5)		✓			1278 4012 1668
0.2				15		✓			1278 4012 1679

***All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.**

- If the temperature of a cooler exceeds 6.0 °C (above 10.0 °C for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. **NCR#** _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. **NCR#** _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. **NCR#** _____

Chain of Custody/ Field Sheet(s) Included? Yes ✓ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes _____ No ✓

CONTAINER CHECK

Evidence Tape on Bottles? Yes ____ No ____ NA ✓ Evidence Tape intact? Yes ____ No ____

If Criminal, photographs taken? Yes ____ No ____ Containers intact? Yes ✓ No ____

Caps on tight? Yes ✓ No ____

Sufficient Sample Volume: Yes ✓ No ____

If NO is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? *(Blue dot on container)* Yes ✓ No ____ Init: HK

Chlorine detected? *(One container checked per Field ID)* Yes ____ No ✓ Init: HK

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK *(EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")*

**Acid Preserved Samples: pH< 2.0? Yes ✓ No ____ NA ____ Init: HK

**W-1-4-DIOX *(Green dot on container)* preserved to pH<4.0? Yes ____ No ____ NA ✓ Init: HK

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: HK **Date:** 6/ 25 /20 **Event contains NCRs (Y/N)?** N

Event ID: SMP- 2893S/3154A/3188B pickups
SE-DIST-2020-06-25-01 (SMP)
- Date Received: 25-JUN-2020 11:00

Login Checklist

Login Preservation Equipment

Infrared Thermometer ID:	IR TEMP GUN #5
pH Test Strips 0 – 6 Lot #	213316BV EXP:5-15-21
pH Paper 0 – 3 Lot #	
pH Paper 0 – 13 Lot #	231019 EXP:11-1-22
Chlorine Test Strips Lot #	8261 EXP:07-2021

Additional Comments:

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes_____ Init:_____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes_____ No _____

If no, were samples shipped on dry ice? Yes_____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes_____ No_____

Date and time samples preserved: _____

Request Number: RQ-2020-06-22-46

SMP- 2893S/3154A/3188B pickups

Florida Department of Environmental Protection
Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SE-DIST

Project ID: SMP

Requester: Jordan Skaggs

Collected By: Drew Liddick Kristene Taylor

Field Report Prepared By: Drew Liddick

Sampling Agency: 21FLWPB

Location: Fort Drum Marsh Conservation Area Northeast Entrance

WIN ID/Field ID: G3SE0052

Latitude ☐ dd ☐ dms | Longitude ☐ dd ☐ dms

☐ Comp ☑ Grab | Collection (comp begin or grab) Date 06/24/2020 Time 1250 | Eastern / Central | Composite end Date — Time —

Matrix (type, e.g., Salt, Fresh, etc): Fresh

Diss. Oxygen: 0.31 ☑ mg/L ☐ % sat

Total Res. Chlorine (mg/L): —

Temp (C): 26.0

pH: 5.71

Sample Depth: 0.3 ☐ ft ☑ m

Sp. Conductance (umho/cm): 160.3

Salinity (ppt): 0.07

Comments:

Bottle Group(s) (See pg 2): D

Location: Fort Drum Creek @ 441

WIN ID/Field ID: G3SE0024

Latitude ☐ dd ☐ dms | Longitude ☐ dd ☐ dms

☐ Comp ☑ Grab | Collection (comp begin or grab) Date 06/24/2020 Time 1335 | Eastern / Central | Composite end Date — Time —

Matrix (type, e.g., Salt, Fresh, etc): Fresh

Diss. Oxygen: 3.82 ☑ mg/L ☐ % sat

Total Res. Chlorine (mg/L): —

Temp (C): 28.1

pH: 5.72

Sample Depth: 0.15 ☐ ft ☑ m

Sp. Conductance (umho/cm): 117.6

Salinity (ppt): 0.05

Comments:

Bottle Group(s): A

Location: Fort Drum Creek @ 441

WIN ID/Field ID: FB_06242020

Latitude ☐ dd ☐ dms | Longitude ☐ dd ☐ dms

☐ Comp ☑ Grab | Collection (comp begin or grab) Date 06/24/2020 Time 1345 | Eastern / Central | Composite end Date — Time —

Matrix (type, e.g., Salt, Fresh, etc):

Diss. Oxygen: ☐ mg/L ☐ % sat

Total Res. Chlorine (mg/L):

Temp (C):

pH:

Sample Depth: ☐ ft ☐ m

Sp. Conductance (umho/cm):

Salinity (ppt):

Comments:

Bottle Group(s): B

Location: Gore Branch @ 724

WIN ID/Field ID: G4SE0130

Latitude ☐ dd ☐ dms | Longitude ☐ dd ☐ dms

☐ Comp ☑ Grab | Collection (comp begin or grab) Date 06/24/2020 Time 1420 | Eastern / Central | Composite end Date — Time —

Matrix (type, e.g., Salt, Fresh, etc): Fresh

Diss. Oxygen: 3.10 ☑ mg/L ☐ % sat

Total Res. Chlorine (mg/L): —

Temp (C): 29.7

pH: 6.73

Sample Depth: 0.3 ☐ ft ☑ m

Sp. Conductance (umho/cm): 221.5

Salinity (ppt): 0.10

Comments:

Bottle Group(s): C

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
FDEP	06/24/2020	FEDEX	2	KH	6.25.20 / 1100

Group:	Bottle Type:		# of Bottles:		Preservative:		Enter Number of Bottles Sent to Lab
A	P-1L	1		ICE			

ALKALINITY
TURBIDITY
W-CL-IC
W-COLOR
W-F
W-SO4-IC
W-TDS
W-TSS

Group:	Bottle Type:		# of Bottles:		Preservative:		Enter Number of Bottles Sent to Lab
A	BP-1L	1		ICE			

CHLSUITE-W

Group:	Bottle Type:		# of Bottles:		Preservative:		Enter Number of Bottles Sent to Lab
A	P-250ML-WO-THI	1		ICE			

ECOLI-18QT

Group:	Bottle Type:		# of Bottles:		Preservative:		Enter Number of Bottles Sent to Lab
A	BG-500ML	1		ICE			

W-E8321-DI
W-E8321-MS

Group:	Bottle Type:		# of Bottles:		Preservative:		Enter Number of Bottles Sent to Lab
A	P-500ML	1		ICE And H2SO4			

W-NH3
W-NO2NO3
W-S-A-TP
W-TKN
W-TOC

Group:	Bottle Type:		# of Bottles:		Preservative:		Enter Number of Bottles Sent to Lab
A	P-125ML	1		FILTER-ICE			

W-PO4-F

Group:	Bottle Type:		# of Bottles:		Preservative:		Enter Number of Bottles Sent to Lab
B	P-1L	1		ICE			

ALKALINITY
TURBIDITY
W-CL-IC
W-COLOR
W-F
W-SO4-IC
W-TDS
W-TSS

Group: B	Bottle Type:	BG-500ML	# of Bottles: 1	Preservative:	ICE	**Enter Number of Bottles Sent to Lab**	
	W-E8321-DI W-E8321-MS						
Group: B	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	**Enter Number of Bottles Sent to Lab**	
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						
Group: B	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	**Enter Number of Bottles Sent to Lab**	
	W-PO4-F						
Group: C	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	**Enter Number of Bottles Sent to Lab**	
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS						
Group: C	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	**Enter Number of Bottles Sent to Lab**	
	CHLSUITE-W						
Group: C	Bottle Type:	P-250ML-WO-THI	# of Bottles: 1	Preservative:	ICE	**Enter Number of Bottles Sent to Lab**	
	ECOLI-18QT						
Group: C	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	**Enter Number of Bottles Sent to Lab**	
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						
Group: C	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	**Enter Number of Bottles Sent to Lab**	
	W-PO4-F						
Group: D	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	**Enter Number of Bottles Sent to Lab**	

Group: D	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	**Enter Number of Bottles Sent to Lab**	
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS						
Group: D	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	**Enter Number of Bottles Sent to Lab**	
	CHLSUITE-W						
Group: D	Bottle Type:	P-250ML-WO-THI	# of Bottles: 1	Preservative:	ICE	**Enter Number of Bottles Sent to Lab**	
	ECOLI-18QT						
Group: D	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	**Enter Number of Bottles Sent to Lab**	
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						
Group: D	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	**Enter Number of Bottles Sent to Lab**	
	W-PO4-F						

RQ-2020-06-22-46

Date of Request: 18-JUN-2020
Created By: SKAGGS_J On: 18-JUN-2020
Modified By: JASROTIA_P On: 23-JUN-2020
Customer: SE-DIST
Project: SMP
Division: Division of Environmental Assessment and Restoration
District: Southeast District
Event Description: SMP- 2893S/3154A/3188B pickups

Send Coolers To:

Phone: (772) 4485884
FL Dept. of Environmental Protection
2199 South Rock Road
Fort Pierce, FL 34945
Attn: Jordan Skaggs
Cooler Ship EMail: jordan.skaggs@FloridaDEP.gov

Priority: 3
Event Status: A
Criminal Investigation: NO
Chemistry Request Reviewed By: WATTS_J On: 19-JUN-2020
Biology Request Reviewed By: JASROTIA_P On: 23-JUN-2020
Sampling Kit Required: NO Ship on:
Sampling Kit Shipped:
Sampling Kit Packed By:
Preservatives Needed: NO
Date to Receive Samples: 24-JUN-2020
Logged In By:

Send Final Report To:

FL Dept. of Environmental Protection
2199 South Rock Road
Fort Pierce, FL 34945
Attn: Drew Liddick
Report Notification EMail:
drew.liddick@FloridaDEP.gov;jordan.skaggs@floridadep.gov

Comments: Sampler Comments:

Bottle Group A: 3154A - G3SE0024
nutrients, e.coli, tracers
if G3SE0024 is dry use G3SE0046 as backup

Bottle Group B: Field Blank @ G3SE0024 or G3SE0046 if needed

Bottle Group C: 3188B - G4SE0130
nutrients, e.coli

Bottle Group D:2893S - G3SE0052
(new station not yet created)
Fort Drum Marsh Conservation Area Northeast Entrance
Indian River County
27.638983, -80.678485

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L Number of Bottles: 1 Preserved With: ICE

ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR Color (true)	Template: DEFAULT	(SM 2120 B-2011) True Color measured at 450 nm (not valid for NPDES monitoring)
W-F	Template: DEFAULT	(SM 4500 F-C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2011) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Bottle Type: BP-1L Number of Bottles: 1 Preserved With: ICE

CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: P-250ML-WO-THI Number of Bottles: 1 Preserved With: ICE

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-250ML-WO-THI Number of Bottles: 1 Preserved With: ICE

ECOLI-18QT	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems

Bottle Type: BG-500ML Number of Bottles: 1 Preserved With: ICE

W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Type: P-500ML Number of Bottles: 1 Preserved With: ICE And H2SO4

W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Type: P-125ML Number of Bottles: 1 Preserved With: FILTER-ICE

W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-125ML Number of Bottles: 1 Preserved With: FILTER-ICE

W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Type: P-1L Number of Bottles: 1 Preserved With: ICE

ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR Color (true)	Template: DEFAULT	(SM 2120 B-2011) True Color measured at 450 nm (not valid for NPDES monitoring)
W-F	Template: DEFAULT	(SM 4500 F-C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2011) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Bottle Type: BG-500ML Number of Bottles: 1 Preserved With: ICE

W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Type: P-500ML Number of Bottles: 1 Preserved With: ICE And H2SO4

W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-1L Number of Bottles: 1 Preserved With: ICE

ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR Color (true)	Template: DEFAULT	(SM 2120 B-2011) True Color measured at 450 nm (not valid for NPDES monitoring)
W-F	Template: DEFAULT	(SM 4500 F-C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2011) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Bottle Type: BP-1L Number of Bottles: 1 Preserved With: ICE

CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: P-250ML-WO-THI Number of Bottles: 1 Preserved With: ICE

ECOLI-18QT	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems

Bottle Type: P-500ML Number of Bottles: 1 Preserved With: ICE And H2SO4

W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-500ML Number of Bottles: 1 Preserved With: ICE And H2SO4

W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Type: P-125ML Number of Bottles: 1 Preserved With: FILTER-ICE

W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group D (Water) With 1 Samples:

Bottle Type: P-1L Number of Bottles: 1 Preserved With: ICE

ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR Color (true)	Template: DEFAULT	(SM 2120 B-2011) True Color measured at 450 nm (not valid for NPDES monitoring)
W-F	Template: DEFAULT	(SM 4500 F-C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2011) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Bottle Type: BP-1L Number of Bottles: 1 Preserved With: ICE

CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: P-250ML-WO-THI Number of Bottles: 1 Preserved With: ICE

ECOLI-18QT	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems

Bottle Type: P-500ML Number of Bottles: 1 Preserved With: ICE And H2SO4

W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Type: P-125ML Number of Bottles: 1 Preserved With: FILTER-ICE

W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.