

Chemical Analysis Report

SE-DIST-2020-06-26-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **SMP- 3210E, 3215, 3194G, 3161, 3152B pickups**
Request ID: **RQ-2020-06-22-48**
Customer: **SE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
2199 South Rock Road
Fort Pierce, FL 34945
Attn: Drew Liddick

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 16-JUL-2020 15:31

A handwritten signature in black ink, appearing to read "Liang Lin", is shown on a light-colored background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Nutrients and Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Padgett Branch @ 441

Collection Date/Time: 06/25/2020 10:15

Field ID: G3SE0026

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2179029	EPA 180.1 Rev. 2.0	Turbidity	6.6		NTU	P383753	
	EPA 300.0 Rev. 2.1	Chloride	20		mg Cl/L	P384002	
		Sulfate	4.3		mg SO4/L	P384004	
	SM 2120 B-2011	Color (true)	300		PCU	P383760	
	SM 2320 B-2011	Total Alkalinity	44		mg CaCO3/L	P383848	
	SM 2540 C-2011	TDS	159		mg/L	P384363	
	SM 2540 D-2011	TSS	12		mg/L	P384354	
2179032	SM 4500 F-C-2011	Fluoride	0.11		mg F/L	P383854	
	EPA 350.1 Rev. 2.0	Ammonia-N	0.048		mg N/L	P383773	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.9		mg N/L	P383909	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	I	mg N/L	P383914	
	EPA 365.1 Rev. 2.0	Total-P	0.38		mg P/L	P383865	
2179035	SM 5310 B-2011	Organic Carbon	32		mg C/L	P383904	
	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.21		mg P/L	P383775	

Ref. Method and Comment:

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: Sweetwater Branch @ 441

Collection Date/Time: 06/25/2020 10:40

Field ID: G3SE0025

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2179030	EPA 180.1 Rev. 2.0	Turbidity	2.8		NTU	P383753	
	EPA 300.0 Rev. 2.1	Chloride	32		mg Cl/L	P384002	
		Sulfate	7.2		mg SO4/L	P384004	
	SM 2120 B-2011	Color (true)	71	A	PCU	P383761	
	SM 2320 B-2011	Total Alkalinity	36	A	mg CaCO3/L	P383851	
	SM 2540 C-2011	TDS	124		mg/L	P384363	
	SM 2540 D-2011	TSS	3	I	mg/L	P384354	
	SM 4500 F-C-2011	Fluoride	0.11		mg F/L	P383855	
	EPA 350.1 Rev. 2.0	Ammonia-N	0.93		mg N/L	P383773	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.8		mg N/L	P383909	
2179033	EPA 353.2 Rev. 2.0	NO2NO3-N	0.10		mg N/L	P383914	
	EPA 365.1 Rev. 2.0	Total-P	0.30		mg P/L	P383865	
	SM 5310 B-2011	Organic Carbon	12		mg C/L	P383904	
	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.23		mg P/L	P383775	

Ref. Method and Comment:

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: Lake Eden

Collection Date/Time: 06/25/2020 12:45

Field ID: G2SE0014

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2179026	EPA 180.1 Rev. 2.0	Turbidity	2.0		NTU	P383753	
	EPA 300.0 Rev. 2.1	Chloride	34		mg Cl/L	P384002	
		Sulfate	3.7		mg SO4/L	P384004	
	SM 2120 B-2011	Color (true)	150		PCU	P383760	
	SM 2320 B-2011	Total Alkalinity	22		mg CaCO3/L	P383848	
	SM 2540 C-2011	TDS	115		mg/L	P384363	
	SM 2540 D-2011	TSS	3	I	mg/L	P384354	
2179027	SM 4500 F-C-2011	Fluoride	0.079	I	mg F/L	P383854	
	EPA 350.1 Rev. 2.0	Ammonia-N	0.005	I	mg N/L	P383773	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.1		mg N/L	P383909	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P383913	
	EPA 365.1 Rev. 2.0	Total-P	0.032		mg P/L	P383865	
	SM 5310 B-2011	Organic Carbon	19		mg C/L	P383904	
2179028	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P383775	

Ref. Method and Comment:

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: Roebuck Creek @ Locks

Collection Date/Time: 06/25/2020 13:35

Field ID: G2SE0029

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2179038	EPA 180.1 Rev. 2.0	Turbidity	4.4		NTU	P383753	
	EPA 300.0 Rev. 2.1	Bromide	0.11		mg Br/L	P384097	
	SM 2320 B-2011	Total Alkalinity	175		mg CaCO3/L	P383851	
	SM 2540 D-2011	TSS	3	I	mg/L	P384358	
	SM 4500 F-C-2011	Fluoride	0.19		mg F/L	P383855	
2179039	EPA 350.1 Rev. 2.0	Ammonia-N	0.073		mg N/L	P383773	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.87		mg N/L	P383909	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.13		mg N/L	P383914	
	EPA 365.1 Rev. 2.0	Total-P	0.40		mg P/L	P383865	
	SM 5310 B-2011	Organic Carbon	14		mg C/L	P383904	
2179040	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.32		mg P/L	P383775	
2179058	EPA 8321B	2,4-D	0.014		ug/L	P383612	
		Acesulfame K**	0.27	I	ug/L	P383676	
		AMPA**	0.49		ug/L	P383676	
		Sucralose**	2.1		ug/L	P383676	
		Acetaminophen**	0.0080	U	ug/L	P383612	
		Acetamiprid**	0.0020	U	ug/L	P383612	
		Endothall**	0.25	U	ug/L	P383676	
		Glufosinate**	0.10	U	ug/L	P383676	
		Glyphosate**	0.67		ug/L	P383676	
		Afidopyropen**	0.0020	U	ug/L	P383612	
		Bentazon	0.060		ug/L	P383612	
		Benzovindiflupyr**	0.0020	U	ug/L	P383612	
		Carbamazepine**	0.0030	I	ug/L	P383612	
		Clothianidin**	0.15		ug/L	P383612	
		Dinotefuran**	0.0020	U	ug/L	P383612	
		Diuron	0.0042	I	ug/L	P383612	
		Fenuron	0.016	U	ug/L	P383612	
		Fluridone**	0.0013	I	ug/L	P383612	
		Imazapyr**	0.11		ug/L	P383612	
		Hydrocodone**	0.0020	U	ug/L	P383612	
		Ibuprofen**	0.020	U	ug/L	P383612	
		Imidacloprid	0.049		ug/L	P383612	
		Linuron	0.0040	U	ug/L	P383612	
		Mandestrobin**	0.0020	U	ug/L	P383612	
		MCP	0.0020	U	ug/L	P383612	
		Naproxen**	0.0080	U	ug/L	P383612	
		Primidone**	0.014	I	ug/L	P383612	
		Pyraclostrobin**	0.0020	U	ug/L	P383612	
		Thiamethoxam**	0.0020	U	ug/L	P383612	
		Tolfenpyrad**	0.0020	U	ug/L	P383612	
		Triclopyr**	0.0040	U	ug/L	P383612	

Field ID: G2SE0029

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
-----------	-------------	-----------	--------	------	-------	----------	----------

Ref. Method and Comment:
SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.
EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.
EPA 8321B: MS accuracy for bentazon could not be assessed due to high concentration of parameter in the spiked sample.

Sample Location: Danforth Creek @ Martin Hwy

Collection Date/Time: 06/25/2020 14:00

Field ID: G2SE0018

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2179031	EPA 180.1 Rev. 2.0	Turbidity	6.9		NTU	P383753	
	EPA 300.0 Rev. 2.1	Chloride	43	A	mg Cl/L	P384003	
		Sulfate	42	A	mg SO4/L	P384005	
	SM 2120 B-2011	Color (true)	140		PCU	P383761	
	SM 2320 B-2011	Total Alkalinity	102		mg CaCO3/L	P383851	
	SM 2540 C-2011	TDS	277		mg/L	P384363	
	SM 2540 D-2011	TSS	6	I	mg/L	P384354	
	SM 4500 F-C-2011	Fluoride	0.078	I	mg F/L	P383855	
	EPA 350.1 Rev. 2.0	Ammonia-N	0.047		mg N/L	P383773	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.99		mg N/L	P383909	
2179034	EPA 353.2 Rev. 2.0	NO2NO3-N	0.056		mg N/L	P383914	
	EPA 365.1 Rev. 2.0	Total-P	0.11		mg P/L	P383865	
	SM 5310 B-2011	Organic Carbon	20		mg C/L	P383904	
	EPA 365.1 Rev. 2.0	O-Phosphate-P	0.055		mg P/L	P383775	
	dissolved						

Ref. Method and Comment:

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P383753

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P384002

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P384003

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P384004

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P384005

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P384097

Component	Result	Code	Units
Bromide	0.013	U	mg Br/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P383773

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P383909

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P383913

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P383914

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P383865

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P383775

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 8321B
Batch ID: P383612

Component	Result	Code	Units
2,4-D	0.0020	U	ug/L
Acetaminophen	0.0080	U	ug/L
Acetamiprid	0.0020	U	ug/L
Afidopyropen	0.0020	U	ug/L
Bentazon	8.0E-04	U	ug/L
Benzovindiflupyr	0.0020	U	ug/L
Carbamazepine	8.0E-04	U	ug/L
Clothianidin	0.0020	U	ug/L
Dinotefuran	0.0020	U	ug/L
Diuron	0.0020	U	ug/L
Fenuron	0.016	U	ug/L
Fluridone	8.0E-04	U	ug/L
Hydrocodone	0.0020	U	ug/L
Ibuprofen	0.020	U	ug/L
Imazapyr	0.0040	U	ug/L
Imidacloprid	0.0020	U	ug/L
Linuron	0.0040	U	ug/L
Mandestrobin	0.0020	U	ug/L
MCPP	0.0020	U	ug/L
Naproxen	0.0080	U	ug/L
Primidone	0.0040	U	ug/L
Pyraclostrobin	0.0020	U	ug/L
Thiamethoxam	0.0020	U	ug/L
Tolfenpyrad	0.0020	U	ug/L
Triclopyr	0.0040	U	ug/L

Reference Method: EPA 8321B
Batch ID: P383676

Component	Result	Code	Units
Acesulfame K	0.10	U	ug/L
AMPA	0.10	U	ug/L
Endothall	0.25	U	ug/L
Glufosinate	0.10	U	ug/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 8321B
Batch ID: P383676

Component	Result	Code	Units
Glyphosate	0.10	U	ug/L
Sucralose	0.010	U	ug/L

Reference Method: SM 2120 B-2011
Batch ID: P383760

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2120 B-2011
Batch ID: P383761

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-2011
Batch ID: P383848

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2320 B-2011
Batch ID: P383851

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-2011
Batch ID: P384363

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-2011
Batch ID: P384354

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 2540 D-2011
Batch ID: P384358

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-2011
Batch ID: P383854

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Quality Assurance Report Method Blank Results

Reference Method: SM 4500 F-C-2011
Batch ID: P383855

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-2011
Batch ID: P383904

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P384002

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	98.6		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P384003

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	97.4		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P384004

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	97.8		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P384005

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	95.8		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P384097

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Bromide	99.6		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P383773

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	97.3		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P383909

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	104		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P383913

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	100		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P383914

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	100		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P383865

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	103		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P383775

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	97.5		P	90 - 110

Reference Method: EPA 8321B
Batch ID: P383612

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2,4-D	104		P	30 - 160
Acetaminophen	76.7		P	30 - 160
Acetamiprid	77.4		P	30 - 160
Afidopyropen	58.1		P	30 - 160
Bentazon	56.3		P	30 - 160
Benzovindiflupyr	58.9		P	30 - 160
Carbamazepine	62.1		P	30 - 160
Clothianidin	86.7		P	30 - 160
Dinotefuran	87.2		P	30 - 160
Diuron	56.4		P	30 - 160
Fenuron	103		P	30 - 160
Fluridone	73.6		P	30 - 160
Hydrocodone	89.8		P	30 - 160
Ibuprofen	55.9		P	30 - 160
Imazapyr	78.8		P	30 - 160
Imidacloprid	92.9		P	30 - 160
Linuron	54.6		P	30 - 160
Mandestrobin	66.7		P	30 - 160
MCPP	110		P	30 - 160
Naproxen	58.2		P	30 - 160
Primidone	82.1		P	30 - 160
Pyraclostrobin	59.0		P	30 - 160
Thiamethoxam	78.9		P	30 - 160
Tolfenpyrad	44.7		P	30 - 160
Triclopyr	75.2		P	30 - 160

Reference Method: EPA 8321B
Batch ID: P383676

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Acesulfame K	107		P	40 - 150
AMPA	113		P	40 - 150
Endothall	79.9		P	40 - 150
Glufosinate	115		P	40 - 150
Glyphosate	90.6		P	40 - 140
Sucralose	75.9		P	40 - 150

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: SM 2120 B-2011
Batch ID: P383760

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	98.7		P	85 - 115

Reference Method: SM 2120 B-2011
Batch ID: P383761

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	100		P	85 - 115

Reference Method: SM 2320 B-2011
Batch ID: P383848

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	99.6		P	93 - 104

Reference Method: SM 2320 B-2011
Batch ID: P383851

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	102		P	93 - 104

Reference Method: SM 4500 F-C-2011
Batch ID: P383854

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	96.8		P	90 - 106

Reference Method: SM 4500 F-C-2011
Batch ID: P383855

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	99.6		P	90 - 106

Reference Method: SM 5310 B-2011
Batch ID: P383904

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	107		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P384002

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2178770	Chloride	95.8		P	90 - 110
2178922	Chloride	97.7		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P384003

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2179031	Chloride	97.0		P	90 - 110
2179313	Chloride	98.4		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P384004

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2178770	Sulfate	94.8		P	90 - 110
2178922	Sulfate	95.5		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P384005

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2179031	Sulfate	98.7		P	90 - 110
2179313	Sulfate	97.3		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P384097

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2178358	Bromide	98.8		P	90 - 110
2179038	Bromide	97.7	95.3	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P383773

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2178964	Ammonia-N	99.6	99.0	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P383913

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2178923	NO2NO3-N	99.5	99.0	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P383914

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2179033	NO2NO3-N	98.0	97.0	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P383865

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2179027	Total-P	102	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P383775

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2179085	O-Phosphate-P	98.0	98.3	P/P	90 - 110

Reference Method: EPA 8321B
 Batch ID: P383612

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2177972	2,4-D	117	106	P/P	30 - 160
2177972	Acetaminophen	107	97.5	P/P	30 - 160
2177972	Acetamiprid	85.6	75.7	P/P	30 - 160
2177972	Afidopyropen	69.1	62.5	P/P	30 - 160
2177972	Benzovindiflupyr	74.2	73.6	P/P	30 - 160
2177972	Carbamazepine	72.7	68.4	P/P	30 - 160
2177972	Clothianidin	111	99.8	P/P	30 - 160
2177972	Dinotefuran	111	104	P/P	30 - 160
2177972	Diuron	63.6	59.3	P/P	30 - 160
2177972	Fenuron	103	94.5	P/P	30 - 160
2177972	Fluridone	84.8	84.8	P/P	30 - 160
2177972	Hydrocodone	102	88.1	P/P	30 - 160
2177972	Ibuprofen	73.2	69.5	P/P	30 - 160
2177972	Imazapyr	103	95.6	P/P	30 - 160
2177972	Imidacloprid	150	143	P/P	30 - 160
2177972	Linuron	63.7	60.3	P/P	30 - 160
2177972	Mandestrobin	68.7	74.2	P/P	30 - 160
2177972	MCP	132	126	P/P	30 - 160
2177972	Naproxen	103	116	P/P	30 - 160
2177972	Primidone	94.8	83.8	P/P	30 - 160
2177972	Pyraclostrobin	75.1	67.7	P/P	30 - 160
2177972	Thiamethoxam	106	98.4	P/P	30 - 160
2177972	Tolfenpyrad	41.7	35.9	P/P	30 - 160
2177972	Triclopyr	106	103	P/P	30 - 160

Reference Method: EPA 8321B
 Batch ID: P383676

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2178566	Acesulfame K	41.7	43.4	P/P	40 - 150
2178566	AMPA	116	120	P/P	40 - 150
2178566	Endothall	79.9	83.2	P/P	40 - 150
2178566	Glufosinate	95.9	90.4	P/P	40 - 150
2178566	Glyphosate	81.8	88.6	P/P	40 - 140
2178566	Sucralose	75.8	78.4	P/P	40 - 150

Reference Method: SM 4500 F-C-2011
 Batch ID: P383854

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
---------------	-----------	---------	---------	-----------	----------------

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SM 4500 F-C-2011
Batch ID: P383854

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2178942	Fluoride	97.9	96.2	P/P	94 - 107

Reference Method: SM 4500 F-C-2011
Batch ID: P383855

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2179030	Fluoride	97.8	96.6	P/P	94 - 107

Reference Method: SM 5310 B-2011
Batch ID: P383904

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2178964	Organic Carbon	108	111	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P383753

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2178969	Turbidity	8.07	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P384002

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2178922	Chloride	1.23	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P384003

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2179031	Chloride	0.386	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P384004

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2178922	Sulfate	1.21	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P384005

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2179031	Sulfate	0.735	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P384097

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2179038	Bromide	1.98	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P383773

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2178964	Ammonia-N	0.561	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P383909

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2179071	Kjeldahl Nitrogen	6.38	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P383913

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2178923	NO2NO3-N	0.504	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P383914

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2179033	NO2NO3-N	0.671	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P383865

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2179027	Total-P	0.545	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P383775

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2179085	O-Phosphate-P	0.306	Spike	P	0 - 20

Reference Method: EPA 8321B
Batch ID: P383612

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2177972	2,4-D	9.73	Spike	P	0 - 30
2177972	Acetaminophen	9.50	Spike	P	0 - 30
2177972	Acetamiprid	12.2	Spike	P	0 - 30
2177972	Afidopyropen	10.0	Spike	P	0 - 30
2177972	Bentazon	5.51	Spike	P	0 - 30
2177972	Benzovindiflupyr	0.733	Spike	P	0 - 30
2177972	Carbamazepine	6.17	Spike	P	0 - 30
2177972	Clothianidin	4.74	Spike	P	0 - 30
2177972	Dinotefuran	6.53	Spike	P	0 - 30
2177972	Diuron	6.97	Spike	P	0 - 30
2177972	Fenuron	8.96	Spike	P	0 - 30
2177972	Fluridone	0.0141	Spike	P	0 - 30
2177972	Hydrocodone	15.0	Spike	P	0 - 30
2177972	Ibuprofen	5.24	Spike	P	0 - 30
2177972	Imazapyr	6.62	Spike	P	0 - 30
2177972	Imidacloprid	3.59	Spike	P	0 - 30
2177972	Linuron	5.60	Spike	P	0 - 30
2177972	Mandestrobin	7.81	Spike	P	0 - 30
2177972	MCP	4.74	Spike	P	0 - 30
2177972	Naproxen	12.1	Spike	P	0 - 30
2177972	Primidone	11.3	Spike	P	0 - 30
2177972	Pyraclostrobin	10.3	Spike	P	0 - 30
2177972	Thiamethoxam	7.08	Spike	P	0 - 30

Quality Assurance Report Precision

Reference Method: EPA 8321B
Batch ID: P383612

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2177972	Tolfenpyrad	14.9	Spike	P	0 - 30
2177972	Triclopyr	2.37	Spike	P	0 - 30

Reference Method: EPA 8321B
Batch ID: P383676

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2178566	Acesulfame K	3.82	Spike	P	0 - 30
2178566	AMPA	2.57	Spike	P	0 - 30
2178566	Endothall	4.01	Spike	P	0 - 30
2178566	Glufosinate	5.99	Spike	P	0 - 30
2178566	Glyphosate	6.00	Spike	P	0 - 30
2178566	Sucralose	2.98	Spike	P	0 - 30

Reference Method: SM 2120 B-2011
Batch ID: P383760

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2178922	Color (true)	1.91	Sample	P	0 - 20

Reference Method: SM 2120 B-2011
Batch ID: P383761

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2179030	Color (true)	0.510	Sample	P	0 - 20

Reference Method: SM 2320 B-2011
Batch ID: P383848

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2178942	Total Alkalinity	2.42	Sample	P	0 - 8.1

Reference Method: SM 2320 B-2011
Batch ID: P383851

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2179030	Total Alkalinity	1.94	Sample	P	0 - 8.1

Reference Method: SM 2540 C-2011
Batch ID: P384363

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2178969	TDS	5.25	Sample	P	0 - 10

Quality Assurance Report Precision

Reference Method: SM 4500 F-C-2011
Batch ID: P383854

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2178942	Fluoride	1.39	Spike	P	0 - 2.8

Reference Method: SM 4500 F-C-2011
Batch ID: P383855

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2179030	Fluoride	0.927	Spike	P	0 - 2.8

Reference Method: SM 5310 B-2011
Batch ID: P383904

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2178964	Organic Carbon	1.72	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2179058
Field Sample ID: G2SE0029

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	2,4-D-d3	105	P	30 - 160
EPA 8321B	Acetaminophen-d4	77.7	P	30 - 160
EPA 8321B	Carbamazepine-d10	62.7	P	30 - 160
EPA 8321B	Diuron-d6	72.4	P	30 - 160
EPA 8321B	Endothall-d6	116	P	30 - 160
EPA 8321B	Endothall-d6	116	P	30 - 160
EPA 8321B	Glyphosate 13C 15N	75.8	P	30 - 160
EPA 8321B	Glyphosate 13C 15N	75.8	P	30 - 160
EPA 8321B	Ibuprofen-d3	71.4	P	30 - 160
EPA 8321B	Primidone-d5	85.1	P	30 - 160
EPA 8321B	Sucralose-d6	85.5	P	30 - 160
EPA 8321B	Sucralose-d6	85.5	P	30 - 160

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A99552

Included Lab Sample IDs: 2179026, 2179029, 2179030, 2179031, 2179038

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	102	102	P/P	95 - 105

Reference Method: SM 2120 B-2011

Run ID: A99555

Included Lab Sample IDs: 2179026, 2179029, 2179030, 2179031

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	101	102	P/P	90 - 115
Color (true)	99.8	101	P/P	90 - 115

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A99557

Included Lab Sample IDs: 2179027, 2179032, 2179033, 2179034, 2179039

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	100	100	P/P	90 - 110
Ammonia-N	100	99.6	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A99558

Included Lab Sample IDs: 2179028, 2179035, 2179036, 2179037, 2179040

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	97.0	97.0	P/P	90 - 110
O-Phosphate-P	97.3	97.2	P/P	90 - 110
O-Phosphate-P	98.7	97.3	P/P	90 - 110

Reference Method: EPA 8321B

Run ID: A99572

Included Lab Sample IDs: 2179058

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
2,4-D	90.0	75.9	P/P	50 - 150
Acetaminophen	115	117	P/P	60 - 160
Acetamiprid	119	116	P/P	50 - 150
Afidopyropen	66.6	76.3	P/P	50 - 150
Bentazon	78.7	110	P/P	50 - 160
Benzovindiflupyr	92.8	92.4	P/P	50 - 150
Carbamazepine	102	104	P/P	60 - 150
Clothianidin	113	108	P/P	60 - 150
Dinotefuran	109	98.7	P/P	50 - 150
Diuron	90.1	91.7	P/P	60 - 160
Fenuron	75.0	68.3	P/P	60 - 150
Fluridone	95.6	99.1	P/P	60 - 160
Hydrocodone	121	119	P/P	60 - 150
Ibuprofen	98.3	73.4	P/P	50 - 160
Imazapyr	115	128	P/P	50 - 150
Imidacloprid	105	107	P/P	60 - 150
Linuron	89.9	87.5	P/P	60 - 150
Mandestrobin	89.5	88.6	P/P	50 - 150
MCPP	107	97.2	P/P	50 - 150

Quality Assurance Report Calibration Verification

Reference Method: EPA 8321B

Run ID: A99572

Included Lab Sample IDs: 2179058

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Naproxen	87.6	108	P/P	50 - 160
Primidone	111	107	P/P	60 - 150
Pyraclostrobin	83.3	82.0	P/P	60 - 150
Thiamethoxam	108	111	P/P	50 - 150
Tolfenpyrad	70.9	75.5	P/P	60 - 150
Triclopyr	90.5	90.0	P/P	50 - 150

Reference Method: SM 2320 B-2011

Run ID: A99591

Included Lab Sample IDs: 2179026, 2179029, 2179030, 2179031, 2179038

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	101	98.9	P/P	90 - 110

Reference Method: SM 4500 F-C-2011

Run ID: A99591

Included Lab Sample IDs: 2179026, 2179029, 2179030, 2179031, 2179038

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	101	101	P/P	90 - 110

Reference Method: EPA 8321B

Run ID: A99594

Included Lab Sample IDs: 2179058

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Acesulfame K	96.1	91.1	P/P	60 - 160
Endothall	83.4	83.0	P/P	60 - 160

Reference Method: EPA 8321B

Run ID: A99606

Included Lab Sample IDs: 2179058

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
AMPA	111	109	P/P	60 - 160
Glufosinate	104	108	P/P	60 - 160
Glyphosate	95.2	99.6	P/P	60 - 160

Reference Method: SM 5310 B-2011

Run ID: A99616

Included Lab Sample IDs: 2179027, 2179032, 2179033, 2179034, 2179039

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	101	103	P/P	90 - 110
Organic Carbon	101	101	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A99621

Included Lab Sample IDs: 2179027, 2179032, 2179033, 2179034, 2179039

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
-----------	---------	---------	------------	----------------

Quality Assurance Report Calibration Verification

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A99621

Included Lab Sample IDs: 2179027, 2179032, 2179033, 2179034, 2179039

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	100	P/P	90 - 110
NO2NO3-N	100	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A99628

Included Lab Sample IDs: 2179032, 2179033, 2179034, 2179039

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	103	104	P/P	90 - 110
Total-P	105	103	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A99648

Included Lab Sample IDs: 2179027, 2179032, 2179033, 2179034, 2179039

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	101	104	P/P	90 - 110
Kjeldahl Nitrogen	104	102	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A99659

Included Lab Sample IDs: 2179026, 2179029, 2179030, 2179031

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	100	100	P/P	90 - 110
Chloride	100	100	P/P	90 - 110
Sulfate	99.6	99.9	P/P	90 - 110
Sulfate	99.7	99.6	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A99675

Included Lab Sample IDs: 2179027

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	98.0	96.8	P/P	90 - 110

Reference Method: EPA 8321B

Run ID: A99681

Included Lab Sample IDs: 2179058

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Sucralose	72.2	72.9	P/P	60 - 160

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A99696

Included Lab Sample IDs: 2179038

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Bromide	98.6	96.8	P/P	90 - 110

Quality Assurance Report

Calibration Verification

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery			Precision SMP	MS
			LCS				
EPA 180.1 Rev. 2.0	Turbidity					8.07	
EPA 300.0 Rev. 2.1	Bromide	99.6	97.7	95.3	98.8		1.98
	Chloride	98.6	97.7	95.8		1.23	
	Chloride	97.4	97.0	98.4		0.386	
	Sulfate	97.8	95.5	94.8		1.21	
	Sulfate	95.8	98.7	97.3		0.735	
EPA 350.1 Rev. 2.0	Ammonia-N	97.3	99.6	99.0			0.561
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	104					6.38
EPA 353.2 Rev. 2.0	NO2NO3-N	100	99.5	99.0			0.504
	NO2NO3-N	100	98.0	97.0			0.671
EPA 365.1 Rev. 2.0	Total-P	103	102	102			0.545
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	97.5	98.0	98.3			0.306
EPA 8321B	2,4-D	104	117	106			9.73
	Acesulfame K	107	41.7	43.4			3.82
	Acetaminophen	76.7	107	97.5			9.50
	Acetamiprid	77.4	85.6	75.7			12.2
	Afidopyropen	58.1	69.1	62.5			10.0
	AMPA	113	116	120			2.57
	Bentazon	56.3					5.51
	Benzovindiflupyr	58.9	74.2	73.6			0.733
	Carbamazepine	62.1	72.7	68.4			6.17
	Clothianidin	86.7	111	99.8			4.74
	Dinotefuran	87.2	111	104			6.53
	Diuron	56.4	63.6	59.3			6.97
	Endothall	79.9	79.9	83.2			4.01
	Fenuron	103	103	94.5			8.96
	Fluridone	73.6	84.8	84.8			0.0141
	Glufosinate	115	95.9	90.4			5.99
	Glyphosate	90.6	81.8	88.6			6.00
	Hydrocodone	89.8	102	88.1			15.0
	Ibuprofen	55.9	73.2	69.5			5.24
	Imazapyr	78.8	103	95.6			6.62
	Imidacloprid	92.9	150	143			3.59
	Linuron	54.6	63.7	60.3			5.60
	Mandestrobin	66.7	68.7	74.2			7.81
	MCPP	110	132	126			4.74
	Naproxen	58.2	103	116			12.1
	Primidone	82.1	94.8	83.8			11.3
	Pyraclostrobin	59.0	75.1	67.7			10.3
	Sucralose	75.9	75.8	78.4			2.98
	Thiamethoxam	78.9	106	98.4			7.08
	Tolfenpyrad	44.7	41.7	35.9			14.9
	Triclopyr	75.2	106	103			2.37
SM 2120 B-2011	Color (true)	98.7				1.91	
	Color (true)	100				0.510	
SM 2320 B-2011	Total Alkalinity	99.6				2.42	
	Total Alkalinity	102				1.94	
SM 2540 C-2011	TDS					5.25	
SM 4500 F-C-2011	Fluoride	96.8	97.9	96.2			1.39
	Fluoride	99.6	97.8	96.6			0.927
SM 5310 B-2011	Organic Carbon	107	108	111			1.72

Reference Method Descriptions

Method	Description	Associated Samples
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2179026, 2179029, 2179030, 2179031, 2179038
EPA 300.0 Rev. 2.1	Bromide in aqueous matrices	2179038
EPA 300.0 Rev. 2.1	Chloride in aqueous matrices	2179026, 2179029, 2179030, 2179031
EPA 300.0 Rev. 2.1	Sulfate in aqueous matrices	2179026, 2179029, 2179030, 2179031
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2179027, 2179032, 2179033, 2179034, 2179039
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2179027, 2179032, 2179033, 2179034, 2179039
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2179027, 2179032, 2179033, 2179034, 2179039
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2179027, 2179032, 2179033, 2179034, 2179039
EPA 365.1 Rev. 2.0 dissolved	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2179028, 2179035, 2179036, 2179037, 2179040
EPA 8321B	Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS	2179058
EPA 8321B	Water soluble organic compounds by HPLC/MS/MS	2179058
SM 2120 B-2011	True Color measured at 450 nm (not valid for NPDES monitoring)	2179026, 2179029, 2179030, 2179031
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2179026, 2179029, 2179030, 2179031, 2179038
SM 2540 C-2011	Total Dissolved Solids in aqueous matrices	2179026, 2179029, 2179030, 2179031
SM 2540 D-2011	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2179026, 2179029, 2179030, 2179031, 2179038
SM 4500 F-C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2179026, 2179029, 2179030, 2179031, 2179038
SM 5310 B-2011	Nonpurgeable Organic Carbon in aqueous matrices	2179027, 2179032, 2179033, 2179034, 2179039

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	06/26/2020			06/26/2020 16:13	Yen Ta	2179026, 2179029, 2179030, 2179031, 2179038
EPA 300.0 Rev. 2.1	06/26/2020			07/02/2020 03:20	Jhamieka S. Greenwood	2179038
	06/26/2020			07/02/2020 05:02	Elliott Rodriguez	2179026
	06/26/2020			07/02/2020 05:14	Elliott Rodriguez	2179029
	06/26/2020			07/02/2020 05:26	Elliott Rodriguez	2179030
	06/26/2020			07/02/2020 06:50	Elliott Rodriguez	2179031
EPA 350.1 Rev. 2.0	06/26/2020			06/28/2020 13:49	Ping Hua	2179027
	06/26/2020			06/28/2020 13:51	Ping Hua	2179032
	06/26/2020			06/28/2020 13:55	Ping Hua	2179039
	06/26/2020			06/28/2020 14:28	Ping Hua	2179033
	06/26/2020			06/28/2020 14:30	Ping Hua	2179034
EPA 351.2 Rev. 2.0	06/26/2020	07/01/2020 09:40	Elliott Rodriguez	07/02/2020 08:55	Jhamieka S. Greenwood	2179027
	06/26/2020	07/01/2020 09:40	Elliott Rodriguez	07/02/2020 08:57	Jhamieka S. Greenwood	2179032
	06/26/2020	07/01/2020 09:40	Elliott Rodriguez	07/02/2020 09:01	Jhamieka S. Greenwood	2179033
	06/26/2020	07/01/2020 09:40	Elliott Rodriguez	07/02/2020 09:03	Jhamieka S. Greenwood	2179034
	06/26/2020	07/01/2020 09:40	Elliott Rodriguez	07/02/2020 09:05	Jhamieka S. Greenwood	2179039
EPA 353.2 Rev. 2.0	06/26/2020			07/01/2020 09:03	Beverly Y. Sanders	2179027
	06/26/2020			07/01/2020 09:10	Beverly Y. Sanders	2179033
	06/26/2020			07/01/2020 09:16	Beverly Y. Sanders	2179032
	06/26/2020			07/01/2020 09:17	Beverly Y. Sanders	2179034
	06/26/2020			07/01/2020 09:19	Beverly Y. Sanders	2179039
EPA 365.1 Rev. 2.0	06/26/2020	06/30/2020 11:51	Yen Ta	07/01/2020 13:32	Benjamin T. Nordmann	2179032
	06/26/2020	06/30/2020 11:51	Yen Ta	07/01/2020 13:35	Benjamin T. Nordmann	2179033
	06/26/2020	06/30/2020 11:51	Yen Ta	07/01/2020 13:36	Benjamin T. Nordmann	2179034, 2179039
	06/26/2020	06/30/2020 11:51	Yen Ta	07/02/2020 10:04	Lipi Saha	2179027
EPA 365.1 Rev. 2.0 dissolved	06/26/2020			06/26/2020 16:37	Jhamieka S. Greenwood	2179036
	06/26/2020			06/26/2020 16:39	Jhamieka S. Greenwood	2179035
	06/26/2020			06/26/2020 16:47	Jhamieka S. Greenwood	2179037
	06/26/2020			06/26/2020 16:48	Jhamieka S. Greenwood	2179028
	06/26/2020			06/26/2020 17:23	Jhamieka S. Greenwood	2179040
EPA 8321B	06/26/2020	06/26/2020 14:00	Hoor Shaik	06/27/2020 18:57	Juyoung Kim	2179058
	06/26/2020	06/29/2020 10:30	Rebecca Ware	06/29/2020 13:18	Rebecca Ware	2179058
	06/26/2020	06/29/2020 10:30	Rebecca Ware	06/30/2020 11:57	Rebecca Ware	2179058
	06/26/2020	06/29/2020 10:30	Rebecca Ware	07/02/2020 16:26	Rebecca Ware	2179058
SM 2120 B-2011	06/26/2020			06/26/2020 17:36	Benjamin T. Nordmann	2179030
	06/26/2020			06/26/2020 17:37	Benjamin T. Nordmann	2179031
	06/26/2020			06/26/2020 17:48	Benjamin T. Nordmann	2179026
	06/26/2020			06/26/2020 17:49	Benjamin T. Nordmann	2179029
SM 2320 B-2011	06/26/2020			06/29/2020 21:12	Dale L. Simmons	2179026

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 2320 B-2011	06/26/2020			06/29/2020 21:24	Dale L. Simmons	2179029
	06/26/2020			06/29/2020 22:40	Dale L. Simmons	2179030
	06/26/2020			06/29/2020 23:02	Dale L. Simmons	2179031
	06/26/2020			06/29/2020 23:15	Dale L. Simmons	2179038
SM 2540 C-2011	06/26/2020			07/01/2020 13:59	Yijie Li	2179026, 2179029, 2179030, 2179031
SM 2540 D-2011	06/26/2020			07/01/2020 13:59	Yijie Li	2179026, 2179029, 2179030, 2179031, 2179038
SM 4500 F-C-2011	06/26/2020			06/29/2020 21:12	Dale L. Simmons	2179026
	06/26/2020			06/29/2020 21:24	Dale L. Simmons	2179029
	06/26/2020			06/29/2020 22:31	Dale L. Simmons	2179030
	06/26/2020			06/29/2020 23:02	Dale L. Simmons	2179031
	06/26/2020			06/29/2020 23:15	Dale L. Simmons	2179038
SM 5310 B-2011	06/26/2020			07/01/2020 01:03	David Boose	2179027
	06/26/2020			07/01/2020 01:44	David Boose	2179032
	06/26/2020			07/01/2020 01:56	David Boose	2179033
	06/26/2020			07/01/2020 02:10	David Boose	2179034
	06/26/2020			07/01/2020 02:22	David Boose	2179039