

Biological Analysis Report

WAS-SECT-2020-09-28-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **NWQI - Alligator Creek**

Request ID: **RQ-2020-09-07-22**

Customer: **WAS-SECT**


Project ID: **NWQI**

Send Reports to:
FL Dept. of Environmental Protection
2600 Blair Stone Rd
Tallahassee, FL 32399
Attn: Curtis Musson

For additional information please contact
Cheryl Swanson - Administrator
Jacqueline Savage - Bench Biology & Aquatic
Toxicity
Puja Jasrotia, Ph.D. - Molecular Biology & Taxonomy
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 22-OCT-2020 11:50



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD and Microbiology.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Little River at Highbridge Road

Collection Date/Time: 09/28/2020 14:37

Field ID: G1WA0086

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2198695	SM 10200 H (mod.)	Chlorophyll-a, Corrected	4.5		ug/L	P388135	
		Phaeophytin-a	1.5	U	ug/L	P388135	
		Chlorophyll-a, Uncorrected	5.3		ug/L	P388135	
2198701	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	325.5		MPN/100 mL	P388238	

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Lewis Creek Upstream of 157

Collection Date/Time: 09/28/2020 15:47

Field ID: G1WA0075

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2198696	SM 10200 H (mod.)	Chlorophyll-a, Corrected	31		ug/L	P388135	
		Phaeophytin-a	7.4		ug/L	P388135	
		Chlorophyll-a, Uncorrected	36		ug/L	P388135	
2198702	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	17.1		MPN/100 mL	P388238	

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Willachoochee Creek at 161

Collection Date/Time: 09/28/2020 11:44

Field ID: G1WA0087

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2198697	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.0	I	ug/L	P388135	
		Phaeophytin-a	1.8	U	ug/L	P388135	
		Chlorophyll-a, Uncorrected	1.9	I	ug/L	P388135	
2198703	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	686.7		MPN/100 mL	P388238	

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Double Branch at CR 159

Collection Date/Time: 09/28/2020 13:29

Field ID: G1WA0091

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2198698	SM 10200 H (mod.)	Chlorophyll-a, Corrected	2.5	I	ug/L	P388135	
		Phaeophytin-a	1.8	U	ug/L	P388135	
		Chlorophyll-a, Uncorrected	3.0	I	ug/L	P388135	
2198704	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	686.7		MPN/100 mL	P388238	

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Richlander Creek at CR 65b

Collection Date/Time: 09/28/2020 12:46

Field ID: G1WA0093

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2198693	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.7	I	ug/L	P388135	

Field ID: G1WA0093

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2198693	SM 10200 H (mod.)	Phaeophytin-a	1.5	U	ug/L	P388135	
		Chlorophyll-a, Uncorrected	3.8		ug/L	P388135	
2198699	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	517.2		MPN/100 mL	P388238	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Hurricane Creek at US 90

Collection Date/Time: 09/28/2020 10:47

Field ID: G1WA0098

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2198694	SM 10200 H (mod.)	Chlorophyll-a, Corrected	8.4		ug/L	P388135	
		Phaeophytin-a	5.2		ug/L	P388135	
		Chlorophyll-a, Uncorrected	12		ug/L	P388135	
2198700	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	488.4		MPN/100 mL	P388238	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)

Batch ID: P388135

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SM 9223 Quanti-Tray

Batch ID: P388238

Component	Result	Code	Units
Escherichia Coli-Quanti-Tray	1.0	U	MPN/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)

Batch ID: P388135

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	101		P	84 - 116

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)

Batch ID: P388135

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
--------------------------	-----------	-----------	-------------------	-----------	----------------

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P388135

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2198717	Chlorophyll-a, Corrected	5.35	Sample	P	0 - 25
2198717	Chlorophyll-a, Uncorrected	4.53	Sample	P	0 - 25

Reference Method: SM 9223 Quanti-Tray
Batch ID: P388238

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2198665	Escherichia Coli-Quanti-Tray	44.7	Sample	P	0 - 80

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	101			5.35	
	Chlorophyll-a, Uncorrected				4.53	
SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray				44.7	

Reference Method Descriptions

Method	Description	Associated Samples
SM 10200 H (mod.)	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2198693, 2198694, 2198695, 2198696, 2198697, 2198698
SM 9223 Quanti-Tray	Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems	2198699, 2198700, 2198701, 2198702, 2198703, 2198704

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 10200 H (mod.)	09/28/2020	09/28/2020 16:53	Jessica Sherman	09/30/2020 15:48	Yuliya Danyuk	2198693, 2198694, 2198695, 2198696, 2198697, 2198698
SM 9223 Quanti-Tray	09/28/2020	09/28/2020 17:12	Jessica Fetgatter	09/29/2020 12:08	Jessica Fetgatter	2198699, 2198700, 2198701, 2198702, 2198703, 2198704