

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID: Des.

RQ- 2021-02-08-30

Project: LSJF Est

- Notes: (1) Always wait for meter to stabilize before recording any readings.
 (2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
 (3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification 2/15/21

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro- meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	<u>Des. D.D.</u>	<u>2/22/21</u>	<u>735</u>	<u>21.4</u>	<u>766.3</u>	<u>8.9</u>	<u>8.88</u>	<u>100.8</u>	<u>✓</u>	<u>1.05</u>	<u>P/F</u>	<u>L/F</u>
ICV			<u>738</u>	<u>21.6</u>	<u>766.3</u>	<u>8.9</u>	<u>8.88</u>	<u>100.9</u>	<u>✓</u>	<u>1.05</u>	<u>P/F</u>	<u>L/F</u>
CCV			<u>1143</u>	<u>21.6</u>	<u>764.3</u>	<u>8.9</u>	<u>8.80</u>	<u>100.0</u>	<u>✓</u>	<u>1.05</u>	<u>P/F</u>	<u>L/F</u>
CCV											<u>P/F</u>	<u>L/F</u>

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ hos/cm	Meter Reading μ hos/cm	Pass / Fail	Lab / Field
Calibr.	<u>Brian Davis</u>	<u>2/22/21</u>	<u>741</u>	<u>201222B</u>	<u>1/22</u>	<u>1000</u>	<u>1000</u>	<u>P/F</u>	<u>L/F</u>
ICV			<u>743</u>	<u>200902A</u>	<u>9/21</u>	<u>100</u>	<u>103.4</u>	<u>P/F</u>	<u>L/F</u>
CCV			<u>1144</u>	<u>200407B</u>	<u>4/21</u>	<u>20,000</u>	<u>19615</u>	<u>P/F</u>	<u>L/F</u>
CCV								<u>P/F</u>	<u>L/F</u>

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	<u>Brian Davis</u>	<u>2/22/21</u>	<u>749</u>	<u>2006F52</u>	<u>6/22</u>	<u>7.01</u>	<u>22.2</u>	<u>7.01</u>	<u>-30.1</u>	<u>P/F</u>	<u>L/F</u>
Calibr.			<u>752</u>	<u>2912871</u>	<u>12/21</u>	<u>4.0</u>	<u>22.2</u>	<u>4.0</u>	<u>149.5</u>	<u>P/F</u>	<u>L/F</u>
Calibr.			<u>755</u>	<u>2006E28</u>	<u>20/12/21</u>	<u>10.03</u>	<u>22.1</u>	<u>10.03</u>	<u>-205.8</u>	<u>P/F</u>	<u>L/F</u>
ICV			<u>757</u>	<u>2006F52</u>	<u>6/22</u>	<u>7.01</u>	<u>22.1</u>	<u>7.06</u>	<u>-31.1</u>	<u>P/F</u>	<u>L/F</u>
CCV			<u>1146</u>	<u>2006E28</u>	<u>12/21</u>	<u>10.03</u>	<u>22.4</u>	<u>10.04</u>	<u>-206.8</u>	<u>P/F</u>	<u>L/F</u>
CCV										<u>P/F</u>	<u>L/F</u>

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ; mV pH 4 Range $+180 \pm 50$; mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 _____, slope from 4 to 7 _____ (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: _____

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: _____; Date of last verification: _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	<u>Brian Davis</u>	<u>2/22/21</u>	<u>759</u>	<u>0.00</u>	<u>0.00</u>	<u>P/F</u>	<u>L/F</u>

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: <u>2/22/2021</u> Customer: <u>NE-DIST</u> RQ: <u>RQ-2021-02-08-30</u>	Collected By: <u>Jeremy Parrish, Brian Davis</u> Sampling Agency: <u>FDEP</u> Project ID: <u>SMP</u>
--	---


PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 2

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
BIG POTTSBURG CR BOWDEN RD	 20030068
DRAINAGE DITCH PARENTAL HOME RD	 20030071
LITTLE POTTSBURG CREEK AT EMERSON	 20030070
RED BAY BRANCH AT LONE STAR ROAD	 20030674
GREENFIELD CREEK @ QUEENS HARBOUR BLVD.	 20030809
Greenfield cr. at Hodges rd.	 G2NE1145

RELINQUISHED BY(SIGNATURE):



DATE/TIME: 02/22/2021 1600

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By:

Rec'd/Inspected Date:

NOTE: This sampling event replaces previous sampling of this RQ on date 02/15/2021.



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2020

Meter Passed End
of Day CCV
Yes / No

WIN Station Name: RED BAY BRANCH AT LONE STAR ROAD **Date:** 2/22/2021
WIN/Field ID: 20030674 **WBID:** 2254 **ENR:** - **Latitude:** 30.3351
County: DUVAL **Org ID:** 21FLA **Longitude:** -81.5807
Receiving Body of Water: Lower St. Johns **RQ:** 2021-02-08-30

Sampling Team Members		WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
☒	Jeremy Parrish		x		x	x
☒	Brian Davis	x		x		
☐						
☐						

Sampling Equipment	
☒ Sample Container	☐ Carboy
☐ Dipper	☐ Van Dorn
☐ Syringe	☒ Pole
Depth measured with: Meter	
Secchi Equipment ID:	
Collection Method	
☐ Wading	☐ Canoe/Kayak
☒ From Shore	☐ Electric Motor
☐ Other _____	☐ Gasoline Motor

Water Level: ☒ Normal ☐ Low ☐ High ☐ Dry ☐ Pooled ☐ Flooded						Meter ID# DESI					
Photos: NA		Flow: FLOW		Tide: N/A		Tide Times: High: Low:					
Biological Samples Collected: ☒ None ☐ HA ☐ SCI ☐ RPS ☐ Algae ID ☐ LVS ☐ LVI Other:											
SBIO ID Numbers:											
Notes:											

Duplicate Sample

Time Zone: EST	Time: _____	Field ID: N/A	(WIN ID_DUP)
WIN DMT Activity ID: _____			

Blank

Time Zone: _____	Time: _____	Field ID: _____	(Blank Type_DDDMMYY)
DI Source: _____	Location: _____		
DI Type: _____	Equipment ID: _____		
DI Container (Name/ID):		DI Container Type:	

LIMS EVENT ID: _____ WIN Import ID: _____
Enter Field Parameters, Verify Station ID In LIMS DMT: _____ QC Station ID, Field Parameters In LIMS DMT: _____
(Initials/Date) (Initials/Date)
Scan/Save Field Sheets 02/22/2021 BD Migrate Data to WIN: _____ Verify Data In WIN: _____
(Initials/Date) (Initials/Date)



RQ-2021-02-08-30

Customer: WQAP

Project ID: SMP

Collected By: Jeremy Parrish, Brian Davis

Field Report Prepared By: Jeremy Parrish

Sampling Agency: FDEP

Place Label Here

WIN ID/Field ID:



20030674

Location: RED BAY BRANCH AT LONE STAR ROAD

Comments: Microbiology sample(s) submitted to contract laboratory

Matrix: Fresh

(Check one)

☒ GRAB☐ COMPOSITE

Date	Time	DO (mg/L)	DO (%SAT)	Temp. (C°)	pH	Sample Depth (m)	Secchi Disk (m)	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPT _h)
2/22/2021	950 EST	6.65	70.2	17.8	6.95	0.1	0.2 ☒ VOB (S)	0.2	379.1	0.18
	EST						Central Lab please use top row for login purposes			

Parameter Suite	Parameter Methods	Preservation	pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP Lot # SA0293040 Exp: 10/19/2021	☒ Ice ☒ H2SO4*	☒ <2	1	E
Metals (P-500ML)	☐ W-ICPMS ☐ W-ICP ☐ W-HARD Lot # Exp:	☐ Ice ☐ HNO3*	☐ <2		
Filtered Nutrients (P125ML)	☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter Filter Lot # ROCB48007 Syringe Lot #	☒ Ice		1	E
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☒ Ice		1	E
Physical/Aggregate (Fresh) (P-1L)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W-TDS	☒ Ice		1	E
Physical/Aggregate (Marine) (P-1L)	☒ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☒ Ice		1	E
Macroinvertebrates (PJ-2L)	☐ MI-FW-QLDC	☐ Formalin			
Periphyton (PT-50ML)	☐ ALGAE-ID	☐ Ice			
Microbiology (Contract Lab Bottle)	☒ E Coli ☐ F Coli ☐ Enterococci ☒ Contract Lab	☒ Ice		1	E
Molecular (QPCR-P-500ML)	☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-DG3 ☐ PCR-GULL2 ☐ PCR-GFD	☐ Ice			
Tracers (BG-500ML)	☒ W-E8321-DI ☒ W-E8321-MS	☒ Ice		1	E
Pesticides (BG-500ML) (BG-1L)	☐ W-E8321-DI ☐ WE8321-MS ☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-PCL-SQ-R ☐ W-CARB-AA (5 ml of MCAA** Buffer Solution) ☐ W-DIELDRIN	☐ Ice			
Phytoplankton/Periphyton	DTM-QL-C PEN-QL-C DTY-QN-C PKD-QN-C DTM-QN-C PRN-QN-C PKD-QN-BV	☐ Ice			

Name:
Jeremy Parrish
Brian Davis

Signature:

Date:

02/22/2021

*2.0 ml of Preservative used unless noted otherwise.

**MCAA: Monochloroacetic acid buffer solution

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST FORM

9143 Philips Highway, Suite 200 Jacksonville, FL 32256 / Ph(904) 739-2277 / FAX (904) 739-2011

SR #

ALS Contact: Mandy Sullivan

Page 1 of 1

[illegible]