

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID: **YSI ROSE**

RQ: **2021-03-22-14**

Project: **LSJR West-SCI**

- Notes: (1) Always wait for meter to stabilize before recording any readings.
 (2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
 (3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification

2/15/21

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro- meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	J. Parnish	3/31/21	738	22.1	764	8.8	8.8	100.5	-	1.05	P/F	L/F
ICV	J	J	739	22.1	764	8.8	8.76	100.5	-	1.05	P/F	L/F
CCV	Kim Appleby	J	1430	23.7	761.9		8.42	99.3	-	1.05	P/F	L/F
CCV											P/F	L/F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ hos/cm	Meter Reading μ hos/cm	Pass / Fail	Lab / Field
Calibr.	J. Parnish	3/31/21	740	201222B	1/22	1000	1000	P/F	L/F
ICV	J	J	742	201222A	1/22	100	103	P/F	L/F
CCV	Kim Appleby	J	1432	200902L	9/21	1413	1413	P/F	L/F
CCV								P/F	L/F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	J. Parnish	3/31/21	744	290427	10/22	7.00	23.1	7.01	-43.4	P/F	L/F
Calibr.	J	J	745	290631	9/22	4.00	23.1	4.00	135.8	P/F	L/F
Calibr.	J	J	746	202792	5/22	10.00	23.0	10.00	-211.9	P/F	L/F
ICV	J	J	747	290631	9/22	4.00	22.9	4.00	132.1	P/F	L/F
CCV	Kim Appleby	J	1433	200902L	9/21	10.00	23.2	9.93	-208.4	P/F	L/F
CCV										P/F	L/F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ;

mV pH 4 Range $+180 \pm 50$;

mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 _____, slope from 4 to 7 _____ (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: _____

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: _____; Date of last verification: _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	J. Parnish	3/31/21	748	0.02	0.02	P/F	L/F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 3/31/2021
Customer: NE-DIST
RQ: RQ-2021-03-22-14

Collected By: Kimberly Applebee, Jeremy Parrish
Sampling Agency: FDEP
Project ID: SMP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 1

Delivery Method: FedEx

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
BUTCHER PEN CR. AT BLANDING BLVD	 20030580

RELINQUISHED BY(SIGNATURE):

Kimberly Applebee

DATE/TIME:

3/31/2021

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By:

Rec'd/Inspected Date:



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2020

Meter Passed End
of Day CCV
Yes / No

WIN Station Name: BUTCHER PEN CR. AT BLANDING BLVD

Date: 3/31/2021

WIN/Field ID: 20030580

WBID: 2322

ENR: -

Latitude: 30.2595

County: DUVAL

Org ID: 21FLA

Longitude: -81.7414

Receiving Body of Water: Lower St. Johns

RQ: 2021-03-22-14

Sampling Team Members		WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
☒	Kimberly Applebee	x		x		
☒	Jeremy Parrish		x		x	x
☐						
☐						

Sampling Equipment	
☒ Sample Container	☐ Carboy
☐ Dipper	☐ Van Dorn
☐ Syringe	☐ Pole
Depth measured with: Meter	
Secchi Equipment ID:	
Collection Method	
☐ Wading	☐ Canoe/Kayak
☒ From Shore	☐ Electric Motor
☐ Other _____	☐ Gasoline Motor

Water Level: ☒ Normal ☐ Low ☐ High ☐ Dry ☐ Pooled ☐ Flooded						Meter ID# DESI					
Photos: YES		Flow: FLOW		Tide:		Tide Times: High: Low:					
Biological Samples Collected: ☒ None ☐ HA ☐ SCI ☐ RPS ☐ Algae ID ☐ LVS ☐ LVI Other:											
SBIO ID Numbers:											
Notes:											

Duplicate Sample

Time Zone: EST	Time:	Field ID: N/A	(WIN ID_DUP)
WIN DMT Activity ID:			

Blank

Time Zone:	Time:	Field ID:	(Blank Type_DDDMMYY)
DI Source:	Location:		
DI Type:	Equipment ID:		
DI Container (Name/ID):		DI Container Type:	

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT:

Scan/Save Field Sheets Migrate Data to WIN: Verify Data In WIN:



RQ-2021-03-22-14

Customer: WQAP

Project ID: SMP

Collected By: Kimberly Applebee, Jeremy Parrish

Field Report Prepared By: Kimberly Applebee

Sampling Agency: FDEP

Place Label Here

WIN ID/Field ID:



20030580

Location: BUTCHER PEN CR. AT BLANDING BLVD

Comments:

Matrix: Fresh

(Check one)

☒ GRAB☐ COMPOSITE

Date	Time	DO (mg/L)	DO (%SAT)	Temp. (C°)	pH	Sample Depth (m)	Secchi Disk (m)	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPT _h)
3/31/2021	1205 EST	3.2	36	21.1	6.88	0.05	0.1 ☒ VOB (S)	0.1	396.7	0.19
	EST						Central Lab please use top row for login purposes			

Parameter Suite	Parameter Methods	Preservation	pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP Lot # SA0293040 Exp: 10/19/21	☒ Ice ☒ H2SO4*	☒ <2	1	A
Metals (P-500ML)	☒ W-ICPMS ☒ W-ICP ☒ W-HARD Lot # NA0344060 Exp: 1/4/22	☒ Ice ☒ HNO3*	☒ <2	1	A
Filtered Nutrients (P125ML)	☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter Filter Lot # RONB29490 Syringe Lot #	☒ Ice		1	A
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☒ Ice		1	A
Physical/Aggregate (Fresh) (P-1L)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W-TDS	☒ Ice		1	A
Physical/Aggregate (Marine) (P-1L)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates (PJ-2L)	☐ MI-FW-QLDC	☐ Formalin			
Periphyton (PT-50ML)	☐ ALGAE-ID	☐ Ice			
Microbiology (Contract Lab Bottle)	☐ E Coli ☐ F Coli ☐ Enterococci ☐ Contract Lab	☐ Ice			
Molecular (QPCR-P-500ML)	☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-DG3 ☐ PCR-GULL2 ☐ PCR-GFD	☐ Ice			
Tracers (BG-500ML)	☐ W-E8321-DI ☐ W-E8321-MS	☐ Ice			
Pesticides (BG-500ML) (BG-1L)	☐ W-E8321-DI ☐ WE8321-MS ☐ W-PSNP-TQ ☐ W-CT-CL-R ☐ W-PCL-SQ-R ☐ W-CARB-AA (5 ml of MCAA** Buffer Solution) ☐ W-DIELDRIN	☐ Ice			
Phytoplankton/Periphyton	DTM-QL-C ☐ PEN-QL-C ☐ DTY-QN-C ☐ PKD-QN-C DTM-QN-C ☐ PRN-QN-C ☐ PKD-QN-BV	☐ Ice			

Name:
Kimberly Applebee
Jeremy Parrish

Signature:

Kimberly Applebee

Date:

3/31/2021

*2.0 ml of Preservative used unless noted otherwise.

**MCAA: Monochloroacetic acid buffer solution

DEP Form FD 9000-3 Physical/Chemical Characterization Field Sheet

SAMPLE ID _____ ORG ID 21FLA LATITUDE _____
 COUNTY Alameda STORET # 20030580 LONGITUDE _____
 DATE 3/31/21 TIME 1205 SAMPLING AGENCY _____
 SITE NAME Burthen Pen @ Blanding Blvd
 FIELD ID/NAME _____ RECEIVING BODY OF WATER Orange River

RIPARIAN ZONE / STREAM FEATURES

PREDOMINANT LAND-USE IN WATERSHED (specify relative percent in each category): Forest/Natural ☐ Silviculture ☐ Field/Pasture ☐ Agricultural ☐ Residential ☐ Commercial ☐ Industry ☐ Other (Specify) ☐								Landscape Development Intensity Index (LDI)
Local Watershed Erosion (select one): ☐ None ☐ Slight ☒ Moderate ☐ Heavy				Typical Width (m) Depth (m)/Velocity (m/sec) Transect				
Local Watershed NPS Pollution: ☐ No evidence ☐ Slight ☐ Moderate ☒ Heavy				Typical Width (m) Depth (m)/Velocity (m/sec) Transect				
Width of Riparian Vegetation (m) on Each Buffer Side Left Bank: Right Bank:				Hydrologic Modification Score (per FT 3101)				
High Water Mark: + = (m) (above present water level) (present depth) (above bed)				Artificially Impounded ☐ Yes ☒ No				
Artificially ☒ No ☐ Mostly recovered, more sinuous Channelized: ☐ Some recovery ☐ Recent, severe				Canopy Cover % ☐ Open ☐ Lightly Shaded (11-45%) ☒ Heavily Shaded ☐ Moderate Shaded (46-80%)				

SEDIMENT / SUBSTRATE

Sediment Oils ☐ Absent ☒ Slight ☐ Moderate ☐ Profuse			Sediment Odors ☒ Normal ☐ Sewage ☐ Petroleum ☐ Chemical ☐ Anaerobic ☐ Other (Specify): _____			Smothering of Substrates Sand Smothering: None ☐ Slight ☐ Moderate ☒ Severe ☐ Silt Smothering: None ☐ Slight ☐ Moderate ☒ Severe ☐ Algae Smothering: None ☐ Slight ☒ Moderate ☐ Severe ☐		
SUBSTRATE TYPE Assessment Tool: ☐ SCI ☒ RPS ☒ LVS ☐ LCI ☐ BioRecon % Coverage # Times Sampled # Times Sampled			WATER QUALITY Depth (M) Temp. (°C) pH (SU) D.O. (MG/L) D.O. Sat (%) Cond. (UMHO/CM) Salinity (PPT) SECCHI (M) Top: Mid: Bottom: Meter ID:					
Woody Debris (Snags) Undercut Banks / Roots Leaf Packs or Mat Aquatic Vegetation Rock or Shell Rubble Sand Mud / Muck / Silt Other Other			Water Odors Normal ☒ Petroleum ☐ Sewage ☐ Chemical ☐ Other ☐			Water Surface Oils Normal ☒ Sheen ☒ Globbs ☐ Slick ☐ Other ☐		
Water Sample Taken? ☒ Yes ☐ No Sample Preserved? ☒ Yes ☐ No Lot Number: _____ Exp: _____			Color Tannic ☐ Green (Algae) ☐ Clear ☒ Other (Specify)			Clarity Clear ☒ Slightly Turbid ☐ Turbid ☐ Opaque ☐		
ABUNDANCE Not Obs. Rare Common Abundant Periphyton: ☐ ☒ ☐ ☐ Fish: ☐ ☐ ☒ ☐ Aquatic Plants: ☐ ☐ ☒ ☐ Iron/Sulfur Bacteria: ☐ ☒ ☐ ☐			Algae Sample Taken? ☐ Yes ☒ No Sample Preserved? ☐ Yes ☐ No Lot Number: _____ Exp: _____			System Type: Stream ☒ Lake ☐ Wetland ☐ Estuary ☐ Other (Specify)		
AMBIENT FIELD CONDITIONS / NOTES: ☐ The antecedent hydrologic conditions have been met to my best knowledge.								

SAMPLING TEAM

Jorgensen

K Appleby

SIGNATURE:

Jorgensen

DATE:

3/31/21

DEP FORM FD 9000-25 Rapid Periphyton Survey Field Sheet

Site: <u>Burien Peninsula, Bluddy Blvd</u>					County: <u>Duval</u>		Date: <u>3/31/21</u>		Investigators: <u>J. P. Smith</u>	
Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover	Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover	STORET Station Number: <u>20030580</u>
0	1	N	N		60	1	N	N		94
	2					2				
	3					3				
	4					4				
	5					5				
	6					6				
	7					7				
	8					8				
	9					9				
10	1	N	N		70	1	N	N		94
	2					2				
	3					3				
	4					4				
	5					5				
	6					6				
	7	3				7				
	8	N				8				
	9	N				9				
20	1	N	N		80	1	N	N		96
	2					2				
	3					3				
	4					4				
	5					5				
	6					6				
	7					7				
	8					8				
	9					9				
30	1	N	N		90	1	N	N		92
	2					2				
	3					3				
	4					4				
	5					5				
	6					6				
	7					7				
	8					8				
	9					9				
40	1	N	N		100	1	N	N		88
	2					2				
	3					3				
	4					4				
	5					5				
	6					6				
	7					7				
	8					8				
	9					9				
50	1	N	N		Record "N" and check "Estimated" for points deeper than the Secchi depth; algae are presumed absent. Check "Estimated" if thickness estimated for deep points which can be seen but not reached. Record "X" for points shallower than Secchi depth for which substrate cannot be seen or reached with the hand. No estimated rank. Record canopy cover as the number of small densiometer quadrants (out of 96) that HAVE canopy cover. Measure facing upstream at point 4, 5, or 6. Collect algal mat sample following DEP SOP FS 7240 if the percentage of total sampled points with a thickness rank of 4, 5, or 6 is >20%.					
	2									
	3									
	4									
	5									
	6									
	7									
	8									
	9									

Secchi depth 10.2
Estimated? 0.1

points ranked 4-6
total points assessed
% points ranked 4-6

Check accompanying data collected at same site/date.

Algal mat sample
Linear Veg Survey
Habitat Assessment
SCI/Biorecon
Water sample

RQ-2021-03-22

Algal Thickness Rank	
N	rough, no algae, slimy, algae up to 1mm
3	>1mm - 6mm
4	>6mm - 20mm
5	>20mm - 10 cm
6	>10 cm

DEP Form FD 9000-5 Stream/River Habitat Assessment Field Sheet

SAMPLING AGENCY: <u>FDEP NE RQ</u>		STORET STATION NUMBER: <u>20030580</u>	DATE (MM/DD/YY): <u>3/31/21</u>	RECEIVING BODY OF WATER: <u>C</u>
REMARKS:	COUNTY: <u>Duval</u>	LOCATION: <u>Butcher Pen at Blanding Blvd</u>		FIELD ID/NAME:


Habitat Parameter	Optimal	Suboptimal	Marginal	Poor
Primary Habitat Components	Four or more major productive habitats present (snags, tree roots, aquatic vegetation, leaf packs (partially decayed), rock)	Three major productive habitats present. Adequate habitat. Some substrates may be new fall (fresh leaves or snags)	Two major productive habitats present. Less than desirable habitat, frequently disturbed or removed	One or less major productive habitat. Lack of habitat is obvious, substrates unstable or smothered
Substrate Diversity <u>6</u>	20 19 18 17 16	15 14 13 12 11	10 9 8 7 <u>6</u>	5 4 3 2 1
Substrate Availability <u>3</u>	Greater than 30% major productive habitat present at site 20 19 18 17 16	16% to 30% major productive habitat, by aerial extent 15 14 13 12 11	6% to 15% major productive habitat 10 9 8 7 6	Less than 5% major productive habitat 5 4 <u>3</u> 2 1
Water Velocity <u>12</u>	Max. observed at typical transect: > 0.25 m/sec. But < 1 m/sec ≥0.33 0.31 0.29 0.27 >0.25 20 19 18 17 16	Max. observed at typical transect: >0.1 to 0.25 m/sec 0.25 0.21 0.17 0.13 >0.1 15 14 13 <u>12</u> 11	Max. observed at typical transect: 0.05 to 0.1 m/sec 0.1 0.09 0.07 0.06 0.05 10 9 8 7 6	Max. observed at typical transect: <0.05 m/sec; or spate occurring: > 1 m/sec <0.05 0.04 0.03 0.01 <0.01 5 4 3 2 1
Habitat Smothering <u>12</u> Primary Score <u>21</u>	Adequate number of stable pools (1-2 per 12 times width) and <25% of habitats affected by sand, silt, or algae. 20 19 18 17 16	Adequate number of stable pools (1-2 per 12 times width) and >25% of habitats affected by sand, silt, or algae. 15 14 13 <u>12</u> 11	Does not have required number of stable pools (1-2 per 12 x width) and/or has shallow pools (<2 x prevailing depth). 10 9 8 7 6	Stable pools are absent. Most habitats affected by sand, silt, or algae accumulation. 5 4 3 2 1
Secondary Habitat Components	Expected sinuosity given the stream width. No evidence of dredging or artificial straightening. No spoil banks.	Good sinuosity within old channelized area. Evidence of dredging or straightening in the past (>25 yrs) but mostly recovered.	Straightened with trapezoidal cross section, but has a small degree of sinuosity developed within channelized area.	Straightened or engineered by dredging, has trapezoidal or box cut cross section, lacks required pools. May have spoil banks.
Artificial Channelization <u>18</u>	20 19 <u>18</u> 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1
Bank Stability	Bankfull > 60% of bank height. Slope of bank ≤ 60° from bankfull to top of bank. Bankfull is within or above the woody root zone with few raw, eroded areas.	Only meets 2 of the 3 requirements for optimal bank stability.	Only meets 1 of the 3 requirements for optimal bank stability.	Bankfull < 60% of bank height. Slope of bank > 60°. Bankfull is below the woody root zone with raw, eroded areas.
Right Bank <u>Σ</u> Left Bank <u>Σ</u>	10 9	8 7 6	<u>5</u> 4	3 2 1
Riparian Buffer Zone Width	Width of vegetation greater than 18 m	Width of vegetation >12 to 18m	Width of vegetation 6 to 12 m. human activities close to system	Less than 6 m of buffer zone due to intensive human activities
Right Bank <u>Σ</u> Left Bank <u>Σ</u>	<u>10</u> 9	<u>8</u> 7 6	<u>5</u> 4	3 2 1
Riparian Zone Vegetation Quality	Over 80% of riparian surfaces consist of normal, expected plant community for given sunlight & habitat conditions (e.g., native plants; tree, shrub, and forbs represented, if appropriate). Minimal disturbance.	>50% to 80% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Some disruption in community observed.	25% to 50% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Disruption obvious.	Less than 25% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions).
Right Bank <u>Σ</u> Left Bank <u>Σ</u> Secondary Score <u>Σ3</u>	10 9	8 7 6	<u>5</u> 4	3 2 1

84

TOTAL SCORE

Date: <u>3/31/21</u>	Analyst: <u>Jeremy Carter</u>	Signature: <u>[Signature]</u>
----------------------	-------------------------------	-------------------------------

Burderklandis
20030580
3/3/21
JP

Plants observed / other notes:

$V = 0.3$
 $R = 2.4$
 $S = 2.05$
 $L = 0.65$

Revision Date: January 2017

DEP FORM FD 9000-32: LINEAR VEGETATION SURVEY FIELD SHEET

Waterbody: Burzha Pen @ Blinding Bnd	Date: 3/31/21	County: Dorval	Storet Number: 2003082
--------------------------------------	---------------	----------------	------------------------

Analyst: HVA Signature: _____

Comments:

Instructions: Note taxa growing in the water with a checkmark if present, "D" if dominant, and "C" if codominant (dominance only if 1 m² of taxa present). Note in the boxes below if no dominant are selected, and note total macrophyte abundance rank for each section. Only the most common taxa are listed, so use blank spaces for additional taxa names.

[illegible]