

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID:

2021-08-09-17

RQ-

2021-08-09-17

Project:

LSJ Lake

Notes: (1) Always wait for meter to stabilize before recording any readings.

(2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).

(3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification

7/8/21

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro-meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	J Parnish	8/10/21	7:50	22.0	765.6	8.8	8.8	100.7	-	1.032	P/F	L/F
ICV	J	8/10/21	7:51	22.0	765.6	8.8	8.8	100.8	-	1.032	P/F	L/F
CCV	J Parnish	8/10/21	7:45	22.7	764.8	8.7	8.66	100.4	-	-	P/F	L/F
CCV											P/F	L/F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ hos/cm	Meter Reading μ hos/cm	Pass / Fail	Lab / Field
Calibr.	J Parnish	8/10/21	7:53	210426 B	5/22	1000	1000	P/F	L/F
ICV	J	8/10/21	7:55	210426 A	5/22	100	98.2	P/F	L/F
CCV	J Parnish	8/10/21	1:47	210426 C	5/22	1413	1405	P/F	L/F
CCV								P/F	L/F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	J Parnish	8/10/21	7:56	2104E81	4/23	7.	22.8	7.00	21.7	P/F	L/F
Calibr.	J	8/10/21	7:57	2103659	3/23	4.	22.7	4.00	14.2	P/F	L/F
Calibr.	J	8/10/21	8:03	2107A04	12/22	10.	22.8	10.00	200.1	P/F	L/F
ICV	J	8/10/21	8:04	2103659	3/23	4.	22.7	3.99	14.5	P/F	L/F
CCV	J Parnish	8/10/21	1:44	2107A04	12/22	10.	22.5	9.98	200.1	P/F	L/F
CCV										P/F	L/F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ;

mV pH 4 Range $+180 \pm 50$;

mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 168.8, slope from 4 to 7 178.2 (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification: 5/18/21

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: _____; Date of last verification: 5

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	J Parnish	8/10/21	8:05	0.00	0.00	P/F	L/F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PLAN FIELD SHEET

January 2020

Meter Passed End
of Day CCV
☒ Yes / ☐ No

WIN Station Name: Silver lake Center **Date:** 8/10/2021
WIN/Field ID: G2NE1132 **WBID:** 2623 **ENR:** **Latitude:** 29.444963
County: PUTNAM **Org ID:** 21FLA **Longitude:** -81.572238
Receiving Body of Water: - **RQ:** 2021-08-09-17

Sampling Team Members		WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
☒	Jeremy Parrish		x		x	x
☒	Kelly McDonald	x		x		
☐						
☐						

Sampling Equipment	
☒ Sample Container	☐ Carboy
☐ Dipper	☐ Van Dorn
☐ Syringe	☐ Pole
Depth measured with: Meter	
Secchi Equipment ID:	
Collection Method	
☐ Wading	☒ Canoe/Kayak
☐ From Shore	☐ Electric Motor
☐ Other	☐ Gasoline Motor

Water Level: ☒ Normal ☐ Low ☐ High ☐ Dry ☐ Pooled ☐ Flooded						Meter ID# BRUCE					
Photos: NO		Flow: NA		Tide:		Tide Times: High: Low:					
Biological Samples Collected: ☒ None ☐ HA ☐ SCI ☐ RPS ☐ Algae ID ☐ LVS ☐ LVI Other:											
SBIO ID Numbers:											
Notes: HOT. SUNNY. NO CLOUDS											

Duplicate Sample

Time Zone: EST	Time:	Field ID: N/A	(WIN ID_DUP)
WIN DMT Activity ID:			

Blank

Time Zone:	Time:	Field ID:	(Blank Type_DDDMMYYY)
DI Source:		Location:	
DI Type:		Equipment ID:	
DI Container (Name/ID):		DI Container Type:	

LIMS EVENT ID: WIN Import ID: 28546
Enter Field Parameters, Verify Station ID in LIMS DMT: QC Station ID, Field Parameters in LIMS DMT: BD 08/17/2021
(Initials/Date) (Initials/Date)
Scan/Save Field Sheets BD 08/17/2021 Migrate Data to WIN: JP 9/10/21 Verify Data in WIN: (Initials/Date)
(Initials/Date) (Initials/Date)



RQ-2021-08-09-17

Customer: WQAP

Project ID: SMP

Collected By: Jeremy Parrish, Kelly McDonald

Field Report Prepared By: Jeremy Parrish

Sampling Agency: FDEP

Place Label Here

WIN ID/Field ID:



G2NE1132

Location: Silver lake Center

Comments:

Matrix: Fresh


(Check one)

☒ GRAB☐ COMPOSITE

Date	Time	DO (mg/L)	DO (%SAT)	Temp. (C°)	pH	Sample Depth (m)	Secchi Disk (m)	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPT)		
	1200 EST	6.13	81.9	30.2	4.61	0.3	0.4 ☐ VOB (S)	5.89	77.7	0.03		
8/10/2021	1202	3.86	49.5	28.7	4.66	2.0			76.9	0.03		
	1205 EST	0.24	2.9	23.1	5.09	5.39			83.8	0.04		
Parameter Suite		Parameter Methods				Preservation		pH Check	# Bottles sent to Lab	Bottle Group		
Preserved Nutrients (P-500ML)		☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				☒ Ice ☒ H2SO4*		☒ <2	1	A		
		Lot #	Sa1105060		Exp:	4.20.22						
Metals (P-500ML)		☐ W-ICPMS ☐ W-ICP ☐ W-HARD				☐ Ice ☐ HNO3*		☐ <2				
		Lot #			Exp:							
Filtered Nutrients (P125ML)		☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter				☒ Ice			1	A		
		Filter Lot #	R0nb29490									
		Syringe Lot #										
Chlorophyll (BP-1L)		☒ CHLSUITE-W				☒ Ice			1	A		
Physical/Aggregate (Fresh) (P-1L)		☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS				☒ Ice			1	A		
Physical/Aggregate (Marine) (P-1L)		☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY				☐ Ice						
Macroinvertebrates (PJ-2L)		☐ MI-FW-QLDC	Formalin Lot #			☐ Formalin						
Periphyton (PT-50ML)		☐ ALGAE-ID				☐ Ice						
Microbiology (Contract Lab Bottle)		☐ E Coli ☐ F Coli ☐ Enterococci				☐ Ice						
Molecular (QPCR-P-500ML)		☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-DG3				☐ Ice						
		☐ PCR-GULL2 ☐ PCR-GFD				☐ Ice						
Tracers (BG-500ML)		☐ W-E8321-DI ☐ W-E8321-MS				☐ Ice						
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI	WE8321-MS	W-PSNP-TQ	W-CT-CL-R	☐ Ice						
Phytoplankton/Periphyton		W-PCL-TQ-R	W-CARB-AA (5 ml of MCAA** Buffer Solution)			☐ Ice						
				DTY-QN-C	PKD-QN-BV	☐ Ice						
Name: Jeremy Parrish Kelly McDonald					Signature: Kelly A. McDonald				Date: 8/10/2021			

*2.0 ml of Preservative used unless noted otherwise.

**MCAA: Monochloroacetic acid buffer solution



SR #	AI & Contact Manolo Sullivan
------	------------------------------

Page 1 of 1

[illegible]