

Chemical Analysis Report

NE-DIST-2021-04-07-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Suwannee North 2021**

Request ID: **RQ-2021-03-29-09**

Customer: **NE-DIST**

Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Thekkekalathil Chandrasekhar, Environmental Consultant

Date Certified: 19-APR-2021 10:06



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Rocky Creek at CR136

Collection Date/Time: 04/06/2021 14:50

Field ID: 21010016

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2237323	EPA 8321B	2,4-D	0.0020	U	ug/L	P396177	
		Acesulfame K	1.0	U	ug/L	P396251	MS
		2,4,5-T	0.0040	U	ug/L	P396177	
		AMPA	0.10	U	ug/L	P396251	MS
		Sucralose	0.041		ug/L	P396251	
		Acetaminophen	0.038		ug/L	P396177	
		Acetamiprid	0.0020	U	ug/L	P396177	
		Endothall	2.5	U	ug/L	P396251	MS
		Glufosinate	0.10	U	ug/L	P396251	
		Glyphosate	0.10	U	ug/L	P396251	MS
		Afidopyropen	0.0020	U	ug/L	P396177	
		Bentazon	8.0E-04	U	ug/L	P396177	
		Benzovindiflupyr	0.0020	U	ug/L	P396177	
		Carbamazepine	8.0E-04	U	ug/L	P396177	
		Clothianidin	0.0020	U	ug/L	P396177	
		Dinotefuran	0.0020	U	ug/L	P396177	
		Diuron	0.0074	I	ug/L	P396177	
		Fenuron	0.016	U	ug/L	P396177	
		Fluridone	8.0E-04	U	ug/L	P396177	
		Imazapyr	0.016	I	ug/L	P396177	
		Hydrocodone	0.0020	U	ug/L	P396177	
		Ibuprofen	0.020	U	ug/L	P396177	
		Imidacloprid	0.0020	U	ug/L	P396177	
		Linuron	0.0040	U	ug/L	P396177	
		Mandestrobin	0.0020	U	ug/L	P396177	
		MCPP	0.0020	U	ug/L	P396177	
		Naproxen	0.0080	U	ug/L	P396177	
		Primidone	0.0040	U	ug/L	P396177	
		Pyraclostrobin	0.0020	U	ug/L	P396177	
		Thiamethoxam	0.0020	U	ug/L	P396177	
		Tolfenpyrad	0.0020	U	ug/L	P396177	
		Triclopyr	0.0040	U	ug/L	P396177	

Ref. Method and Comment:

EPA 8321B: MDL for some parameters elevated due to matrix interference.

Quality Assurance Report

Method Blank Results

Reference Method: EPA 8321B

Batch ID: P396177

Component	Result	Code	Units
2,4-D	0.0020	U	ug/L
2,4,5-T	0.0040	U	ug/L
Acetaminophen	0.0080	U	ug/L
Acetamiprid	0.0020	U	ug/L
Afidopyropen	0.0020	U	ug/L
Bentazon	8.0E-04	U	ug/L
Benzovindiflupyr	0.0020	U	ug/L
Carbamazepine	8.0E-04	U	ug/L
Clothianidin	0.0020	U	ug/L
Dinotefuran	0.0020	U	ug/L
Diuron	0.0020	U	ug/L
Fenuron	0.016	U	ug/L
Fluridone	8.0E-04	U	ug/L
Hydrocodone	0.0020	U	ug/L
Ibuprofen	0.020	U	ug/L
Imazapyr	0.0040	U	ug/L
Imidacloprid	0.0020	U	ug/L
Linuron	0.0040	U	ug/L
Mandestrobin	0.0020	U	ug/L
MCPP	0.0020	U	ug/L
Naproxen	0.0080	U	ug/L
Primidone	0.0040	U	ug/L
Pyraclostrobin	0.0020	U	ug/L
Thiamethoxam	0.0020	U	ug/L
Tolfenpyrad	0.0020	U	ug/L
Triclopyr	0.0040	U	ug/L

Reference Method: EPA 8321B

Batch ID: P396251

Component	Result	Code	Units
Acesulfame K	0.10	U	ug/L
AMPA	0.10	U	ug/L
Endothall	0.25	U	ug/L
Glufosinate	0.10	U	ug/L
Glyphosate	0.10	U	ug/L
Sucralose	0.010	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 8321B
Batch ID: P396177

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2,4-D	127		P	30 - 160
2,4,5-T	118		P	30 - 160
Acetaminophen	90.5		P	30 - 160
Acetamiprid	107		P	30 - 160
Afidopyropen	73.7		P	30 - 160
Bentazon	113		P	30 - 160
Benzovindiflupyr	82.6		P	30 - 160
Carbamazepine	105		P	30 - 160
Clothianidin	104		P	30 - 160
Dinotefuran	95.9		P	30 - 160
Diuron	71.6		P	30 - 160
Fenuron	90.6		P	30 - 160
Fluridone	104		P	30 - 160
Hydrocodone	115		P	30 - 160
Ibuprofen	89.3		P	30 - 160
Imazapyr	86.3		P	30 - 160
Imidacloprid	105		P	30 - 160
Linuron	82.9		P	30 - 160
Mandestrobin	90.7		P	30 - 160
MCPP	134		P	30 - 160
Naproxen	71.6		P	30 - 160
Primidone	98.4		P	30 - 160
Pyraclostrobin	73.3		P	30 - 160
Thiamethoxam	85.6		P	30 - 160
Tolfenpyrad	52.9		P	30 - 160
Triclopyr	114		P	30 - 160

Reference Method: EPA 8321B
Batch ID: P396251

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Acesulfame K	122		P	40 - 150
AMPA	144		P	40 - 150
Endothall	83.9		P	40 - 150
Glufosinate	147		P	40 - 150
Glyphosate	140		P	40 - 140
Sucralose	90.0		P	40 - 150

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 8321B
Batch ID: P396177

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2237202	2,4-D	137	143	P/P	30 - 160
2237202	2,4,5-T	114	115	P/P	30 - 160
2237202	Acetaminophen	106	107	P/P	30 - 160
2237202	Acetamiprid	108	115	P/P	30 - 160
2237202	Afidopyropen	93.4	99.7	P/P	30 - 160
2237202	Bentazon	95.4	105	P/P	30 - 160
2237202	Benzovindiflupyr	82.3	89.4	P/P	30 - 160
2237202	Carbamazepine	107	113	P/P	30 - 160
2237202	Clothianidin	118	109	P/P	30 - 160
2237202	Dinotefuran	115	114	P/P	30 - 160
2237202	Diuron	69.9	73.3	P/P	30 - 160
2237202	Fenuron	82.7	76.0	P/P	30 - 160
2237202	Fluridone	111	114	P/P	30 - 160
2237202	Hydrocodone	124	131	P/P	30 - 160
2237202	Ibuprofen	81.6	93.2	P/P	30 - 160
2237202	Imazapyr	79.6	86.2	P/P	30 - 160
2237202	Imidacloprid	119	127	P/P	30 - 160
2237202	Linuron	73.7	80.9	P/P	30 - 160
2237202	Mandestrobin	92.0	96.5	P/P	30 - 160
2237202	MCCP	132	139	P/P	30 - 160
2237202	Naproxen	74.4	93.3	P/P	30 - 160
2237202	Primidone	103	105	P/P	30 - 160
2237202	Pyraclostrobin	74.7	82.5	P/P	30 - 160
2237202	Thiamethoxam	124	126	P/P	30 - 160
2237202	Tolfenpyrad	50.4	53.3	P/P	30 - 160
2237202	Triclopyr	110	119	P/P	30 - 160

Reference Method: EPA 8321B
Batch ID: P396251

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2237265	Acesulfame K	146	170	P/F	40 - 150
2237265	AMPA	166	161	F/F	40 - 150
2237265	Endothall	206	228	F/F	40 - 150
2237265	Glufosinate	140	134	P/P	40 - 150
2237265	Glyphosate	136	146	P/F	40 - 140
2237265	Sucralose	93.4	94.6	P/P	40 - 150

Quality Assurance Report Precision

Reference Method: EPA 8321B
Batch ID: P396177

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2237202	2,4-D	4.22	Spike	P	0 - 30
2237202	2,4,5-T	1.23	Spike	P	0 - 30
2237202	Acetaminophen	1.07	Spike	P	0 - 30
2237202	Acetamiprid	6.02	Spike	P	0 - 30
2237202	Afidopyropen	6.54	Spike	P	0 - 30
2237202	Bentazon	8.36	Spike	P	0 - 30
2237202	Benzovindiflupyr	8.24	Spike	P	0 - 30
2237202	Carbamazepine	5.35	Spike	P	0 - 30
2237202	Clothianidin	7.33	Spike	P	0 - 30
2237202	Dinotefuran	1.26	Spike	P	0 - 30
2237202	Diuron	4.77	Spike	P	0 - 30
2237202	Fenuron	8.42	Spike	P	0 - 30
2237202	Fluridone	2.48	Spike	P	0 - 30
2237202	Hydrocodone	5.20	Spike	P	0 - 30
2237202	Ibuprofen	13.3	Spike	P	0 - 30
2237202	Imazapyr	7.21	Spike	P	0 - 30
2237202	Imidacloprid	7.21	Spike	P	0 - 30
2237202	Linuron	9.41	Spike	P	0 - 30
2237202	Mandestrobin	4.78	Spike	P	0 - 30
2237202	MCP	4.98	Spike	P	0 - 30
2237202	Naproxen	22.6	Spike	P	0 - 30
2237202	Primidone	1.98	Spike	P	0 - 30
2237202	Pyraclostrobin	9.89	Spike	P	0 - 30
2237202	Thiamethoxam	2.15	Spike	P	0 - 30
2237202	Tolfenpyrad	5.66	Spike	P	0 - 30
2237202	Triclopyr	7.69	Spike	P	0 - 30

Reference Method: EPA 8321B
Batch ID: P396251

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2237265	Acesulfame K	15.1	Spike	P	0 - 30
2237265	AMPA	3.19	Spike	P	0 - 30
2237265	Endothall	10.4	Spike	P	0 - 30
2237265	Glufosinate	4.01	Spike	P	0 - 30
2237265	Glyphosate	6.92	Spike	P	0 - 30
2237265	Sucralose	1.26	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2237323

Field Sample ID: 21010016

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	2,4-D-d3	127	P	30 - 160
EPA 8321B	Acetaminophen-d4	126	P	30 - 160
EPA 8321B	Carbamazepine-d10	99.2	P	30 - 160
EPA 8321B	Diuron-d6	67.6	P	30 - 160
EPA 8321B	Endothall-d6	76.4	P	40 - 160
EPA 8321B	Endothall-d6	76.4	P	40 - 160
EPA 8321B	Glyphosate 13C 15N	158	P	40 - 160
EPA 8321B	Glyphosate 13C 15N	158	P	40 - 160
EPA 8321B	Ibuprofen-d3	86.7	P	30 - 160
EPA 8321B	Primidone-d5	123	P	30 - 160
EPA 8321B	Sucralose-d6	71.4	P	30 - 160
EPA 8321B	Sucralose-d6	71.4	P	30 - 160

Quality Assurance Report Calibration Verification

Reference Method: EPA 8321B
 Run ID: A104605
 Included Lab Sample IDs: 2237323

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
2,4-D	90.8	97.1	P/P	50 - 150
2,4,5-T	94.6	101	P/P	50 - 150
Acetaminophen	89.6	89.0	P/P	60 - 160
Acetamiprid	129	135	P/P	50 - 150
Afidopyropen	114	117	P/P	50 - 150
Bentazon	129	139	P/P	50 - 160
Benzovindiflupyr	117	108	P/P	50 - 160
Carbamazepine	134	127	P/P	60 - 150
Clothianidin	117	124	P/P	60 - 150
Dinotefuran	106	98.5	P/P	50 - 150
Diuron	119	121	P/P	60 - 160
Fenuron	102	107	P/P	60 - 150
Fluridone	141	131	P/P	60 - 160
Hydrocodone	123	123	P/P	60 - 150
Ibuprofen	95.3	96.3	P/P	50 - 160
Imazapyr	83.6	110	P/P	50 - 160
Imidacloprid	97.8	101	P/P	60 - 150
Linuron	114	113	P/P	60 - 150
Mandestrobin	121	119	P/P	50 - 150
MCPP	89.0	96.4	P/P	50 - 150
Naproxen	94.5	94.3	P/P	50 - 160
Primidone	111	115	P/P	60 - 150
Pyraclostrobin	103	107	P/P	60 - 150
Thiamethoxam	121	116	P/P	50 - 150
Tolfenpyrad	112	115	P/P	60 - 150
Triclopyr	99.0	98.3	P/P	50 - 150

Reference Method: EPA 8321B
 Run ID: A104697
 Included Lab Sample IDs: 2237323

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Acesulfame K	71.5	89.4	P/P	40 - 160
AMPA	156	152	P/P	40 - 160
Endothall	65.0	68.8	P/P	40 - 160
Glufosinate	141	144	P/P	40 - 160
Glyphosate	156	159	P/P	40 - 160

Reference Method: EPA 8321B
 Run ID: A104794
 Included Lab Sample IDs: 2237323

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Sucralose	88.9	92.8	P/P	60 - 160

* Pass/Fail determinations are made for each bracketing calibration verification check.
 Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
 Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision SMP	MS
			LCS			
EPA 8321B	2,4-D	127	137	143		4.22
	2,4,5-T	118	114	115		1.23
	Acesulfame K	122	146	170		15.1
	Acetaminophen	90.5	106	107		1.07
	Acetamiprid	107	108	115		6.02
	Afidopyropen	73.7	93.4	99.7		6.54
	AMPA	144	166	161		3.19
	Bentazon	113	95.4	105		8.36
	Benzovindiflupyr	82.6	82.3	89.4		8.24
	Carbamazepine	105	107	113		5.35
	Clothianidin	104	118	109		7.33
	Dinotefuran	95.9	115	114		1.26
	Diuron	71.6	69.9	73.3		4.77
	Endothall	83.9	206	228		10.4
	Fenuron	90.6	82.7	76.0		8.42
	Fluridone	104	111	114		2.48
	Glufosinate	147	140	134		4.01
	Glyphosate	140	136	146		6.92
	Hydrocodone	115	124	131		5.20
	Ibuprofen	89.3	81.6	93.2		13.3
	Imazapyr	86.3	79.6	86.2		7.21
	Imidacloprid	105	119	127		7.21
	Linuron	82.9	73.7	80.9		9.41
	Mandestrobin	90.7	92.0	96.5		4.78
	MCPP	134	132	139		4.98
	Naproxen	71.6	74.4	93.3		22.6
	Primidone	98.4	103	105		1.98
	Pyraclostrobin	73.3	74.7	82.5		9.89
	Sucralose	90.0	93.4	94.6		1.26
	Thiamethoxam	85.6	124	126		2.15
	Tolfenpyrad	52.9	50.4	53.3		5.66
	Triclopyr	114	110	119		7.69

Reference Method Descriptions

Method	Description	<u>Associated Samples</u>
EPA 8321B	Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS	2237323
EPA 8321B	Water soluble organic compounds by HPLC/MS/MS	2237323

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 8321B	04/07/2021	04/09/2021 09:00	Hoor Shaik	04/10/2021 10:11	Juyoung Kim	2237323
	04/07/2021	04/09/2021 11:00	Rebecca Ware	04/09/2021 17:05	Rebecca Ware	2237323
	04/07/2021	04/09/2021 11:00	Rebecca Ware	04/12/2021 13:34	Rebecca Ware	2237323
	04/07/2021	04/09/2021 11:00	Rebecca Ware	04/16/2021 17:14	Mohammad Ghaffari	2237323