

Login Checklist

RQ- **2021 - 07 - 05 - 33**

Login Station ID: **# 3**

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: **07-15-2021 / 12:10**

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
2.4C				1		X			9293 8009 4356

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO₃ and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. **NCR#** _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. **NCR#** _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. **NCR#** _____
- If coolers or samples are received late; identify the affected samples in an NCR. **NCR#** _____

Chain of Custody/ Field Sheet(s) Included?

Yes **X** No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes **✓** No **X** *PS*

CONTAINER CHECK

Evidence Tape on Bottles?

Yes _____ No _____ NA **X**

Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken?

Yes _____ No _____

Containers intact? Yes **X** No _____

Caps on tight?

Yes **X** No _____

Sufficient Sample Volume:

Yes **X** No _____

If **NO** is checked above, generate an NCR listing affected sample IDs in its appropriate category. **NCR#** _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes _____ No **X** Init: **ABS** /

Chlorine detected? (One container checked per Field ID)

Yes _____ No _____ Init: **ABS** /

If chlorine is detected, generate an NCR listing affected sample IDs . **NCR#** _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH < 2.0?

Yes **X** No _____ NA _____ Init: **ABS** /

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?

Yes _____ No _____ NA **X** Init: **ABS** /

If samples were not preserved correctly, generate an NCR listing affected sample IDs . **NCR#** _____

Coolers Unpacked/Checked by: **ABS** /

Date: **07-15-2021** Event contains NCRs (Y/N)? **N**

EventID: **LSJR West Boat 2021**
-NE-DIST-2021-07-15-03 (SMP)

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	IRTG # 3 EXP:10/28/2021
pH Test Strips 0 – 6	Lot # Z32518Y EXP:NOV 30 2021
pH Paper 0 – 3	N/A
pH Paper 0 – 13	Lot # Z31019 EXP:NOV 1 2022
Chlorine Test Strips	0261 2023 / 05

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: ABS

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 7/14/2021
Customer: NE-DIST
RQ: RQ-2021-07-05-33


Collected By: Jeremy Parrish, Jessica Lee
Sampling Agency: FDEP
Project ID: SMP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 1

Delivery Method: FedEx

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
YELLOW WATER CR AT SR 228	 20030549

RELINQUISHED BY(SIGNATURE):



DATE/TIME: 7/14/2021
1600EST

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By: A.SHAIK

Rec'd/Inspected Date: 07-15-2021

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID:

Desi

RQ:

2021-07-12-57

Project:

SMP Milama

Notes: (1) Always wait for meter to stabilize before recording any readings.

(2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).

(3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro-meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	J. Lee	7/14/21	0736	23.4	766.9	8.6	8.6	100.9	-	1.07	P/F	L/F
ICV			0737	23.4	766.9	8.6	8.59	101.0	-	1.07	P/F	L/F
CCV	J. Parrish	7/14/21	1335	23.5	766.6	8.5	8.60	101.2	-	-	P/F	L/F
CCV											P/F	L/F

DO Acceptance criteria from Table ± 0.3 mg/L

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ mhos/cm	Meter Reading μ mhos/cm	Pass / Fail	Lab / Field
Calibr.	J. Lee	7/14/21	0739	2104263	5/22	1000	1000	P/F	L/F
ICV			0741	210426A	5/22	100	101.7	P/F	L/F
CCV	J. Parrish	7/14/21	1337	210426C	5/22	1413	1416	P/F	L/F
CCV								P/F	L/F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	J. Lee	7/14/21	0744	2012E39	12/22	7.00	23.6	7.00	-145	P/F	L/F
Calibr.			0748	2103G59	3/23	4.00	23.7	4.00	164.1	P/F	L/F
Calibr.			0751	2102F53	9/22	10.01	23.8	10.01	-186.1	P/F	L/F
ICV			0753	2103G59	3/23	4.00	23.7	4.00	163.5	P/F	L/F
CCV	J. Parrish		1338	2103P55	9/22	10.0	23.5	10.1	193	P/F	L/F
CCV										P/F	L/F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ;

mV pH 4 Range $+180 \pm 50$;

mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 171.4 , slope from 4 to 7 178.6 (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water protect)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification:

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: ; Date of last verification:

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	J. Lee	7/14/21	07:54	0.00	0.00	P/F	L/F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:



RQ-2021-07-05-33

Customer: WQAP

Project ID: SMP

Collected By: Jeremy Parrish, Jessica Lee

Field Report Prepared By: Jeremy Parrish

Sampling Agency: FDEP

Place Label Here

WIN ID/Field ID:



20030549

Location: YELLOW WATER CR AT SR 228

Comments: Microbiology sample(s) submitted to contract laboratory

Matrix: Fresh

(Check one)

☒ GRAB☐ COMPOSITE

Date	Time	DO (mg/L)	DO (%SAT)	Temp. (C°)	pH	Sample Depth (m)	Secchi Disk (m)	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPTH)
7/14/2021	1135 EST	5.85	71.7	25.8	5.81	0.3	0.5 ☐ VOB (S)	1.4	54.5	0.02
	EST									

Parameter Suite	Parameter Methods	Preservation	pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	☐ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP Lot # _____ Exp: _____	☐ Ice ☐ H2SO4* ☐ <2			
Metals (P-500ML)	☒ W-ICPMS ☒ W-ICP ☒ W-HARD Lot # Na0344060 Exp: 1/4/22	☒ Ice ☒ HNO3* ☒ <2		1	C
Filtered Nutrients (P125ML)	☐ W-PO4-F ☐ Field Filtered 0.45 µm Filter Filter Lot # _____ Syringe Lot # _____	☐ Ice			
Chlorophyll (BP-1L)	☐ CHLSUITE-W	☐ Ice			
Physical/Aggregate (Fresh) (P-1L)	☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-CHC / W-COLOR / W-SO4-IC / W-TDS	☐ Ice			
Physical/Aggregate (Marine) (P-1L)	☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates (PJ-2L)	☐ MI-FW-QLDC Formalin Lot # _____	☐ Formalin			
Periphyton (PT-50ML)	☐ ALGAE-ID	☐ Ice			
Microbiology (Contract Lab Bottle)	☒ E Coli ☐ F Coli ☐ Enterococci ☒ Contract Lab	☒ Ice		1	C
Molecular (QPCR-P-500ML)	☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-DG3 ☐ PCR-GULL2 ☐ PCR-GFD	☐ Ice			
Tracers (BG-500ML)	☐ W-E8321-DI ☐ W-E8321-MS	☐ Ice			
Pesticides (BG-500ML) (BG-1L)	W-E8321-DI WE8321-MS W-PSNP-TQ W-CT-CL-R W-PCL-TQ-R W-CARB-AA (5 ml of MCAA** Buffer Solution)	☐ Ice			
Phytoplankton/Periphyton	DTY-QN-C PKD-QN-BV	☐ Ice			

Name: Jeremy Parrish Jessica Lee	Signature: <i>Jessica Lee</i>	Date: 07/14/2021
--	----------------------------------	---------------------

*2.0 ml of Preservative used unless noted otherwise.

**MCAA: Monochloroacetic acid buffer solution



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

January 2020

Meter Passed End
of Day CCV
Yes / No

WIN Station Name: YELLOW WATER CR AT SR 228

Date: 7/14/2021

WIN/Field ID: 20030549

WBID: 2323

ENR: -

Latitude: 30.2293

County: DUVAL

Org ID: 21FLA

Longitude: -81.92

Receiving Body of Water: Lower St. Johns

RQ- 2021-07-05-33

Sampling Team Members		WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
☒	Jeremy Parrish	x		x		
☒	Jessica Lee		x		x	x
☐						
☐						

Sampling Equipment	
☒ Sample Container	☐ Carboy
☐ Dipper	☐ Van Dorn
☐ Syringe	☒ Pole
Depth measured with: Meter	
Secchi Equipment ID:	
Collection Method	
☐ Wading	☐ Canoe/Kayak
☒ From Shore	☐ Electric Motor
☐ Other	☐ Gasoline Motor

Water Level: ☐ Normal ☐ Low ☒ High ☐ Dry ☐ Pooled ☐ Flooded		Meter ID# DESI	
Photos:	Flow: FLOW	Tide:	Tide Times: High: Low:
Biological Samples Collected: ☒ None ☐ HA ☐ SCI ☐ RPS ☐ Algae ID ☐ LVS ☐ LVI Other:			
SBIO ID Numbers:			
Notes: Clear skies, sunny			

Duplicate Sample

Time Zone: EST Time: Field ID: N/A (WIN ID_DUP)

WIN DMT Activity ID:

Blank

Time Zone:	Time:	Field ID:	(Blank Type_DDMYYYY)
DI Source:	Location:		
DI Type:	Equipment ID:		
DI Container (Name/ID):		DI Container Type:	

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: (Initials/Date) QC Station ID, Field Parameters In LIMS DMT: (Initials/Date)

Scan/Save Field Sheets 9L 07/14/2021 (Initials/Date) Migrate Data to WIN: (Initials/Date) Verify Data In WIN: (Initials/Date)

2143 Phillips Highway, Suite 200 Jacksonville, FL 32256 / PH (904) 719-2277 / FAX (904) 719-2011

ALS Contact Mandy Sullivan

Page 1 of 1

Project Number		Report CC		ANALYSIS REQUESTED (Include Method Number and Container Preservative)	
Client Sample ID	LAB ID	SAMPLING DATE	SAMPLING TIME	Matrix	Preservative Key
20030549		7/14/21	1135	SW	0. None 1. HCL 2. HNO3 3. H2SO4 4. NaOH 5. Zn Acetate 6. MeOH 7. NaHSO4 8. ICE
CLIENT SIGNATURE		LABORATORY SIGNATURE		REMARKS	
J. Lee		J. Lee		Free	
CLIENT ADDRESS		LABORATORY ADDRESS		INVOICE INFORMATION	
2 Raymond Way W Saville, WI 53256		2 Raymond Way W Saville, WI 53256		F.O. # D1079 BRI to:	
CLIENT PHONE		LABORATORY PHONE		REPORT REQUIREMENTS	
256-1700		256-1700		I. Results Only II. Results + QC Summary III. Results + QC and Calibration Summary IV. Data Validation Report with Raw Data	
CLIENT FAX		LABORATORY FAX		TUNNAROUND REQUIREMENTS	
				I. Results Only II. Results + QC Summary III. Results + QC and Calibration Summary IV. Data Validation Report with Raw Data	
CLIENT EMAIL		LABORATORY EMAIL		INVOICE INFORMATION	
jlee@overflows.com		jlee@overflows.com		F.O. # D1079 BRI to:	
CLIENT NAME		LABORATORY NAME		REPORT REQUIREMENTS	
J. Lee		J. Lee		I. Results Only II. Results + QC Summary III. Results + QC and Calibration Summary IV. Data Validation Report with Raw Data	
CLIENT ADDRESS		LABORATORY ADDRESS		TUNNAROUND REQUIREMENTS	
2 Raymond Way W Saville, WI 53256		2 Raymond Way W Saville, WI 53256		I. Results Only II. Results + QC Summary III. Results + QC and Calibration Summary IV. Data Validation Report with Raw Data	
CLIENT PHONE		LABORATORY PHONE		INVOICE INFORMATION	
256-1700		256-1700		F.O. # D1079 BRI to:	
CLIENT FAX		LABORATORY FAX		REPORT REQUIREMENTS	
				I. Results Only II. Results + QC Summary III. Results + QC and Calibration Summary IV. Data Validation Report with Raw Data	
CLIENT EMAIL		LABORATORY EMAIL		INVOICE INFORMATION	
jlee@overflows.com		jlee@overflows.com		F.O. # D1079 BRI to:	
CLIENT NAME		LABORATORY NAME		REPORT REQUIREMENTS	
J. Lee		J. Lee		I. Results Only II. Results + QC Summary III. Results + QC and Calibration Summary IV. Data Validation Report with Raw Data	
CLIENT ADDRESS		LABORATORY ADDRESS		TUNNAROUND REQUIREMENTS	
2 Raymond Way W Saville, WI 53256		2 Raymond Way W Saville, WI 53256		I. Results Only II. Results + QC Summary III. Results + QC and Calibration Summary IV. Data Validation Report with Raw Data	
CLIENT PHONE		LABORATORY PHONE		INVOICE INFORMATION	
256-1700		256-1700		F.O. # D1079 BRI to:	
CLIENT FAX		LABORATORY FAX		REPORT REQUIREMENTS	
				I. Results Only II. Results + QC Summary III. Results + QC and Calibration Summary IV. Data Validation Report with Raw Data	
CLIENT EMAIL		LABORATORY EMAIL		INVOICE INFORMATION	
jlee@overflows.com		jlee@overflows.com		F.O. # D1079 BRI to:	
CLIENT NAME		LABORATORY NAME		REPORT REQUIREMENTS	
J. Lee		J. Lee		I. Results Only II. Results + QC Summary III. Results + QC and Calibration Summary IV. Data Validation Report with Raw Data	
CLIENT ADDRESS		LABORATORY ADDRESS		TUNNAROUND REQUIREMENTS	
2 Raymond Way W Saville, WI 53256		2 Raymond Way W Saville, WI 53256		I. Results Only II. Results + QC Summary III. Results + QC and Calibration Summary IV. Data Validation Report with Raw Data	
CLIENT PHONE		LABORATORY PHONE		INVOICE INFORMATION	
256-1700		256-1700		F.O. # D1079 BRI to:	
CLIENT FAX		LABORATORY FAX		REPORT REQUIREMENTS	
				I. Results Only II. Results + QC Summary III. Results + QC and Calibration Summary IV. Data Validation Report with Raw Data	
CLIENT EMAIL		LABORATORY EMAIL		INVOICE INFORMATION	
jlee@overflows.com		jlee@overflows.com		F.O. # D1079 BRI to:	
CLIENT NAME		LABORATORY NAME		REPORT REQUIREMENTS	
J. Lee		J. Lee		I. Results Only II. Results + QC Summary III. Results + QC and Calibration Summary IV. Data Validation Report with Raw Data	
CLIENT ADDRESS		LABORATORY ADDRESS		TUNNAROUND REQUIREMENTS	
2 Raymond Way W Saville, WI 53256		2 Raymond Way W Saville, WI 53256		I. Results Only II. Results + QC Summary III. Results + QC and Calibration Summary IV. Data Validation Report with Raw Data	
CLIENT PHONE		LABORATORY PHONE		INVOICE INFORMATION	
256-1700		256-1700		F.O. # D1079 BRI to:	
CLIENT FAX		LABORATORY FAX		REPORT REQUIREMENTS	
				I. Results Only II. Results + QC Summary III. Results + QC and Calibration Summary IV. Data Validation Report with Raw Data	
CLIENT EMAIL		LABORATORY EMAIL		INVOICE INFORMATION	
jlee@overflows.com		jlee@overflows.com		F.O. # D1079 BRI to:	
CLIENT NAME		LABORATORY NAME		REPORT REQUIREMENTS	
J. Lee		J. Lee		I. Results Only II. Results + QC Summary III. Results + QC and Calibration Summary IV. Data Validation Report with Raw Data	
CLIENT ADDRESS		LABORATORY ADDRESS		TUNNAROUND REQUIREMENTS	
2 Raymond Way W Saville, WI 53256		2 Raymond Way W Saville, WI 53256		I. Results Only II. Results + QC Summary III. Results + QC and Calibration Summary IV. Data Validation Report with Raw Data	
CLIENT PHONE		LABORATORY PHONE		INVOICE INFORMATION	
256-1700		256-1700		F.O. # D1079 BRI to:	
CLIENT FAX		LABORATORY FAX		REPORT REQUIREMENTS	
				I. Results Only II. Results + QC Summary III. Results + QC and Calibration Summary IV. Data Validation Report with Raw Data	
CLIENT EMAIL		LABORATORY EMAIL		INVOICE INFORMATION	
jlee@overflows.com		jlee@overflows.com		F.O. # D1079 BRI to:	
CLIENT NAME		LABORATORY NAME		REPORT REQUIREMENTS	
J. Lee		J. Lee		I. Results Only II. Results + QC Summary III. Results + QC and Calibration Summary IV. Data Validation Report with Raw Data	
CLIENT ADDRESS		LABORATORY ADDRESS		TUNNAROUND REQUIREMENTS	
2 Raymond Way W Saville, WI 53256		2 Raymond Way W Saville, WI 53256		I. Results Only II. Results + QC Summary III. Results + QC and Calibration Summary IV. Data Validation Report with Raw Data	
CLIENT PHONE		LABORATORY PHONE		INVOICE INFORMATION	
256-1700		256-1700		F.O. # D1079 BRI to:	
CLIENT FAX					

Date of Request: 11-JUN-2021
 Created By: PARRISH_J On: 11-JUN-2021
 Modified By: JASROTIA_P On: 11-JUN-2021
 Customer: NE-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Northeast District
 Event Description: LSJR West Boat 2021

Send Coolers To:

Phone: 904-256-1693
 8800 Baymeadows Way West
 Suite 100
 Jacksonville, FL 32256
 Attn: Jeremy Parrish
 Cooler Ship EMail: Jeremy.M.Parrish@dep.state.fl.us

Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 11-JUN-2021
 Biology Request Reviewed By: JASROTIA_P On: 11-JUN-2021
 Sampling Kit Required: YES Ship on: 25-JUN-2021
 Sampling Kit Shipped: YES On: 21-JUN-2021
 Sampling Kit Packed By: MCCOY_I
 Preservatives Needed: NO
 Date to Receive Samples: 05-JUL-2021
 Logged In By: SHAIK_A On: 15-JUL-2021

Send Final Report To:

8800 Baymeadows Way West
 Suite 100
 Jacksonville, FL 32256
 Attn: Jeremy Parrish
 Report Notification EMail: Jeremy.M.Parrish@dep.state.fl.us

Comments: Group A:(Surf.-Fresh) Nutrients, Bacteria
 Group B:(Surf.-Salt) Nutrients, Metals, Bacteria,
 Group C: (Surf.-Fresh)Metals, Bacteria
 Group D:(Surf.-Fresh)Bacteria

NE-ALS-ECQ
 NE-ALS-ENQ

Packing Notes:

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B-2011) True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2011) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML-WI-THI	Number of Bottles: 1	Preserved With: ICE
NE-ALS-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Colilert/QT by ALS in Jacksonville
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML-WI-THI	Number of Bottles: 1	Preserved With: ICE
NE-ALS-ENQ	Template: DEFAULT	(ASTM D650399) Enterococci by Enterolert/QT by ALS in Jacksonville
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Iron		
Magnesium		
Manganese		
Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Aluminum		
Antimony		
Arsenic		
Beryllium		
Cadmium		
Chromium		
Copper		
Lead		
Nickel		
Selenium		
Silver		
Thallium		

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-250ML-WI-THI	Number of Bottles: 1	Preserved With: ICE
NE-ALS-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Colilert/QT by ALS in Jacksonville
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-HARD	Template: DEFAULT	(SM 2340B) Hardness by calculation, in aqueous matrices, reported as mg/L CaCO3
Hardness		
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Barium		
Calcium		
Iron		
Magnesium		

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-500ML

Number of Bottles: 1

Preserved With: HNO3

W-ICP

Template:

(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects

Manganese

Potassium

Sodium

Zinc

W-ICPMS

Template:

(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

*Boron

Aluminum

Antimony

Arsenic

Beryllium

Cadmium

Chromium

Copper

Lead

Nickel

Selenium

Silver

Thallium

Bottle Group D (Water) With 1 Samples:

Bottle Type: P-250ML-WI-THI

Number of Bottles: 1

Preserved With: ICE

NE-ALS-ENQ

Template: DEFAULT

(ASTM D650399) Enterococci by Enterolert/QT by ALS in Jacksonville

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

