

Chemical Analysis Report

NE-DIST-2021-11-18-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Palm Valley Boat**
Request ID: **RQ-2021-11-15-18**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Thekkekalathil Chandrasekhar, Environmental Consultant

Date Certified: 13-DEC-2021 13:12



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Capo Creek 300m Above Mouth

Collection Date/Time: 11/17/2021 10:50

Field ID: 27010019

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2290312	EPA 180.1 Rev. 2.0	Turbidity	6.3		NTU	P406538	
	SM 2320 B-2011	Total Alkalinity	110		mg CaCO3/L	P406755	
	SM 2540 D-2011	TSS	18	J	mg/L	P406929	
	SM 4500 F-C-2011	Fluoride	0.73		mg F/L	P406757	
2290315	EPA 350.1 Rev. 2.0	Ammonia-N	0.018		mg N/L	P406851	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.47		mg N/L	P407065	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.009	I	mg N/L	P406616	
	EPA 365.1 Rev. 2.0	Total-P	0.053		mg P/L	P406638	
	SM 5310 B-2011	Organic Carbon	7.5		mg C/L	P406794	
2290318	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.029		mg P/L	P406516	

Ref. Method and Comment:

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample. Result may be biased due to sample being processed according to the field conductivity. Laboratory conductivity is 39600 umhos/cm.

EPA 365.1 Rev. 2.0: Total-P: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: Deep Creek 270m Above ICW

Collection Date/Time: 11/17/2021 11:10

Field ID: 27010165

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2290313	EPA 180.1 Rev. 2.0	Turbidity	6.0		NTU	P406538	
	SM 2320 B-2011	Total Alkalinity	111		mg CaCO3/L	P406756	
	SM 2540 D-2011	TSS	15		mg/L	P406930	
	SM 4500 F-C-2011	Fluoride	0.87		mg F/L	P406758	
2290316	EPA 350.1 Rev. 2.0	Ammonia-N	0.018		mg N/L	P406849	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.48		mg N/L	P406922	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.007	I	mg N/L	P406676	
	EPA 365.1 Rev. 2.0	Total-P	0.063		mg P/L	P406651	
	SM 5310 B-2011	Organic Carbon	9.5		mg C/L	P407177	
2290319	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.031		mg P/L	P406518	

Sample Location: Marshall Creek 0.5 Miles Above Mouth

Collection Date/Time: 11/17/2021 10:10

Field ID: G5NE0595

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2290314	EPA 180.1 Rev. 2.0	Turbidity	5.6		NTU	P406538	
	SM 2320 B-2011	Total Alkalinity	111		mg CaCO3/L	P406756	
	SM 2540 D-2011	TSS	12	A	mg/L	P406930	
	SM 4500 F-C-2011	Fluoride	0.89		mg F/L	P406758	
2290317	EPA 350.1 Rev. 2.0	Ammonia-N	0.021		mg N/L	P406849	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.58		mg N/L	P406922	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.007	I	mg N/L	P406676	
	EPA 365.1 Rev. 2.0	Total-P	0.060		mg P/L	P406651	
	SM 5310 B-2011	Organic Carbon	8.3		mg C/L	P407061	
2290320	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.032		mg P/L	P406518	

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P406538

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P406849

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P406851

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P406922

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P407065

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P406616

Component	Result	Code	Units
NO ₂ NO ₃ -N	0.004	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P406676

Component	Result	Code	Units
NO ₂ NO ₃ -N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P406638

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P406651

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P406516

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P406518

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2320 B-2011
Batch ID: P406755

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2320 B-2011
Batch ID: P406756

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 D-2011
Batch ID: P406929

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 2540 D-2011
Batch ID: P406930

Component	Result	Code	Units
TSS	3	U	mg/L

Reference Method: SM 4500 F-C-2011
Batch ID: P406757

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 4500 F-C-2011
Batch ID: P406758

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-2011
Batch ID: P406794

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report

Method Blank Results

Reference Method: SM 5310 B-2011
Batch ID: P407061

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Reference Method: SM 5310 B-2011
Batch ID: P407177

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P406849

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	95.8		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P406851

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	97.4		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P406922

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	96.3		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P407065

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	102		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P406616

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	104		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P406676

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	100		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P406638

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	101		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P406651

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	103		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P406516

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	99.5		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P406518

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	99.6		P	90 - 110

Reference Method: SM 2320 B-2011
Batch ID: P406755

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	99.7		P	94 - 106

Reference Method: SM 2320 B-2011
Batch ID: P406756

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	98.3		P	94 - 106

Reference Method: SM 4500 F-C-2011
Batch ID: P406757

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	101		P	93 - 104

Reference Method: SM 4500 F-C-2011
Batch ID: P406758

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	103		P	93 - 104

Reference Method: SM 5310 B-2011
Batch ID: P406794

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	105		P	85 - 115

Reference Method: SM 5310 B-2011
Batch ID: P407061

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	96.6		P	85 - 115

Reference Method: SM 5310 B-2011
Batch ID: P407177

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	105		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P406849

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2290047	Ammonia-N	102	104	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P406851

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2290377	Ammonia-N	97.4	98.2	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P406922

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2290317	Kjeldahl Nitrogen	96.8	103	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P407065

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2291652	Kjeldahl Nitrogen	102	103	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P406616

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2290315	NO2NO3-N	103	103	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P406676

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2290316	NO2NO3-N	101	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P406651

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2290051	Total-P	98.0	96.3	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P406516

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2290381	O-Phosphate-P	96.5	98.4	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P406518

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2290455	O-Phosphate-P	96.8	97.6	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SM 4500 F-C-2011
Batch ID: P406757

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2290294	Fluoride	99.9	99.9	P/P	92 - 107

Reference Method: SM 4500 F-C-2011
Batch ID: P406758

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2290755	Fluoride	99.9	99.0	P/P	92 - 107

Reference Method: SM 5310 B-2011
Batch ID: P406794

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2290925	Organic Carbon	99.4		P	85 - 115

Reference Method: SM 5310 B-2011
Batch ID: P407061

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2290317	Organic Carbon	92.1	94.1	P/P	85 - 115

Reference Method: SM 5310 B-2011
Batch ID: P407177

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2292469	Organic Carbon	104	105	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P406538

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2290294	Turbidity	4.26	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P406849

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2290047	Ammonia-N	1.72	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P406851

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2290377	Ammonia-N	0.647	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P406922

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2290317	Kjeldahl Nitrogen	4.80	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P407065

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2291652	Kjeldahl Nitrogen	1.38	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P406616

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2290315	NO2NO3-N	0.0	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P406676

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2290316	NO2NO3-N	0.482	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P406638

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2290357	Total-P	0.528	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0

Batch ID: P406651

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2290051	Total-P	1.72	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Batch ID: P406516

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2290381	O-Phosphate-P	1.95	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Batch ID: P406518

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2290455	O-Phosphate-P	0.768	Spike	P	0 - 20

Reference Method: SM 2320 B-2011

Batch ID: P406755

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2290294	Total Alkalinity	1.80	Sample	P	0 - 5.2

Reference Method: SM 2320 B-2011

Batch ID: P406756

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2290755	Total Alkalinity	0.597	Sample	P	0 - 5.2

Reference Method: SM 2540 D-2011

Batch ID: P406930

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2290314	TSS	6.90	Sample	P	0 - 10

Reference Method: SM 4500 F-C-2011

Batch ID: P406757

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2290294	Fluoride	0.0	Spike	P	0 - 2.1

Reference Method: SM 4500 F-C-2011

Batch ID: P406758

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2290755	Fluoride	0.476	Spike	P	0 - 2.1

Quality Assurance Report Precision

Reference Method: SM 5310 B-2011
Batch ID: P406794

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2290925	Organic Carbon	5.03	Sample	P	0 - 20

Reference Method: SM 5310 B-2011
Batch ID: P407061

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2290317	Organic Carbon	1.76	Spike	P	0 - 20

Reference Method: SM 5310 B-2011
Batch ID: P407177

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2292469	Organic Carbon	0.808	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A108978

Included Lab Sample IDs: 2290318, 2290319, 2290320

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	100	101	P/P	90 - 110
O-Phosphate-P	99.7	99.5	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A108982

Included Lab Sample IDs: 2290312, 2290313, 2290314

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A109021

Included Lab Sample IDs: 2290315

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	103	104	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A109045

Included Lab Sample IDs: 2290316, 2290317

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	103	103	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A109066

Included Lab Sample IDs: 2290316, 2290317

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	98.2	99.0	P/P	90 - 110

Reference Method: SM 2320 B-2011

Run ID: A109087

Included Lab Sample IDs: 2290312, 2290313, 2290314

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	100	97.7	P/P	90 - 110
Total Alkalinity	102	96.7	P/P	90 - 110

Reference Method: SM 4500 F-C-2011

Run ID: A109087

Included Lab Sample IDs: 2290312, 2290313, 2290314

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	104	104	P/P	90 - 110
Fluoride	104	104	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 5310 B-2011

Run ID: A109117

Included Lab Sample IDs: 2290315

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	98.4	99.7	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A109121

Included Lab Sample IDs: 2290315

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	101	102	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A109129

Included Lab Sample IDs: 2290315, 2290316, 2290317

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	97.0	97.1	P/P	90 - 110
Ammonia-N	97.4	97.9	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A109176

Included Lab Sample IDs: 2290316, 2290317

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	99.4	98.5	P/P	90 - 110

Reference Method: SM 5310 B-2011

Run ID: A109215

Included Lab Sample IDs: 2290317

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	97.2	97.4	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A109241

Included Lab Sample IDs: 2290315

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	102	104	P/P	90 - 110

Reference Method: SM 5310 B-2011

Run ID: A109260

Included Lab Sample IDs: 2290316

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	105	106	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	MS
						SMP	
EPA 180.1 Rev. 2.0	Turbidity					4.26	
EPA 350.1 Rev. 2.0	Ammonia-N	95.8	102	104			1.72
	Ammonia-N	97.4	97.4	98.2			0.647
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	96.3	96.8	103			4.80
	Kjeldahl Nitrogen	102	102	103			1.38
EPA 353.2 Rev. 2.0	NO2NO3-N	104	103	103			0.0
	NO2NO3-N	100	101	100			0.482
EPA 365.1 Rev. 2.0	Total-P	101					0.528
	Total-P	103	98.0	96.3			1.72
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	99.5	96.5	98.4			1.95
	O-Phosphate-P	99.6	96.8	97.6			0.768
SM 2320 B-2011	Total Alkalinity	99.7				1.80	
	Total Alkalinity	98.3				0.597	
SM 2540 D-2011	TSS					6.90	
SM 4500 F-C-2011	Fluoride	101	99.9	99.9			0.0
	Fluoride	103	99.9	99.0			0.476
SM 5310 B-2011	Organic Carbon	105	99.4			5.03	
	Organic Carbon	96.6	92.1	94.1			1.76
	Organic Carbon	105	104	105			0.808

Reference Method Descriptions

Method	Description	Associated Samples
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2290312, 2290313, 2290314
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2290315, 2290316, 2290317
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2290315, 2290316, 2290317
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2290315, 2290316, 2290317
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2290315, 2290316, 2290317
EPA 365.1 Rev. 2.0 dissolved	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2290318, 2290319, 2290320
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO3/L	2290312, 2290313, 2290314
SM 2540 D-2011	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2290312, 2290313, 2290314
SM 4500 F-C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2290312, 2290313, 2290314
SM 5310 B-2011	Nonpurgeable Organic Carbon in aqueous matrices	2290315, 2290316, 2290317

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	11/18/2021			11/18/2021 15:09	Khloe J Berg	2290312, 2290313, 2290314
EPA 350.1 Rev. 2.0	11/18/2021			11/30/2021 13:03	Ping Hua	2290316
	11/18/2021			11/30/2021 13:04	Ping Hua	2290317
	11/18/2021			11/30/2021 13:52	Ping Hua	2290315
EPA 351.2 Rev. 2.0	11/18/2021	11/30/2021 13:45	Benjamin T. Nordmann	12/02/2021 13:37	Alexandra J Mattheus	2290316
	11/18/2021	11/30/2021 13:45	Benjamin T. Nordmann	12/02/2021 13:38	Alexandra J Mattheus	2290317
	11/18/2021	12/06/2021 12:33	Benjamin T. Nordmann	12/07/2021 11:22	Alexandra J Mattheus	2290315
EPA 353.2 Rev. 2.0	11/18/2021			11/19/2021 11:51	Beverly Y. Sanders	2290315
	11/18/2021			11/23/2021 09:03	Beverly Y. Sanders	2290316
	11/18/2021			11/23/2021 09:08	Beverly Y. Sanders	2290317
EPA 365.1 Rev. 2.0	11/18/2021	11/22/2021 17:50	Simonne.V. Calhoun	11/23/2021 16:54	Sarah A Nixon	2290316
	11/18/2021	11/22/2021 17:50	Simonne.V. Calhoun	11/23/2021 16:55	Sarah A Nixon	2290317
	11/18/2021	11/23/2021 12:38	Simonne.V. Calhoun	11/24/2021 11:56	Sarah A Nixon	2290315
EPA 365.1 Rev. 2.0 dissolved	11/18/2021			11/18/2021 13:42	James L Waggeberby	2290318
	11/18/2021			11/18/2021 14:17	James L Waggeberby	2290319
	11/18/2021			11/18/2021 14:18	James L Waggeberby	2290320
SM 2320 B-2011	11/18/2021			11/23/2021 23:04	Dale L. Simmons	2290312
	11/18/2021			11/24/2021 05:16	Dale L. Simmons	2290313
	11/18/2021			11/24/2021 05:29	Dale L. Simmons	2290314
SM 2540 D-2011	11/18/2021			11/23/2021 15:02	Yijie Li	2290312, 2290313, 2290314
SM 4500 F-C-2011	11/18/2021			11/23/2021 23:04	Dale L. Simmons	2290312
	11/18/2021			11/24/2021 03:15	Dale L. Simmons	2290313
	11/18/2021			11/24/2021 03:21	Dale L. Simmons	2290314
SM 5310 B-2011	11/18/2021			11/27/2021 09:33	Touraj Touran	2290315
	11/18/2021			12/04/2021 12:49	Touraj Touran	2290317
	11/18/2021			12/08/2021 00:22	Khloe J Berg	2290316