

Chemical Analysis Report

NE-DIST-2021-11-04-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **Vilano Boat**
Request ID: **RQ-2021-11-15-20**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Colin Wright, Program Administrator

Date Certified: 24-NOV-2021 09:56

A handwritten signature in black ink, appearing to read "Colin Wright", is displayed on a light gray rectangular background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: St Augustine Inlet SE of Vilano Bt Rmp

Collection Date/Time: 11/03/2021 11:45

Field ID: G5NE0587

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2288120	EPA 180.1 Rev. 2.0	Turbidity	4.9		NTU	P406025	
	SM 2320 B-2011	Total Alkalinity	117		mg CaCO3/L	P406162	
	SM 2540 D-2011	TSS	12		mg/L	P406424	
	SM 4500 F-C-2011	Fluoride	1.2		mg F/L	P406165	
2288121	EPA 350.1 Rev. 2.0	Ammonia-N	0.004	I	mg N/L	P406536	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.35	I	mg N/L	P406493	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P406193	
	EPA 365.1 Rev. 2.0	Total-P	0.036		mg P/L	P406141	
	SM 5310 B-2011	Organic Carbon	2.8		mg C/L	P406269	
2288122	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.009	I	mg P/L	P406023	

Sample Location: Salt Run Offshore from Lighthouse

Collection Date/Time: 11/03/2021 11:20

Field ID: 27010138

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2288111	EPA 180.1 Rev. 2.0	Turbidity	9.4		NTU	P406025	
	SM 2320 B-2011	Total Alkalinity	127		mg CaCO3/L	P406162	
	SM 2540 D-2011	TSS	22	A	mg/L	P406424	
	SM 4500 F-C-2011	Fluoride	1.2		mg F/L	P406165	
2288114	EPA 350.1 Rev. 2.0	Ammonia-N	0.023		mg N/L	P406536	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.48		mg N/L	P406339	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	I	mg N/L	P406193	
	EPA 365.1 Rev. 2.0	Total-P	0.083		mg P/L	P406139	
	SM 5310 B-2011	Organic Carbon	3.7		mg C/L	P406095	
2288117	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.036		mg P/L	P406023	

Sample Location: Sombrero Creek 50m Below Fork

Collection Date/Time: 11/03/2021 10:20

Field ID: 27010054

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2288112	EPA 180.1 Rev. 2.0	Turbidity	6.0	A	NTU	P406025	
	SM 2320 B-2011	Total Alkalinity	117		mg CaCO3/L	P406162	
	SM 2540 D-2011	TSS	21		mg/L	P406424	
	SM 4500 F-C-2011	Fluoride	1.2		mg F/L	P406165	
2288115	EPA 350.1 Rev. 2.0	Ammonia-N	0.014		mg N/L	P406536	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.42		mg N/L	P406339	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.005	I	mg N/L	P406193	
	EPA 365.1 Rev. 2.0	Total-P	0.049		mg P/L	P406141	
	SM 5310 B-2011	Organic Carbon	4.6		mg C/L	P406269	
2288118	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.021		mg P/L	P406023	

Sample Location: Ximanies CR ~1mi Upstrm of Mouth

Collection Date/Time: 11/03/2021 09:55

Field ID: 27010968

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2288113	EPA 180.1 Rev. 2.0	Turbidity	6.7		NTU	P406025	
	SM 2320 B-2011	Total Alkalinity	118		mg CaCO3/L	P406162	
	SM 2540 D-2011	TSS	22		mg/L	P406424	
	SM 4500 F-C-2011	Fluoride	1.2		mg F/L	P406165	
2288116	EPA 350.1 Rev. 2.0	Ammonia-N	0.008		mg N/L	P406536	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.37	I	mg N/L	P406339	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P406193	
	EPA 365.1 Rev. 2.0	Total-P	0.046		mg P/L	P406141	
	SM 5310 B-2011	Organic Carbon	3.7		mg C/L	P406269	
2288119	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.016		mg P/L	P406023	

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P406025

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P406536

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P406339

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P406493

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P406193

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P406139

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P406141

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P406023

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2320 B-2011
Batch ID: P406162

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Quality Assurance Report

Method Blank Results

Reference Method: SM 2540 D-2011
Batch ID: P406424

Component	Result	Code	Units
TSS	3	U	mg/L

Reference Method: SM 4500 F-C-2011
Batch ID: P406165

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-2011
Batch ID: P406095

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Reference Method: SM 5310 B-2011
Batch ID: P406269

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P406536

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	97.0		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P406339

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	98.2		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P406493

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	102		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P406193

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	100		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P406139

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	102		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P406141

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	100		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P406023

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	97.5		P	90 - 110

Reference Method: SM 2320 B-2011
Batch ID: P406162

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	99.3		P	94 - 106

Reference Method: SM 4500 F-C-2011
Batch ID: P406165

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	101		P	93 - 104

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: SM 5310 B-2011
Batch ID: P406095

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	96.2		P	85 - 115

Reference Method: SM 5310 B-2011
Batch ID: P406269

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	98.0		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P406536

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2287691	Ammonia-N	102	103	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P406339

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2287996	Kjeldahl Nitrogen	92.6	93.4	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P406493

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2287993	Kjeldahl Nitrogen	95.1	94.7	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P406193

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2288115	NO2NO3-N	106	104	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P406139

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2287986	Total-P	92.4	95.6	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P406141

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2288183	Total-P	102	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P406023

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2288122	O-Phosphate-P	96.8	96.7	P/P	90 - 110

Reference Method: SM 4500 F-C-2011
Batch ID: P406165

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2288163	Fluoride	98.1	97.3	P/P	92 - 107

Reference Method: SM 5310 B-2011
Batch ID: P406095

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2287689	Organic Carbon	94.7	95.2	P/P	85 - 115

Quality Assurance Report

Matrix Spike Accuracy

Reference Method: SM 5310 B-2011
Batch ID: P406269

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2288115	Organic Carbon	94.2	94.6	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P406025

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2288112	Turbidity	2.68	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P406536

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2287691	Ammonia-N	0.803	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P406339

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2287996	Kjeldahl Nitrogen	0.656	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P406493

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2287993	Kjeldahl Nitrogen	0.311	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P406193

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2288115	NO2NO3-N	1.40	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P406139

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2287986	Total-P	3.33	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P406141

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2288183	Total-P	0.204	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P406023

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2288122	O-Phosphate-P	0.0946	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: SM 2320 B-2011
Batch ID: P406162

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2288159	Total Alkalinity	0.451	Sample	P	0 - 5.2

Reference Method: SM 2540 D-2011
Batch ID: P406424

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2288111	TSS	5.50	Sample	P	0 - 10

Reference Method: SM 4500 F-C-2011
Batch ID: P406165

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2288163	Fluoride	0.473	Spike	P	0 - 2.1

Reference Method: SM 5310 B-2011
Batch ID: P406095

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2287689	Organic Carbon	0.516	Spike	P	0 - 20

Reference Method: SM 5310 B-2011
Batch ID: P406269

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2288115	Organic Carbon	0.378	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A108723

Included Lab Sample IDs: 2288117, 2288118, 2288119, 2288122

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	98.5	99.1	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A108726

Included Lab Sample IDs: 2288111, 2288112, 2288113, 2288120

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	101	102	P/P	95 - 105

Reference Method: SM 5310 B-2011

Run ID: A108767

Included Lab Sample IDs: 2288114

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	97.4	97.5	P/P	90 - 110

Reference Method: SM 2320 B-2011

Run ID: A108787

Included Lab Sample IDs: 2288111, 2288112, 2288113, 2288120

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	97.0	99.9	P/P	90 - 110
Total Alkalinity	99.9	94.5	P/P	90 - 110

Reference Method: SM 4500 F-C-2011

Run ID: A108787

Included Lab Sample IDs: 2288111, 2288112, 2288113, 2288120

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	102	103	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A108802

Included Lab Sample IDs: 2288114, 2288115, 2288116, 2288121

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	102	102	P/P	90 - 110

Reference Method: SM 5310 B-2011

Run ID: A108857

Included Lab Sample IDs: 2288115, 2288116, 2288121

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	93.2	94.8	P/P	90 - 110
Organic Carbon	98.5	92.8	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A108894

Included Lab Sample IDs: 2288114, 2288115, 2288116, 2288121

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
-----------	---------	---------	------------	----------------

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A108894

Included Lab Sample IDs: 2288114, 2288115, 2288116, 2288121

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	97.0	96.5	P/P	90 - 110
Total-P	97.0	97.0	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A108930

Included Lab Sample IDs: 2288114, 2288115, 2288116

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	101	107	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A108981

Included Lab Sample IDs: 2288114, 2288115, 2288116, 2288121

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	100	98.6	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A109032

Included Lab Sample IDs: 2288121

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	97.2	100	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	MS
						SMP	
EPA 180.1 Rev. 2.0	Turbidity					2.68	
EPA 350.1 Rev. 2.0	Ammonia-N	97.0	102	103			0.803
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	98.2	92.6	93.4			0.656
	Kjeldahl Nitrogen	102	95.1	94.7			0.311
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	100	106	104			1.40
EPA 365.1 Rev. 2.0	Total-P	102	92.4	95.6			3.33
	Total-P	100	102	101			0.204
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	97.5	96.8	96.7			0.0946
SM 2320 B-2011	Total Alkalinity	99.3				0.451	
SM 2540 D-2011	TSS					5.50	
SM 4500 F-C-2011	Fluoride	101	98.1	97.3			0.473
SM 5310 B-2011	Organic Carbon	96.2	94.7	95.2			0.516
	Organic Carbon	98.0	94.2	94.6			0.378

Reference Method Descriptions

Method	Description	Associated Samples
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2288111, 2288112, 2288113, 2288120
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2288114, 2288115, 2288116, 2288121
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2288114, 2288115, 2288116, 2288121
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2288114, 2288115, 2288116, 2288121
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2288114, 2288115, 2288116, 2288121
EPA 365.1 Rev. 2.0 dissolved	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2288117, 2288118, 2288119, 2288122
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2288111, 2288112, 2288113, 2288120
SM 2540 D-2011	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2288111, 2288112, 2288113, 2288120
SM 4500 F-C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2288111, 2288112, 2288113, 2288120
SM 5310 B-2011	Nonpurgeable Organic Carbon in aqueous matrices	2288114, 2288115, 2288116, 2288121

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	11/04/2021			11/04/2021 15:24	Khloe J Berg	2288111, 2288112, 2288113, 2288120
EPA 350.1 Rev. 2.0	11/04/2021			11/18/2021 15:27	Ping Hua	2288114
	11/04/2021			11/18/2021 15:28	Ping Hua	2288115
	11/04/2021			11/18/2021 15:29	Ping Hua	2288116
	11/04/2021			11/18/2021 15:31	Ping Hua	2288121
EPA 351.2 Rev. 2.0	11/04/2021	11/15/2021 12:43	Benjamin T. Nordmann	11/16/2021 13:38	Alexandra J Mattheus	2288114
	11/04/2021	11/15/2021 12:43	Benjamin T. Nordmann	11/16/2021 13:39	Alexandra J Mattheus	2288115
	11/04/2021	11/15/2021 12:43	Benjamin T. Nordmann	11/16/2021 13:41	Alexandra J Mattheus	2288116
	11/04/2021	11/18/2021 12:27	Benjamin T. Nordmann	11/22/2021 12:09	Alexandra J Mattheus	2288121
EPA 353.2 Rev. 2.0	11/04/2021			11/09/2021 11:26	Nathaniel J Jones	2288115
	11/04/2021			11/09/2021 11:32	Nathaniel J Jones	2288114
	11/04/2021			11/09/2021 11:33	Nathaniel J Jones	2288116
	11/04/2021			11/09/2021 11:35	Nathaniel J Jones	2288121
EPA 365.1 Rev. 2.0	11/04/2021	11/09/2021 13:49	Simonne.V. Calhoun	11/12/2021 17:05	Sarah A Nixon	2288114
	11/04/2021	11/09/2021 13:49	Simonne.V. Calhoun	11/12/2021 17:16	Sarah A Nixon	2288115
	11/04/2021	11/09/2021 13:49	Simonne.V. Calhoun	11/12/2021 17:17	Sarah A Nixon	2288116
	11/04/2021	11/09/2021 13:49	Simonne.V. Calhoun	11/12/2021 17:18	Sarah A Nixon	2288121
EPA 365.1 Rev. 2.0 dissolved	11/04/2021			11/04/2021 15:06	James L Waggeberby	2288122
	11/04/2021			11/04/2021 15:09	James L Waggeberby	2288117, 2288118
	11/04/2021			11/04/2021 15:10	James L Waggeberby	2288119
SM 2320 B-2011	11/04/2021			11/09/2021 01:13	Dale L. Simmons	2288111
	11/04/2021			11/09/2021 01:27	Dale L. Simmons	2288112
	11/04/2021			11/09/2021 02:19	Dale L. Simmons	2288113
	11/04/2021			11/09/2021 02:32	Dale L. Simmons	2288120
SM 2540 D-2011	11/04/2021			11/05/2021 15:35	Yijie Li	2288111, 2288112, 2288113, 2288120
SM 4500 F-C-2011	11/04/2021			11/08/2021 23:59	Dale L. Simmons	2288111
	11/04/2021			11/09/2021 00:04	Dale L. Simmons	2288112
	11/04/2021			11/09/2021 00:09	Dale L. Simmons	2288113
	11/04/2021			11/09/2021 00:14	Dale L. Simmons	2288120
SM 5310 B-2011	11/04/2021			11/06/2021 02:42	Khloe J Berg	2288114
	11/04/2021			11/08/2021 21:38	Khloe J Berg	2288115
	11/04/2021			11/09/2021 10:35	Khloe J Berg	2288116
	11/04/2021			11/09/2021 11:26	Khloe J Berg	2288121