

Chemical Analysis Report

CEN-DIST-2021-11-30-03

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Turnbull**
Request ID: **RQ-2021-11-29-04**
Customer: **CEN-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Matthew Bearden

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Colin Wright, Program Administrator

Date Certified: 16-DEC-2021 09:29



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Turnbull Bay 1.2km S of Turnbull Bay Rd.

Collection Date/Time: 11/29/2021 12:15

Field ID: G5CE0130

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2291546	EPA 180.1 Rev. 2.0	Turbidity	7.5	A	NTU	P406838	
	SM 2320 B-2011	Total Alkalinity	205		mg CaCO3/L	P407029	
	SM 2540 D-2011	TSS	10	I	mg/L	P407348	
	SM 4500 F-C-2011	Fluoride	0.22		mg F/L	P407038	
2291547	EPA 350.1 Rev. 2.0	Ammonia-N	0.035		mg N/L	P407081	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.88		mg N/L	P407067	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.13		mg N/L	P406952	
	EPA 365.1 Rev. 2.0	Total-P	0.17		mg P/L	P406883	
	SM 5310 B-2011	Organic Carbon	17		mg C/L	P407176	
2291548	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.13		mg P/L	P406834	

Ref. Method and Comment:

SM 2540 D-2011: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report

Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P406838

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P407081

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P407067

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P406952

Component	Result	Code	Units
NO ₂ NO ₃ -N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P406883

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P406834

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2320 B-2011
Batch ID: P407029

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 D-2011
Batch ID: P407348

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-2011
Batch ID: P407038

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Quality Assurance Report

Method Blank Results

Reference Method: SM 5310 B-2011
Batch ID: P407176

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P407081

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	97.0		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P407067

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	104		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P406952

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	100		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P406883

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	102		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P406834

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	99.2		P	90 - 110

Reference Method: SM 2320 B-2011
Batch ID: P407029

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	99.6		P	94 - 106

Reference Method: SM 4500 F-C-2011
Batch ID: P407038

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	102		P	93 - 104

Reference Method: SM 5310 B-2011
Batch ID: P407176

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	97.8		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P407081

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2290447	Ammonia-N	94.4	96.0	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P407067

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2291553	Kjeldahl Nitrogen	102	100	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P406952

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2291040	NO2NO3-N	99.8	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P406883

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2291494	Total-P	91.2	93.6	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P406834

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2291554	O-Phosphate-P	99.9	97.9	P/P	90 - 110

Reference Method: SM 4500 F-C-2011
Batch ID: P407038

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2292330	Fluoride	98.3	101	P/P	92 - 107

Reference Method: SM 5310 B-2011
Batch ID: P407176

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2291471	Organic Carbon	90.0	91.8	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P406838

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2291546	Turbidity	2.39	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P407081

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2290447	Ammonia-N	1.43	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P407067

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2291553	Kjeldahl Nitrogen	1.44	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P406952

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2291040	NO2NO3-N	0.767	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P406883

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2291494	Total-P	2.57	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P406834

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2291554	O-Phosphate-P	1.39	Spike	P	0 - 20

Reference Method: SM 2320 B-2011
Batch ID: P407029

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2292330	Total Alkalinity	1.87	Sample	P	0 - 5.2

Reference Method: SM 4500 F-C-2011
Batch ID: P407038

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2292330	Fluoride	1.47	Spike	P	0 - 2.1

Quality Assurance Report Precision

Reference Method: SM 5310 B-2011
Batch ID: P407176

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2291471	Organic Carbon	1.01	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A109128

Included Lab Sample IDs: 2291548

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	100	100	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A109131

Included Lab Sample IDs: 2291546

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A109175

Included Lab Sample IDs: 2291547

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	104	103	P/P	90 - 110

Reference Method: SM 2320 B-2011

Run ID: A109203

Included Lab Sample IDs: 2291546

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	97.9	99.0	P/P	90 - 110

Reference Method: SM 4500 F-C-2011

Run ID: A109203

Included Lab Sample IDs: 2291546

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	103	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A109212

Included Lab Sample IDs: 2291547

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	101	101	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A109228

Included Lab Sample IDs: 2291547

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	97.8	98.0	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A109241

Included Lab Sample IDs: 2291547

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	102	99.6	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 5310 B-2011

Run ID: A109260

Included Lab Sample IDs: 2291547

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	104	105	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	MS
						SMP	
EPA 180.1 Rev. 2.0	Turbidity					2.39	
EPA 350.1 Rev. 2.0	Ammonia-N	97.0	94.4	96.0			1.43
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	104	102	100			1.44
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	100	99.8	101			0.767
EPA 365.1 Rev. 2.0	Total-P	102	91.2	93.6			2.57
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	99.2	99.9	97.9			1.39
SM 2320 B-2011	Total Alkalinity	99.6				1.87	
SM 4500 F-C-2011	Fluoride	102	98.3	101			1.47
SM 5310 B-2011	Organic Carbon	97.8	90.0	91.8			1.01

Reference Method Descriptions

Method	Description	<u>Associated Samples</u>
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2291546
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2291547
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2291547
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2291547
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2291547
EPA 365.1 Rev. 2.0 dissolved	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2291548
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2291546
SM 2540 D-2011	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2291546
SM 4500 F-C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2291546
SM 5310 B-2011	Nonpurgeable Organic Carbon in aqueous matrices	2291547

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	11/30/2021			11/30/2021 14:43	Khloe J Berg	2291546
EPA 350.1 Rev. 2.0	11/30/2021			12/06/2021 14:57	Ping Hua	2291547
EPA 351.2 Rev. 2.0	11/30/2021	12/06/2021 12:33	Benjamin T. Nordmann	12/07/2021 12:17	Alexandra J Mattheus	2291547
EPA 353.2 Rev. 2.0	11/30/2021			12/02/2021 11:21	Nathaniel J Jones	2291547
EPA 365.1 Rev. 2.0	11/30/2021	12/02/2021 14:15	Simonne.V. Calhoun	12/03/2021 16:08	Sarah A Nixon	2291547
EPA 365.1 Rev. 2.0 dissolved	11/30/2021			11/30/2021 15:19	James L Waggerby	2291548
SM 2320 B-2011	11/30/2021			12/04/2021 03:15	Dale L. Simmons	2291546
SM 2540 D-2011	11/30/2021			12/03/2021 15:35	Yijie Li	2291546
SM 4500 F-C-2011	11/30/2021			12/04/2021 03:15	Dale L. Simmons	2291546
SM 5310 B-2011	11/30/2021			12/07/2021 21:28	Khloe J Berg	2291547