



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PLAN FIELD SHEET

January 2020

Meter Passed End
of Day CCV
Yes / No

WIN Station Name: LeitnerCreek@MathesonAve **Date:** 12/9/2021
WIN/Field ID: G1SD0121 **WBID:** 3258EA **ENR:** - **Latitude:** 26.34567562
County: LEE **Org ID:** 21FLFTM **Longitude:** -81.77069107
Receiving Body of Water: Everglades **RQ:** 2021-12-06-45

Sampling Team Members		WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
☒	Nicole Reistad		x		x	x
☒	Thomas Baker			x		
☒	Monica Jaeger	x				
☒	William Mullen	x				

Sampling Equipment	
☒ Sample Container	☐ Carboy
☐ Dipper	☐ Van Dorn
☒ Syringe	☐ Pole
Depth measured with: Secchi	
Secchi Equipment ID: DEEPER BLUER	
Collection Method	
☒ Wading	☐ Canoe/Kayak
☐ From Shore	☐ Electric Motor
☐ Other _____	☐ Gasoline Motor

Water Level: ☒ Normal ☐ Low ☐ High ☐ Dry ☐ Pooled ☐ Flooded						Meter ID# FRIDAY							
Photos: YES		Flow: FLOW		Tide:		Tide Times: High: Low:							
Biological Samples Collected: ☐ None ☒ HA ☒ SCI ☒ RPS ☐ Algae ID ☒ LVS ☐ LVI Other:													
SBIO ID Numbers:													
Notes:													

Duplicate Sample

Time Zone: EST	Time:	Field ID: N/A	(WIN ID_DUP)
WIN DMT Activity ID:			

Blank

Time Zone:	Time:	Field ID:	(Blank Type_DDDMMYYY)
DI Source:	Location:		
DI Type:	Equipment ID:		
DI Container (Name/ID):		DI Container Type:	

LIMS EVENT ID: WIN Import ID:
Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT:
(Initials/Date) (Initials/Date)
Scan/Save Field Sheets Migrate Data to WIN: Verify Data In WIN:
(Initials/Date) (Initials/Date) (Initials/Date)



RQ-2021-12-06-45

Customer: WQAP

Project ID: SMP

Collected By: Nicole Reistad, Thomas Baker

Field Report Prepared By: Nicole Reistad

Sampling Agency: FDEP

WIN ID/Field ID:  G1SD0121						Comments:				
Location: LeitnerCreek@MathesonAve										
Matrix: Fresh						(Check one) ☒ GRAB ☐ COMPOSITE				
Date	Time	DO (mg/L)	DO (%SAT)	Temp. (C°)	pH	Sample Depth (m)	Secchi Disk (m)	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPT)
	840 EST	4.65	53.7	22.4	7.54	0.2	0.4 ☒ VOB (S)	0.4	540	0.26
12/9/2021										
	EST									
Parameter Suite		Parameter Methods				Preservation		pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)		☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				☒ Ice ☒ H2SO4*		☒ <2	1	A
		Lot #	SA1105060		Exp:	04/30/22				
Metals (P-500ML)		☒ W-ICPMS ☒ W-ICP ☒ W-HARD				☒ Ice ☒ HNO3*		☒ <2	1	A
		Lot #	NA1105100		Exp:	06/07/22				
Filtered Nutrients (P125ML)		☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter				☒ Ice			1	A
		Filter Lot #	17162587							
		Syringe Lot #	1091364							
Chlorophyll (BP-1L)		☒ CHLSUITE-W				☒ Ice			1	A
Physical/Aggregate (Fresh) (P-1L)		☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS				☒ Ice			1	A
Physical/Aggregate (Marine) (P-1L)		☐ Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY				☐ Ice				
Macroinvertebrates (PJ-2L)		☒ MI-FW-QLDC	Formalin Lot #	9.28091819TR		☒ Formalin			2	B
Periphyton (PT-50ML)		☐ ALGAE-ID				☐ Ice				
Microbiology (Contract Lab Bottle)		☐ E Coli ☐ F Coli ☐ Enterococci				☐ Ice				
Molecular (QPCR-P-500ML)		☐ PCR-HF183 ☐ PCR-BacR ☐ PCR-DG3 ☐ PCR-GULL2 ☐ PCR-GFD ☐				☐ Ice				
Tracers (BG-500ML)		☐ W-E8321-DI ☐ W-E8321-MS				☐ Ice				
Pesticides (BG-500ML) (BG-1L)		☒ W-E8321-DI	☒ WE8321-MS	☒ W-PSNP-TQ	W-CT-CL-R		☒ Ice	5	A	
Phytoplankton/Periphyton		W-PCL-TQ-R				W-CARB-AA (5 ml of MCAA** Buffer Solution)				
						DTY-QN-C				
						PKD-QN-BV		☐ Ice		
Name: Nicole Reistad Monica Jaeger Thomas Baker William Mullen						Signature:			Date:	

*2.0 ml of Preservative used unless noted otherwise.

**MCAA: Monochloroacetic acid buffer solution



Length of grid represents 100 m of stream (not linear meters).
(Horizontal scale is double vertical scale, draw proportionately).

$$\begin{aligned} S &= 4.5 \text{ M} \\ R &= 9.6 \text{ M} \\ L &= 0.5 \text{ M} \\ V &= 2.1 \text{ M} \\ \square &= 19.8 \text{ M} \end{aligned}$$

DEP Form FD 9000-5 Stream/River Habitat Assessment Field Sheet

G1SD0121

SAMPLING AGENCY: FDEP DEAR SoROC		STORET STATION NUMBER: G1SD0106	DATE (MM/DD/YY): 12/09/21	RECEIVING BODY OF WATER: Imperial River
REMARKS:	COUNTY: LEC	LOCATION: Leigues Creek G1SD0106	FIELD ID/NAME: G1SD0106	

Habitat Parameter	Optimal	Suboptimal	Marginal	Poor
Primary Habitat Components	Four or more major productive habitats present (snags, tree roots, aquatic vegetation, leaf packs (partially decayed), rock)	Three major productive habitats present. Adequate habitat. Some substrates may be new fall (fresh leaves or snags)	Two major productive habitats present. Less than desirable habitat, frequently disturbed or removed	One or less major productive habitat. Lack of habitat is obvious, substrates unstable or smothered
Substrate Diversity <u>18</u>	20 <u>19</u> 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1
Substrate Availability <u>11</u>	Greater than 30% major productive habitat present at site 20 19 18 17 16	16% to 30% major productive habitat, by aerial extent 15 14 13 12 <u>11</u>	6% to 15% major productive habitat 10 9 8 7 6	Less than 5% major productive habitat 5 4 3 2 1
Water Velocity <u>20</u>	Max. observed at typical transect: > 0.25 m/sec. But < 1 m/sec ≥0.33 0.31 0.29 0.27 >0.25 <u>20</u> 19 18 17 16	Max. observed at typical transect: >0.1 to 0.25 m/sec 0.25 0.21 0.17 0.13 >0.1 15 14 13 12 11	Max. observed at typical transect: 0.05 to 0.1 m/sec 0.1 0.09 0.07 0.06 0.05 10 9 8 7 6	Max. observed at typical transect: <0.05 m/sec; or spate occurring: > 1 m/sec <0.05 0.04 0.03 0.01 <0.01 5 4 3 2 1
Habitat Smothering <u>11</u> ----- Primary Score <u>60</u>	Adequate number of stable pools (1-2 per 12 times width) and <25% of habitats affected by sand, silt, or algae. 20 19 18 17 16	Adequate number of stable pools (1-2 per 12 times width) and >25% of habitats affected by sand, silt, or algae. <u>15</u> 14 13 12 <u>11</u>	Does not have required number of stable pools (1-2 per 12 x width) and/or has shallow pools (<2 x prevailing depth). 10 9 8 7 6	Stable pools are absent. Most habitats affected by sand, silt, or algae accumulation. 5 4 3 2 1
Secondary Habitat Components	Expected sinuosity given the stream width. No evidence of dredging or artificial straightening. No spoil banks.	Good sinuosity within old channelized area. Evidence of dredging or straightening in the past (>25 yrs) but mostly recovered.	Straightened with trapezoidal cross section, but has a small degree of sinuosity developed within channelized area.	Straightened or engineered by dredging, has trapezoidal or box cut cross section, lacks required pools. May have spoil banks.
Artificial Channelization <u>19</u>	20 <u>19</u> 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1
Bank Stability	Bankfull > 60% of bank height. Slope of bank ≤ 60° from bankfull to top of bank. Bankfull is within or above the woody root zone with few raw, eroded areas.	Only meets 2 of the 3 requirements for optimal bank stability.	Only meets 1 of the 3 requirements for optimal bank stability.	Bankfull < 60% of bank height. Slope of bank > 60°. Bankfull is below the woody root zone with raw, eroded areas.
Right Bank <u>6</u> Left Bank <u>8</u>	10 9	8 7 6	5 4	3 2 1
Riparian Buffer Zone Width	Width of vegetation greater than 18 m	Width of vegetation >12 to 18m	Width of vegetation 6 to 12 m. human activities close to system	Less than 6 m of buffer zone due to intensive human activities
Right Bank <u>2</u> Left Bank <u>6</u>	10 9	8 7 6	5 4	3 2 1
Riparian Zone Vegetation Quality	Over 80% of riparian surfaces consist of normal, expected plant community for given sunlight & habitat conditions (e.g., native plants; tree, shrub, and forbs represented, if appropriate). Minimal disturbance.	>50% to 80% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Some disruption in community observed.	25% to 50% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Disruption obvious.	Less than 25% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions).
Right Bank <u>4</u> Left Bank <u>5</u> ----- Secondary Score <u>50</u>	10 9	8 7 6	5 4	3 2 1

110

TOTAL SCORE

Date:	Analyst:	Signature:
-------	----------	------------

SAMPLE ID: _____ ORG ID: 2IFLFTM LATITUDE: _____
 COUNTY: Lee STORET #: _____ LONGITUDE: _____
 DATE: 12/09/2021 TIME: 0840 SAMPLING AGENCY: 2IFLFTM 7DEP-SROC NR
 SITE NAME: Leitner Creek @ Gordon St. Matheson Ave
 FIELD ID/NAME: GISD0121 NR RECEIVING BODY OF WATER: Imperial River

RIPARIAN ZONE / STREAM FEATURES

PREDOMINANT LAND-USE IN WATERSHED (specify relative percent in each category): Forest/Natural <u>5%</u> Silviculture _____ Field/Pasture _____ Agricultural <u>95%</u> Residential _____ Commercial _____ Industry _____ Other (Specify) _____								Landscape Development Intensity Index (LDI) _____	
Local Watershed Erosion (select one): ☐ None ☒ Slight ☐ Moderate ☐ Heavy Local Watershed NPS Pollution: ☐ No evidence ☒ Slight ☐ Moderate ☐ Heavy				Typical Width (m) Depth (m)/Velocity (m/sec) Transect _____ m wide _____ m/s <u>0.33</u> m/s _____ m/s					
Width of Riparian Vegetation (m) on Each Buffer Side Left Bank: <u>8</u> Right Bank: <u>3</u>				Hydrologic Modification Score (per FT 3101) _____					
High Water Mark: <u>0.5</u> + <u>0.4</u> = <u>0.9</u> (m) (above present water level) (present depth) (above bed)				Artificially Impounded ☐ Yes ☒ No					
Artificially ☒ No ☐ Mostly recovered, more sinuous Channelized: ☐ Some recovery ☐ Recent, severe				Canopy Cover % ☐ Open ☐ Lightly Shaded (11-45%) ☒ Heavily Shaded ☐ Moderate Shaded (46-80%)					

SEDIMENT / SUBSTRATE

Sediment Oils ☒ Absent ☐ Slight ☐ Moderate ☐ Profuse		Sediment Odors ☐ Normal ☐ Sewage ☐ Petroleum ☐ Chemical ☒ Anaerobic ☐ Other (Specify): _____		Smothering of Substrates Sand Smothering: None ☐ Slight ☐ Moderate ☒ Severe ☐ Silt Smothering: None ☐ Slight ☐ Moderate ☒ Severe ☐ Algae Smothering: None ☒ Slight ☐ Moderate ☐ Severe ☐	
SUBSTRATE TYPE Assessment Tool: ☒ SCI ☒ RPS ☒ LVS ☐ LCI ☐ BioRecon			WATER QUALITY Depth (m): <u>0.2</u> Temp. (°C): <u>22.4</u> pH (SU): <u>7.54</u> D.O. (MG/L): <u>4.65</u> D.O. Sat (%): <u>53.7</u> Cond. (UMHO/CM): <u>540</u> Salinity (PPT): <u>0.20</u> SECCHI (M): <u>0.4</u> Top: _____ Mid: _____ Bottom: _____ Meter ID: <u>FRIDAY</u>		
Woody Debris (Snags) _____ Undercut Banks / Roots _____ Leaf Packs or Mat _____ Aquatic Vegetation _____ Rock or Shell Rubble _____ Sand _____ Mud / Muck / Silt _____ Other _____ Other _____		Water Odors Normal ☒ Petroleum ☐ Sewage ☐ Chemical ☐ Other ☐ Water Sample Taken? ☒ Yes ☐ No Sample Preserved? ☒ Yes ☐ No Lot Number: <u>SA1105060</u> Exp: <u>4/30/22</u>		Water Surface Oils Normal ☒ Sheen ☐ Globs ☐ Slick ☐ Other ☐ Color Tannic ☒ Green (Algae) ☐ Clear ☐ Other (Specify) ☐ Clarity Clear ☒ Slightly Turbid ☐ Turbid ☐ Opaque ☐	
ABUNDANCE Not Obs. Rare Common Abundant Periphyton: ☒ ☐ ☐ ☐ Fish: ☐ ☐ ☐ ☒ Aquatic Plants: ☐ ☐ ☒ ☐ Iron/Sulfur Bacteria: ☒ ☐ ☐ ☐			System Type: Stream ☒ Lake ☐ Wetland ☐ Estuary ☐ Other (Specify) ☐ AMBIENT FIELD CONDITIONS / NOTES: ☒ The antecedent hydrologic conditions have been met to my best knowledge.		

SAMPLING TEAM

Nicole Reistad, William Mullen, Monica Jaeger,
 Thomas Baker

SIGNATURE

[Signature]

DATE

12/09/2021

DEP FORM FD 9000-25 Rapid Periphyton Survey Field Sheet

Site: Imperial River Leithner Creek County: Lee Date: 12/9/21 Investigators: M.L.

Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover	Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover
0	1	2			60	1	2		
	2	2				2	2		
	3	2				3	2		
	4	2				4	2		
	5	2		92		5	2		92
	6	2				6	2		
	7	2				7	2		
	8	2				8	2		
	9	2				9	2		
10	1	2			70	1	2		
	2	2				2	2		
	3	2				3	2		
	4	2				4	2		
	5	2		84		5	2		96
	6	2				6	2		
	7	2				7	2		
	8	2				8	2		
	9	2				9	2		
20	1	2			80	1	2		
	2	2				2	2		
	3	2				3	2		
	4	2				4	2		
	5	2		96		5	2		92
	6	2				6	2		
	7	2				7	2		
	8	2				8	2		
	9	2				9	2		
30	1	2			90	1	2		
	2	2				2	2		
	3	2				3	2		
	4	2				4	2		
	5	2		96		5	2		96
	6	2				6	2		
	7	2				7	2		
	8	2				8	2		
	9	2				9	2		
40	1	2			100	1	2		
	2	2				2	2		
	3	2				3	2		
	4	2				4	2		
	5	2		96		5	2		92
	6	2				6	2		
	7	2				7	2		
	8	2				8	2		
	9	2				9	2		
50	1	2				1	2		
	2	2				2	2		
	3	2				3	2		
	4	2				4	2		
	5	2		70		5	2		
	6	2				6	2		
	7	2				7	2		
	8	2				8	2		
	9	2				9	2		

Record "N" and check "Estimated" for points deeper than the Secchi depth; algae are presumed absent. Check "Estimated" if thickness estimated for deep points which can be seen but not reached.

Record "X" for points shallower than Secchi depth for which substrate cannot be seen or reached with the hand. No estimated rank.

Record canopy cover as the number of small densiometer quadrants (out of 96) that HAVE canopy cover. Measure facing upstream at point 4, 5, or 6.

Collect algal mat sample following DEP SOP FS 7240 if the percentage of total sampled points with a thickness rank of 4, 5, or 6 is >20%.

STORET Station Number: G/SD0106 G/SD0121

Secchi depth 0.4
Estimated?

points ranked 4-6
total points assessed
% points ranked 4-6

Check accompanying data collected at same site/date.
Algal mat sample
Linear Veg Survey
Habitat Assessment
SCI/Biorecon
Water sample
RQ-

Algal Thickness Rank	
N	rough, no algae, slimy, algae up to 1mm
3	>1mm - 6mm
4	>6mm - 20mm
5	>20mm - 10 cm
6	>10 cm

DEP FORM FD 9000-32: LINEAR VEGETATION SURVEY FIELD SHEET

Waterbody:	Leidne Creek	Date:	12/09/12	County:	Lee	Storet Number:	G1spot6
Analyst:	Thomas Baker, Nicole Reistad	Signature:					

Comments:

Instructions: Note taxa growing in the water with a checkmark if present, "D" if dominant, and "C" if codominant (dominance only if $\geq 1\text{m}^2$ of taxa present). Note in the boxes below if no dominant are selected, and note total macrophyte abundance rank for each section. Only the most common taxa are listed, so use blank spaces for additional taxa names.

[illegible]