

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (850) 245-8085
Email: dep-overflowmicro@dep.state.fl.us
Bill to: Frances Moore
P.O. #: Lab B16970

Project Name: RQ-2020-01-11-4D

Project Run/Location: Lemons Bay

Station ID

Laboratory Submission #:

521010310

Enterococci
E.coli (SM9223B Quantitray)

Laboratory Sample #

Surface Water Sample Matrix ² (Fresh / Marine) Sample Type	E.coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL	
F / M / Grab	E.coli / Entero / F.coli	Date & Time: 11/14/21 10:30
F / M / Grab	E.coli / Entero / F.coli	Date & Time: 11/14/21 11:40
F / M / Grab	E.coli / Entero / F.coli	Date & Time: 11/14/21 11:00
F / M / Grab	E.coli / Entero / F.coli	Date & Time:
F / M / Grab	E.coli / Entero / F.coli	Date & Time:
F / M / Grab	E.coli / Entero / F.coli	Date & Time:
F / M / Grab	E.coli / Entero / F.coli	Date & Time:
F / M / Grab	E.coli / Entero / F.coli	Date & Time:
F / M / Grab	E.coli / Entero / F.coli	Date & Time:
F / M / Grab	E.coli / Entero / F.coli	Date & Time:
F / M / Grab	E.coli / Entero / F.coli	Date & Time:
F / M / Grab	E.coli / Entero / F.coli	Date & Time:
F / M / Grab	E.coli / Entero / F.coli	Date & Time:

¹ Sample Type is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

² Sample Matrix is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), or other (O).
³ Composite Type is used to indicate whether the sample is being collected in a grab (G) or a composite (C).
⁴ Sample must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 6°C (42.8°F). Under "Preservative," list any preservatives that were added to the sample container.

⁵ Each bottle has a label identifying sample ID, preservative, preservative contained in the bottle, sample type, client ID, and parameters for analysis.
⁶ The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sample's name or initials, and any field number or ID.

⁷ All bottles not containing preservative may be stored with appropriate sample prior to collection.

⁸ The client is responsible for documentation of the sampling event. Please note general sampling events on the sample custody form.

BEAS Sample Receipt Temp. 4.7°C

Laboratory Sample Acceptability:

Checked at Benchmark EA South E85088-2:0 BEAS Temperature: 4.7°C

With Temperature Gun ID #7

1	Collector: Kirby Wolfe	Date: 11/14/21	Time: 1313	Received By: [Signature]	Date: 11/14/21	Time: 1313
2	Relinquished by: [Signature]	Date: 11/14/21	Time: 1313	Received By: [Signature]	Date: 11/14/21	Time: 1313
3	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
4	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
5	Relinquished by:	Date:	Time:	Received By:	Date:	Time: