

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

K

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (850) 245-8085
Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
P.O. #: Lab B16970

Project Name: RQ-2020-01-18-32

Project Run/Location:

Station ID

Laboratory Submission #:
521010381

Laboratory Sample #

Surface Water Sample Matrix ² (Fresh / Marine)	Sample Type	E. coli / Enterococci E. coli (SM9223B Quantitray)	Enterococci E. coli (SM9223B Quantitray)	Laboratory Sample #
		E. coli = 250 mL ; Enteroc = 120 mL ; Fecal Coliform = 120 mL		
G3 SD 0011	F / M / Grab	E. coli / Enteroc / F. coli	Date & Time: 1/19/21 11:30	1
G3 SD 0096	F / M / Grab	E. coli / Enteroc / F. coli	Date & Time: 1/19/21 10:50	2
G3 SD 0095	F / M / Grab	E. coli / Enteroc / F. coli	Date & Time: 1/19/21 10:00	3
	F / M / Grab	E. coli / Enteroc / F. coli	Date & Time:	
	F / M / Grab	E. coli / Enteroc / F. coli	Date & Time:	
	F / M / Grab	E. coli / Enteroc / F. coli	Date & Time:	
	F / M / Grab	E. coli / Enteroc / F. coli	Date & Time:	
	F / M / Grab	E. coli / Enteroc / F. coli	Date & Time:	
	F / M / Grab	E. coli / Enteroc / F. coli	Date & Time:	
	F / M / Grab	E. coli / Enteroc / F. coli	Date & Time:	
	F / M / Grab	E. coli / Enteroc / F. coli	Date & Time:	
	F / M / Grab	E. coli / Enteroc / F. coli	Date & Time:	
	F / M / Grab	E. coli / Enteroc / F. coli	Date & Time:	

1. Sample Type is used to indicate whether the sample was a grab (G) or whether it was a composite (C).
2. Sample Matrix is used to indicate whether the sample is being subjected to dechlorination (D), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil sediment (SDMNT), or sludge (SLDG).
3. Container Type is used to indicate whether the container is plastic (P) or glass (G).
4. Sample must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 6°C (42.8°F). Under "Preservative," list any preservatives that were added to the sample container.
5. Each bottle has a label identifying sample ID, preservative used, volume contained in the bottle, sample type, client ID, and parameters for analysis.
6. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.
7. All bottles not containing preservative may be mixed with appropriate sample prior to collection.

1. The client is responsible for documentation of the sampling event. Please use special sampling events on the sample custody form.

Laboratory Sample Acceptability:
pH < 2 : 0
BEAS Temperature: 46°C
Thermometer ID #9

Collector	Date	Time	Received By	Date	Time
Kirby White	1/19/21	12:35	Michelle Merchant	1/19/21	12:35
Relinquished by:	Date:	Time:	Received By:	Date:	Time:
Relinquished by:	Date:	Time:	Received By:	Date:	Time:
Relinquished by:	Date:	Time:	Received By:	Date:	Time: