

Biological Analysis Report

SO-DIST-2021-02-10-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
Sanders Laboratories
10090 Bavaria Road
Ft. Myers, FL 33913
DOH Accreditation E85457

Event Description: **2021 SMP : Estero Cricks**
Request ID: **RQ-2021-02-08-48**
Customer: **SO-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FLDEP South District Office
2295 Victoria Ave. Suite 364
Fort Myers, FL 33901-3381
Attn: Chris Hormuth

For additional information please contact
Cheryl Swanson - Administrator
Jacqueline Savage - Bench Biology & Aquatic
Toxicity
Puja Jasrotia, Ph.D. - Molecular Biology & Taxonomy
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 02-MAR-2021 15:47



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Mullock Creek Near US41

Collection Date/Time: 02/09/2021 09:25

Field ID: G1SD0100

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2224662	SOP-PCR-1.0	HF183-qPCR**	140	U	GEU/100 mL	P393505	
	SOP-PCR-1.2	GULL2-qPCR**	1.8E+03	U	TSC/100 mL	P393505	
	SOP-PCR-1.3	GFD-qPCR**	360	U	TSC/100 mL	P393505	
	SOP-PCR-1.4	BacR-qPCR**	1.5E+03	U	TSC/100 mL	P393505	
	SOP-PCR-1.5	DG3-qPCR**	1.3E+03	U	TSC/100 mL	P393505	
2224670	Colilert-18	Escherichia Coli-Quanti-Tray	162		MPN/100 mL		

Sample Location: Mullock Creek Upstream of US 41

Collection Date/Time: 02/09/2021 10:00

Field ID: G1SD0005

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2224663	SOP-PCR-1.0	HF183-qPCR**	140	U	GEU/100 mL	P393505	
	SOP-PCR-1.2	GULL2-qPCR**	1.8E+03	U	TSC/100 mL	P393505	
	SOP-PCR-1.3	GFD-qPCR**	760	I	TSC/100 mL	P393505	
	SOP-PCR-1.4	BacR-qPCR**	1.5E+03	U	TSC/100 mL	P393505	
	SOP-PCR-1.5	DG3-qPCR**	1.3E+03	U	TSC/100 mL	P393505	
2224671	Colilert-18	Escherichia Coli-Quanti-Tray	225		MPN/100 mL		

Sample Location: Hendry Creek House 1 Upstrm

Collection Date/Time: 02/09/2021 11:25

Field ID: G1SD0118

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2224664	SOP-PCR-1.0	HF183-qPCR**	71	U	GEU/100 mL	P393505	
	SOP-PCR-1.2	GULL2-qPCR**	900	U	TSC/100 mL	P393505	
	SOP-PCR-1.3	GFD-qPCR**	180	U	TSC/100 mL	P393505	
	SOP-PCR-1.4	BacR-qPCR**	760	U	TSC/100 mL	P393505	
	SOP-PCR-1.5	DG3-qPCR**	640	U	TSC/100 mL	P393505	
2224672	Enterolert/QT	ENTEROCOCCI-ENTEROLERT	201		MPN/100 mL		

Sample Location: Hendry Creek @ Gladiolus Rd.

Collection Date/Time: 02/09/2021 12:45

Field ID: G1SD0097

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2224665	SOP-PCR-1.0	HF183-qPCR**	71	U	GEU/100 mL	P393505	
	SOP-PCR-1.2	GULL2-qPCR**	900	U	TSC/100 mL	P393505	
	SOP-PCR-1.3	GFD-qPCR**	230	I	TSC/100 mL	P393505	
	SOP-PCR-1.4	BacR-qPCR**	760	U	TSC/100 mL	P393505	
	SOP-PCR-1.5	DG3-qPCR**	640	U	TSC/100 mL	P393505	
2224673	Enterolert/QT	ENTEROCOCCI-ENTEROLERT	161		MPN/100 mL		

Sample Location: Hendry Creek @ Summerlin Rd.

Collection Date/Time: 02/09/2021 13:10

Field ID: G1SD0098

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2224666	SOP-PCR-1.0	HF183-qPCR**	140	U	GEU/100 mL	P393505	

Field ID: G1SD0098

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2224666	SOP-PCR-1.2	GULL2-qPCR**	1.8E+03	U	TSC/100 mL	P393505	
	SOP-PCR-1.3	GFD-qPCR**	850	I	TSC/100 mL	P393505	
	SOP-PCR-1.4	BacR-qPCR**	1.5E+03	U	TSC/100 mL	P393505	
	SOP-PCR-1.5	DG3-qPCR**	1.3E+03	U	TSC/100 mL	P393505	
2224674	Enterolert/QT	ENTEROCOCCI-ENTEROLERT	2500		MPN/100 mL		

Sample Location: Mullock Creek @ Park Rd.

Collection Date/Time: 02/09/2021 10:25

Field ID: G1SD0101

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2224667	SOP-PCR-1.0	HF183-qPCR**	71	U	GEU/100 mL	P393505	
	SOP-PCR-1.2	GULL2-qPCR**	900	U	TSC/100 mL	P393505	
	SOP-PCR-1.3	GFD-qPCR**	180	U	TSC/100 mL	P393505	
	SOP-PCR-1.4	BacR-qPCR**	760	U	TSC/100 mL	P393505	
	SOP-PCR-1.5	DG3-qPCR**	640	U	TSC/100 mL	P393505	
2224675	Enterolert/QT	ENTEROCOCCI-ENTEROLERT	110		MPN/100 mL		

Sample Location: Hendry Creek @ Whitney Way

Collection Date/Time: 02/09/2021 13:30

Field ID: G1SD0099

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2224668	SOP-PCR-1.0	HF183-qPCR**	71	U	GEU/100 mL	P393505	
	SOP-PCR-1.2	GULL2-qPCR**	1.8E+03	U	TSC/100 mL	P393505	
	SOP-PCR-1.3	GFD-qPCR**	360	U	TSC/100 mL	P393505	
	SOP-PCR-1.4	BacR-qPCR**	760	U	TSC/100 mL	P393505	
	SOP-PCR-1.5	DG3-qPCR**	1.3E+03	U	TSC/100 mL	P393505	
2224676	Enterolert/QT	ENTEROCOCCI-ENTEROLERT	233		MPN/100 mL		

Sample Location: Hendry Creek @ Old Gladiolus Dr.

Collection Date/Time: 02/09/2021 12:35

Field ID: G1SD0062

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2224669	SOP-PCR-1.0	HF183-qPCR**	71	U	GEU/100 mL	P393505	
	SOP-PCR-1.2	GULL2-qPCR**	1.8E+03	U	TSC/100 mL	P393505	
	SOP-PCR-1.3	GFD-qPCR**	360	U	TSC/100 mL	P393505	
	SOP-PCR-1.4	BacR-qPCR**	760	U	TSC/100 mL	P393505	
	SOP-PCR-1.5	DG3-qPCR**	1.3E+03	U	TSC/100 mL	P393505	
2224677	Enterolert/QT	ENTEROCOCCI-ENTEROLERT	246		MPN/100 mL		

Quality Assurance Report

Method Blank Results

Reference Method: SOP-PCR-1.0

Batch ID: P393505

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL

Quality Assurance Report Method Blank Results

Reference Method: SOP-PCR-1.2
Batch ID: P393505

Component	Result	Code	Units
GULL2-qPCR	3.6E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.3
Batch ID: P393505

Component	Result	Code	Units
GFD-qPCR	720	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P393505

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.5
Batch ID: P393505

Component	Result	Code	Units
DG3-qPCR	2.6E+03	U	TSC/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P393505

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	103	101	P/P	50 - 175

Reference Method: SOP-PCR-1.2
Batch ID: P393505

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GULL2-qPCR	63.7	67.3	P/P	50 - 300

Reference Method: SOP-PCR-1.3
Batch ID: P393505

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GFD-qPCR	90.6	77.4	P/P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P393505

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	94.4	79.0	P/P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P393505

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SOP-PCR-1.5
 Batch ID: P393505

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-qPCR	103	78.9	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
 Batch ID: P393505

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2224089	HF183-qPCR	97.7		P	50 - 175
2224090	HF183-qPCR	98.8		P	50 - 175
2224378	HF183-qPCR	98.4		P	50 - 175
2224662	HF183-qPCR	98.2	98.0	P/P	50 - 175
2224663	HF183-qPCR	96.1		P	50 - 175
2224664	HF183-qPCR	77.8		P	50 - 175
2224665	HF183-qPCR	93.1		P	50 - 175
2224666	HF183-qPCR	83.5		P	50 - 175
2224667	HF183-qPCR	90.4		P	50 - 175
2224668	HF183-qPCR	82.7		P	50 - 175
2224669	HF183-qPCR	96.9		P	50 - 175
2224993	HF183-qPCR	83.4		P	50 - 175
2224994	HF183-qPCR	77.0		P	50 - 175

Reference Method: SOP-PCR-1.2
 Batch ID: P393505

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2224662	GULL2-qPCR	51.9	53.3	P/P	50 - 300
2224663	GULL2-qPCR	56.6		P	50 - 300
2224664	GULL2-qPCR	61.2		P	50 - 300
2224665	GULL2-qPCR	66.0		P	50 - 300
2224666	GULL2-qPCR	54.3		P	50 - 300
2224667	GULL2-qPCR	64.0		P	50 - 300
2224668	GULL2-qPCR	64.5		P	50 - 300
2224669	GULL2-qPCR	67.1		P	50 - 300
2224993	GULL2-qPCR	69.9		P	50 - 300
2224994	GULL2-qPCR	67.5		P	50 - 300

Reference Method: SOP-PCR-1.3
 Batch ID: P393505

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2224662	GFD-qPCR	77.7	84.7	P/P	50 - 175
2224663	GFD-qPCR	99.5		P	50 - 175
2224664	GFD-qPCR	95.4		P	50 - 175
2224665	GFD-qPCR	77.9		P	50 - 175
2224666	GFD-qPCR	89.0		P	50 - 175
2224667	GFD-qPCR	78.0		P	50 - 175
2224668	GFD-qPCR	85.7		P	50 - 175
2224669	GFD-qPCR	83.3		P	50 - 175
2224993	GFD-qPCR	85.4		P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.3
Batch ID: P393505

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2224994	GFD-qPCR	87.5		P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P393505

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2224089	BacR-qPCR	79.0		P	50 - 175
2224090	BacR-qPCR	78.7		P	50 - 175
2224378	BacR-qPCR	54.5		P	50 - 175
2224662	BacR-qPCR	72.4	71.7	P/P	50 - 175
2224663	BacR-qPCR	73.8		P	50 - 175
2224664	BacR-qPCR	68.5		P	50 - 175
2224665	BacR-qPCR	77.1		P	50 - 175
2224666	BacR-qPCR	69.5		P	50 - 175
2224667	BacR-qPCR	81.2		P	50 - 175
2224668	BacR-qPCR	58.9		P	50 - 175
2224669	BacR-qPCR	67.1		P	50 - 175
2224993	BacR-qPCR	52.8		P	50 - 175
2224994	BacR-qPCR	58.8		P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P393505

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2224089	DG3-qPCR	101		P	50 - 175
2224090	DG3-qPCR	101		P	50 - 175
2224378	DG3-qPCR	104		P	50 - 175
2224662	DG3-qPCR	92.4	92.6	P/P	50 - 175
2224663	DG3-qPCR	99.3		P	50 - 175
2224664	DG3-qPCR	92.4		P	50 - 175
2224665	DG3-qPCR	98.4		P	50 - 175
2224666	DG3-qPCR	88.9		P	50 - 175
2224667	DG3-qPCR	85.6		P	50 - 175
2224668	DG3-qPCR	95.5		P	50 - 175
2224669	DG3-qPCR	93.6		P	50 - 175
2224993	DG3-qPCR	82.3		P	50 - 175
2224994	DG3-qPCR	89.1		P	50 - 175

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.0
Batch ID: P393505

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2224662	HF183-qPCR	0.194	Spike	P	0 - 25

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.2
Batch ID: P393505

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2224662	GULL2-qPCR	2.65	Spike	P	0 - 25

Reference Method: SOP-PCR-1.3
Batch ID: P393505

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2224662	GFD-qPCR	8.63	Spike	P	0 - 25

Reference Method: SOP-PCR-1.4
Batch ID: P393505

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2224662	BacR-qPCR	0.957	Spike	P	0 - 25

Reference Method: SOP-PCR-1.5
Batch ID: P393505

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2224662	DG3-qPCR	0.219	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2224662
Field Sample ID: G1SD0100

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	101	P	50 - 300
SOP-PCR-1.0	SKETA-qPCR	96.6	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	85.5	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	85.9	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	85.2	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	84.8	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	93.0	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	92.5	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	96.1	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	92.1	P	50 - 300

Lab Sample ID: 2224663
Field Sample ID: G1SD0005

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	91.6	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	103	P	50 - 300

Quality Assurance Report Surrogates

Lab Sample ID: 2224663
Field Sample ID: G1SD0005

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.3	SKETA-qPCR	104	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	102	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	87.0	P	50 - 300

Lab Sample ID: 2224664
Field Sample ID: G1SD0118

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	92.0	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	101	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	94.1	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	104	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	85.4	P	50 - 300

Lab Sample ID: 2224665
Field Sample ID: G1SD0097

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	105	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	91.7	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	83.4	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	97.4	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	103	P	50 - 300

Lab Sample ID: 2224666
Field Sample ID: G1SD0098

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	88.0	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	90.4	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	88.3	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	100	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	81.7	P	50 - 300

Lab Sample ID: 2224667
Field Sample ID: G1SD0101

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	86.9	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	71.2	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	66.9	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	91.7	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	82.5	P	50 - 300

Lab Sample ID: 2224668
Field Sample ID: G1SD0099

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	92.0	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	90.3	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	96.6	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	98.5	P	50 - 300

Quality Assurance Report Surrogates

Lab Sample ID: 2224668
Field Sample ID: G1SD0099

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.5	SKETA-qPCR	102	P	50 - 300

Lab Sample ID: 2224669
Field Sample ID: G1SD0062

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	98.0	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	91.4	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	92.8	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	92.5	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	100	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			Precision SMP	MS
SOP-PCR-1.0	HF183-qPCR	101	103	97.7	98.8	98.4		0.194
SOP-PCR-1.2	GULL2-qPCR	67.3	63.7	51.9	53.3	56.6		2.65
SOP-PCR-1.3	GFD-qPCR	77.4	90.6	77.7	84.7	99.5		8.63
SOP-PCR-1.4	BacR-qPCR	79.0	94.4	79.0	78.7	54.5		0.957
SOP-PCR-1.5	DG3-qPCR	78.9	103	101	101	104		0.219

Reference Method Descriptions

Method	Description	Associated Samples
Colilert-18	E. coli by Colilert-18/QT by Sanders in Fort Myers	2224670, 2224671
Enterolert/QT	Enterococci by Enterolert/QT by Sanders in Fort Myers	2224672, 2224673, 2224674, 2224675, 2224676, 2224677
SOP-PCR-1.0	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2224662, 2224663, 2224664, 2224665, 2224666, 2224667, 2224668, 2224669
SOP-PCR-1.2	Detection and quantification of coastal bird specific Catellicoccus marimammalium Gull2 genetic marker with quantitative polymerase chain reaction	2224662, 2224663, 2224664, 2224665, 2224666, 2224667, 2224668, 2224669
SOP-PCR-1.3	Detection and quantification of bird specific Helicobacter GFD genetic marker with quantitative polymerase chain reaction	2224662, 2224663, 2224664, 2224665, 2224666, 2224667, 2224668, 2224669
SOP-PCR-1.4	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	2224662, 2224663, 2224664, 2224665, 2224666, 2224667, 2224668, 2224669
SOP-PCR-1.5	Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction	2224662, 2224663, 2224664, 2224665, 2224666, 2224667, 2224668, 2224669

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
Colilert-18	02/09/2021	02/09/2021 14:20		02/10/2021 09:14	Sanders-Fort Myers	2224670, 2224671
Enterolert/QT	02/09/2021	02/09/2021 14:48		02/10/2021 15:01	Sanders-Fort Myers	2224672, 2224673, 2224674, 2224675, 2224676, 2224677
SOP-PCR-1.0	02/10/2021	02/10/2021 12:20	DeAsia Armster	02/15/2021 11:49	Mailin Lopez	2224662, 2224663, 2224664, 2224665, 2224666, 2224667, 2224668, 2224669
SOP-PCR-1.2	02/10/2021	02/10/2021 12:20	DeAsia Armster	02/17/2021 08:24	Mailin Lopez	2224662, 2224663, 2224664, 2224665, 2224666, 2224667, 2224668, 2224669
SOP-PCR-1.3	02/10/2021	02/10/2021 12:20	DeAsia Armster	02/18/2021 08:33	Mailin Lopez	2224662, 2224663, 2224664, 2224665, 2224666, 2224667, 2224668, 2224669
SOP-PCR-1.4	02/10/2021	02/10/2021 12:20	DeAsia Armster	02/15/2021 12:53	Mailin Lopez	2224662, 2224663, 2224664, 2224665, 2224666, 2224667, 2224668, 2224669
SOP-PCR-1.5	02/10/2021	02/10/2021 12:20	DeAsia Armster	02/16/2021 08:45	Mailin Lopez	2224662, 2224663, 2224664, 2224665, 2224666, 2224667, 2224668, 2224669