

Client Florida Dept. of Environmental Protection
Address 2600 Blairstone Rd. Tallahassee, FL 32399
Phone 239-344-5719
Fax _____

Report To: DEP-OverflowMicro@dep.state.fl.us
Bill to: Carina Tull
P.O. # LAB #B76803

Project Name: SMP: Canals
Project Location: Glades, Hendry
Customer Type: FDEP - South ROC
Kit #: _____
Requested Due Date: _____

Preservative: HCL = H, HNO₃ = N, Na₂S₂O₃ = ST
H₂SO₄ = S, NaOH = SH, NH₄Cl = NH

Sampled By (PRINT) <u>Nicole Reistad</u>					Preservatives					Analysis Requested										Sample ID # (Lab Use Only)
Matrix	Sample Description		Date	Time	Type	H	Ice	S												
F	G3SD0208 G3SD0209 NR		03/03/21	1130	Grab		X													
F	G3SD0088		03/03/21	1200	Grab		X													
Bottle Lot #			Relinquished By/Affiliation			Date	Time	Accepted By/Affiliation			Date	Time								
	Samples are ambient water		Okay to Run As Is...			Nicole Reistad			03/03/21			1330								
			Client Initial:			- FDEP PROC														
	RQ-2021-03-01-56		Samples On Ice																	
			Yes No																	