

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

BEAS Sample Receipt Temp. 1.0 °C
Checked at Benchmark EA South E85086
With Temperature Gun ID #7

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (850) 245-8085
Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
P.O. #: Lab B16970

Project Name: RQ-2020-03-08-24
Project Run/Location: Way Up There
Station ID

Laboratory Submission #:

521030394

Surface Water
Sample Matrix?
(Fresh / Marine)
Sample Type

Enterococci
E.coli (SM9223B Quantitray)

Laboratory
Sample #

E Coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL

G4SD0195	(F) M / Grab	E.coli	Entero	/	F.coli	Date & Time: 03/11/21	1025	1
G4SD0196	(F) M / Grab	E.coli	Entero	/	F.coli	Date & Time: 03/11/21	1120	2
G4SD0172	(F) M / Grab	E.coli	Entero	/	F.coli	Date & Time: 03/11/21	1220	3
G4SD0210	(F) M / Grab	E.coli	Entero	/	F.coli	Date & Time: 03/11/21	1345	4
G4SD0197	(F) M / Grab	E.coli	Entero	/	F.coli	Date & Time: 03/11/21	1400	5
	F / M / Grab	E.coli	Entero	/	F.coli	Date & Time:		
	F / M / Grab	E.coli	Entero	/	F.coli	Date & Time:		
	F / M / Grab	E.coli	Entero	/	F.coli	Date & Time:		
	F / M / Grab	E.coli	Entero	/	F.coli	Date & Time:		
	F / M / Grab	E.coli	Entero	/	F.coli	Date & Time:		
	F / M / Grab	E.coli	Entero	/	F.coli	Date & Time:		
	F / M / Grab	E.coli	Entero	/	F.coli	Date & Time:		
	F / M / Grab	E.coli	Entero	/	F.coli	Date & Time:		

Sample Type is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

Sample Matrix is used to indicate whether the sample is being subjected to drinking water (DW), ground water (GW), surface water (SW), fresh surface water (FSW), soil surface water (SSW), soil sediment (SSMNT), or sludge (SLD).

Container Type is used to indicate whether the container is plastic (P) or glass (G).

Sample must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 6°C (42°F). Under "Preservative," list any preservatives that were added to the sample container.

Each bottle has a label identifying sample ID, preservative used, volume contained in the bottle, sample type, client ID, and parameters for analysis.

The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.

All bottles not containing preservative may be mixed with appropriate sample prior to collection.

The client is responsible for determination of the sampling event. Please use special sampling events of the sample custody form.

Laboratory Sample Acceptability:
pH < 2 : 0 BEAS Temperature: 1.0

1	Collector: <u>Spencer</u>	Date: 03/11/21	Time: 1038	Received By: <u>John D</u>	Date: 03/11/21	Time: 1038
2	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
3	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
4	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
5	Relinquished by:	Date:	Time:	Received By:	Date:	Time: