

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP

Address: 2600 Blair Stone Rd.

Tallahassee, FL, 32399

(850) 245-8085 239-470-0873

dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore

P.O. #: Lab B16970

BEAS Sample Receipt Temp. 4.2 °C

Checked at Benchmark EA South E85086

With Temperature Gun ID #7

Project Name: RQ-2020-

Project Run/Location:

Laboratory Submission #:

521030708

Station ID		Surface Water Sample Matrix ² (Fresh / Marine) Sample Type	Enterococci E.coli (SM9223B Quantitray)				Laboratory Sample #
			E.Coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL				
G3SD0185	FLOPBUCK CREEK	F / M / Grab	E.coli / Entero / F.coli	Date & Time:	3/23/21	0945	1
G3SD0208	APOLLO EAST	F / M / Grab	E.coli / Entero / F.coli	Date & Time:	3/23/21	1020	2
G3SD0195	APOLLO WEST	F / M / Grab	E.coli / Entero / F.coli	Date & Time:	3/23/21	1035	3
		F / M / Grab	E.coli / Entero / F.coli	Date & Time:			
		F / M / Grab	E.coli / Entero / F.coli	Date & Time:			
		F / M / Grab	E.coli / Entero / F.coli	Date & Time:			
		F / M / Grab	E.coli / Entero / F.coli	Date & Time:			
		F / M / Grab	E.coli / Entero / F.coli	Date & Time:			
		F / M / Grab	E.coli / Entero / F.coli	Date & Time:			
		F / M / Grab	E.coli / Entero / F.coli	Date & Time:			
		F / M / Grab	E.coli / Entero / F.coli	Date & Time:			
		F / M / Grab	E.coli / Entero / F.coli	Date & Time:			

¹ "Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

² "Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDMNT), or sludge (SLDG).

³ "Container Type" is used to indicate whether the container is plastic (P) or glass (G).

⁴ Sample must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 6°C (42.8°F). Under "Preservative," list any preservatives that were added to the sample container.

Instructions:

1. Each bottle has a label identifying sample ID, premeasured preservative contained in the bottle, sample type, client ID, and parameters for analysis.

2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.

3. All bottles not containing preservative may be rinsed with appropriate sample prior to collection.

4. The client is responsible for documentation of the sampling event. Please note special sampling events on this sample custody form.

Laboratory Sample Acceptability:

pH < 2.0 BEAS Temperature:

1	Collector: JOHN BARRINGTON	Date: 3/23/21	Time: 1102	Received By: [Signature]	Date: 3/23/21	Time: 1102
2	Relinquished by: JOHN BARRINGTON	Date: 3/23/21	Time: 1102	Received By: [Signature]	Date: 3/23/21	Time: 1102
3	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
4	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
5	Relinquished by:	Date:	Time:	Received By:	Date:	Time: