

Biological Analysis Report

SO-DIST-2021-03-26-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
Sanders Laboratories
10090 Bavaria Road
Ft. Myers, FL 33913
DOH Accreditation E85457

Event Description: **2021 SMP: Billy Creek**
Request ID: **RQ-2021-03-29-75**
Customer: **SO-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FLDEP South District Office
2295 Victoria Ave. Suite 364
Fort Myers, FL 33901-3381
Attn: Chris Hormuth

For additional information please contact
Cheryl Swanson - Administrator
Jacqueline Savage - Bench Biology & Aquatic
Toxicity
Puja Jasrotia, Ph.D. - Molecular Biology & Taxonomy
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Puja Jasrotia, Environmental Administrator

Date Certified: 26-APR-2021 15:04



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: BillyCreekSeaboard St

Collection Date/Time: 03/25/2021 08:15

Field ID: G3SD0203

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2234082	SOP-PCR-1.0	HF183-qPCR**	830	U	TSC/100 mL	P395427	
	SOP-PCR-1.2	GULL2-qPCR**	900	U	TSC/100 mL	P395427	MS
	SOP-PCR-1.3	GFD-qPCR**	1.94E+03		TSC/100 mL	P395427	
	SOP-PCR-1.4	BacR-qPCR**	760	U	TSC/100 mL	P395427	
	SOP-PCR-1.5	DG3-qPCR**	640	U	TSC/100 mL	P395427	
2234088	Colilert-18	Escherichia Coli-Quanti-Tray	548		MPN/100 mL		
2234094	Enterolert/QT	ENTEROCOCCI-ENTEROLERT	1200		MPN/100 mL		

Sample Location: BillyCrk@ShadyOaksBrdwk

Collection Date/Time: 03/25/2021 08:40

Field ID: G3SD0196

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2234083	SOP-PCR-1.0	HF183-qPCR**	2.2E+03	U	TSC/100 mL	P395427	
	SOP-PCR-1.2	GULL2-qPCR**	2.4E+03	U	TSC/100 mL	P395427	MS
	SOP-PCR-1.3	GFD-qPCR**	800	I	TSC/100 mL	P395427	
	SOP-PCR-1.4	BacR-qPCR**	2.0E+03	U	TSC/100 mL	P395427	
	SOP-PCR-1.5	DG3-qPCR**	1.7E+03	U	TSC/100 mL	P395427	
2234089	Colilert-18	Escherichia Coli-Quanti-Tray	866		MPN/100 mL		
2234095	Enterolert/QT	ENTEROCOCCI-ENTEROLERT	1990		MPN/100 mL		

Sample Location: BillyCreek@VSShoemaker

Collection Date/Time: 03/25/2021 09:00

Field ID: G3SD0197

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2234084	SOP-PCR-1.0	HF183-qPCR**	2.2E+03	U	TSC/100 mL	P395427	
	SOP-PCR-1.2	GULL2-qPCR**	2.4E+03	U	TSC/100 mL	P395427	MS
	SOP-PCR-1.3	GFD-qPCR**	600	I	TSC/100 mL	P395427	
	SOP-PCR-1.4	BacR-qPCR**	2.0E+03	U	TSC/100 mL	P395427	
	SOP-PCR-1.5	DG3-qPCR**	1.7E+03	U	TSC/100 mL	P395427	
2234090	Colilert-18	Escherichia Coli-Quanti-Tray	816		MPN/100 mL		
2234096	Enterolert/QT	ENTEROCOCCI-ENTEROLERT	435		MPN/100 mL		

Sample Location: BillyCreeknearDemeryCir

Collection Date/Time: 03/25/2021 09:20

Field ID: G3SD0198

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2234085	SOP-PCR-1.0	HF183-qPCR**	1.1E+03	U	TSC/100 mL	P395427	
	SOP-PCR-1.2	GULL2-qPCR**	2.4E+03	U	TSC/100 mL	P395427	MS
	SOP-PCR-1.3	GFD-qPCR**	550	I	TSC/100 mL	P395427	
	SOP-PCR-1.4	BacR-qPCR**	1.0E+03	U	TSC/100 mL	P395427	
	SOP-PCR-1.5	DG3-qPCR**	860	U	TSC/100 mL	P395427	
2234091	Colilert-18	Escherichia Coli-Quanti-Tray	866		MPN/100 mL		
2234097	Enterolert/QT	ENTEROCOCCI-ENTEROLERT	517		MPN/100 mL		

Sample Location: BillyCreekUpstrmofMarsh

Collection Date/Time: 03/25/2021 10:00

Field ID: G3SD0199

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2234086	SOP-PCR-1.0	HF183-qPCR**	1.1E+03	U	TSC/100 mL	P395427	
	SOP-PCR-1.2	GULL2-qPCR**	1.2E+03	U	TSC/100 mL	P395427	MS
	SOP-PCR-1.3	GFD-qPCR**	240	U	TSC/100 mL	P395427	
	SOP-PCR-1.4	BacR-qPCR**	1.0E+03	U	TSC/100 mL	P395427	
	SOP-PCR-1.5	DG3-qPCR**	860	U	TSC/100 mL	P395427	
2234092	Colilert-18	Escherichia Coli-Quanti-Tray	37.9		MPN/100 mL		
2234098	Enterolert/QT	ENTEROCOCCI-ENTEROLERT	77.1		MPN/100 mL		

Sample Location: Billy Creek @ Ortiz Ave

Collection Date/Time: 03/25/2021 10:30

Field ID: G3SD0200

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2234087	SOP-PCR-1.0	HF183-qPCR**	1.7E+03	U	TSC/100 mL	P395537	
	SOP-PCR-1.2	GULL2-qPCR**	1.8E+03	U	TSC/100 mL	P395537	MS
	SOP-PCR-1.3	GFD-qPCR**	360	U	TSC/100 mL	P395537	
	SOP-PCR-1.4	BacR-qPCR**	1.5E+03	U	TSC/100 mL	P395537	
	SOP-PCR-1.5	DG3-qPCR**	1.3E+03	U	TSC/100 mL	P395537	
2234093	Colilert-18	Escherichia Coli-Quanti-Tray	1200		MPN/100 mL		
2234099	Enterolert/QT	ENTEROCOCCI-ENTEROLERT	530		MPN/100 mL		

Quality Assurance Report Method Blank Results

Reference Method: SOP-PCR-1.0

Batch ID: P395427

Component	Result	Code	Units
HF183-qPCR	3.3E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.0

Batch ID: P395537

Component	Result	Code	Units
HF183-qPCR	3.3E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.2

Batch ID: P395427

Component	Result	Code	Units
GULL2-qPCR	3.6E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.2

Batch ID: P395537

Component	Result	Code	Units
GULL2-qPCR	3.6E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.3

Batch ID: P395427

Component	Result	Code	Units
-----------	--------	------	-------

Quality Assurance Report Method Blank Results

Reference Method: SOP-PCR-1.3
Batch ID: P395427

Component	Result	Code	Units
GFD-qPCR	720	U	TSC/100 mL

Reference Method: SOP-PCR-1.3
Batch ID: P395537

Component	Result	Code	Units
GFD-qPCR	720	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P395427

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P395537

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.5
Batch ID: P395427

Component	Result	Code	Units
DG3-qPCR	2.6E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.5
Batch ID: P395537

Component	Result	Code	Units
DG3-qPCR	2.6E+03	U	TSC/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P395427

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	95.5	99.1	P/P	50 - 175

Reference Method: SOP-PCR-1.0
Batch ID: P395537

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	88.9	99.0	P/P	50 - 175

Reference Method: SOP-PCR-1.2
Batch ID: P395427

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SOP-PCR-1.2
Batch ID: P395427

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GULL2-qPCR	87.3	89.3	P/P	50 - 300

Reference Method: SOP-PCR-1.2
Batch ID: P395537

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GULL2-qPCR	90.9	103	P/P	50 - 300

Reference Method: SOP-PCR-1.3
Batch ID: P395427

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GFD-qPCR	84.6	93.0	P/P	50 - 175

Reference Method: SOP-PCR-1.3
Batch ID: P395537

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GFD-qPCR	106	94.4	P/P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P395427

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	90.4	92.5	P/P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P395537

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	91.8	91.6	P/P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P395427

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-qPCR	86.4	94.6	P/P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P395537

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-qPCR	88.5	95.2	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P395427

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
---------------	-----------	---------	---------	-----------	----------------

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0

Batch ID: P395427

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2233396	HF183-qPCR	92.0	101	P/P	50 - 175
2233397	HF183-qPCR	87.3		P	50 - 175
2233398	HF183-qPCR	87.7		P	50 - 175
2233399	HF183-qPCR	94.5		P	50 - 175
2233400	HF183-qPCR	96.7		P	50 - 175
2233499	HF183-qPCR	77.5		P	50 - 175
2233628	HF183-qPCR	98.4		P	50 - 175
2233652	HF183-qPCR	87.1		P	50 - 175
2234082	HF183-qPCR	94.1		P	50 - 175
2234083	HF183-qPCR	91.0		P	50 - 175
2234084	HF183-qPCR	93.5		P	50 - 175
2234085	HF183-qPCR	99.4		P	50 - 175
2234086	HF183-qPCR	98.5		P	50 - 175

Reference Method: SOP-PCR-1.0

Batch ID: P395537

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2234087	HF183-qPCR	105	99.9	P/P	50 - 175
2234527	HF183-qPCR	95.6		P	50 - 175
2234754	HF183-qPCR	83.6		P	50 - 175
2234755	HF183-qPCR	89.1		P	50 - 175
2234827	HF183-qPCR	88.4		P	50 - 175
2235407	HF183-qPCR	94.8		P	50 - 175

Reference Method: SOP-PCR-1.2

Batch ID: P395427

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2233396	GULL2-qPCR	81.5	88.1	P/P	50 - 300
2233397	GULL2-qPCR	72.6		P	50 - 300
2233399	GULL2-qPCR	69.9		P	50 - 300
2233400	GULL2-qPCR	69.0		P	50 - 300
2233499	GULL2-qPCR	40.2		F	50 - 300
2233628	GULL2-qPCR	91.3		P	50 - 300
2234082	GULL2-qPCR	69.8		P	50 - 300
2234083	GULL2-qPCR	69.7		P	50 - 300
2234084	GULL2-qPCR	88.2		P	50 - 300
2234085	GULL2-qPCR	86.1		P	50 - 300
2234086	GULL2-qPCR	86.4		P	50 - 300

Reference Method: SOP-PCR-1.2

Batch ID: P395537

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2234087	GULL2-qPCR	65.8	70.1	P/P	50 - 300
2234527	GULL2-qPCR	49.7		F	50 - 300
2234754	GULL2-qPCR	73.9		P	50 - 300
2234755	GULL2-qPCR	70.2		P	50 - 300
2234827	GULL2-qPCR	66.7		P	50 - 300

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.3

Batch ID: P395427

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2233396	GFD-qPCR	90.3	86.5	P/P	50 - 175
2233397	GFD-qPCR	103		P	50 - 175
2233399	GFD-qPCR	100		P	50 - 175
2233400	GFD-qPCR	86.2		P	50 - 175
2233499	GFD-qPCR	88.5		P	50 - 175
2233628	GFD-qPCR	96.1		P	50 - 175
2234082	GFD-qPCR	93.8		P	50 - 175
2234083	GFD-qPCR	98.7		P	50 - 175
2234084	GFD-qPCR	87.8		P	50 - 175
2234085	GFD-qPCR	87.9		P	50 - 175
2234086	GFD-qPCR	92.2		P	50 - 175

Reference Method: SOP-PCR-1.3

Batch ID: P395537

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2234087	GFD-qPCR	107	109	P/P	50 - 175
2234527	GFD-qPCR	125		P	50 - 175
2234754	GFD-qPCR	115		P	50 - 175
2234755	GFD-qPCR	95.8		P	50 - 175
2234827	GFD-qPCR	101		P	50 - 175

Reference Method: SOP-PCR-1.4

Batch ID: P395427

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2233396	BacR-qPCR	83.0	76.5	P/P	50 - 175
2233397	BacR-qPCR	76.5		P	50 - 175
2233398	BacR-qPCR	83.8		P	50 - 175
2233399	BacR-qPCR	72.1		P	50 - 175
2233400	BacR-qPCR	75.5		P	50 - 175
2233499	BacR-qPCR	57.6		P	50 - 175
2233628	BacR-qPCR	87.5		P	50 - 175
2233652	BacR-qPCR	75.7		P	50 - 175
2234082	BacR-qPCR	77.2		P	50 - 175
2234083	BacR-qPCR	85.5		P	50 - 175
2234084	BacR-qPCR	81.3		P	50 - 175
2234085	BacR-qPCR	70.0		P	50 - 175
2234086	BacR-qPCR	78.3		P	50 - 175

Reference Method: SOP-PCR-1.4

Batch ID: P395537

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2234087	BacR-qPCR	88.8	87.3	P/P	50 - 175
2234527	BacR-qPCR	74.6		P	50 - 175
2234754	BacR-qPCR	72.6		P	50 - 175
2234755	BacR-qPCR	69.2		P	50 - 175
2234827	BacR-qPCR	73.5		P	50 - 175
2235407	BacR-qPCR	71.5		P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.5
Batch ID: P395427

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2233396	DG3-qPCR	93.7	93.8	P/P	50 - 175
2233397	DG3-qPCR	94.3		P	50 - 175
2233398	DG3-qPCR	85.6		P	50 - 175
2233399	DG3-qPCR	90.1		P	50 - 175
2233400	DG3-qPCR	89.3		P	50 - 175
2233499	DG3-qPCR	72.4		P	50 - 175
2233628	DG3-qPCR	93.3		P	50 - 175
2233652	DG3-qPCR	83.9		P	50 - 175
2234082	DG3-qPCR	87.2		P	50 - 175
2234083	DG3-qPCR	85.2		P	50 - 175
2234084	DG3-qPCR	89.3		P	50 - 175
2234085	DG3-qPCR	86.6		P	50 - 175
2234086	DG3-qPCR	88.2		P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P395537

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2234087	DG3-qPCR	97.1	101	P/P	50 - 175
2234527	DG3-qPCR	91.7		P	50 - 175
2234754	DG3-qPCR	86.3		P	50 - 175
2234755	DG3-qPCR	88.2		P	50 - 175
2234827	DG3-qPCR	88.4		P	50 - 175
2235407	DG3-qPCR	89.4		P	50 - 175

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.0
Batch ID: P395427

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2233396	HF183-qPCR	9.62	Spike	P	0 - 25

Reference Method: SOP-PCR-1.0
Batch ID: P395537

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2234087	HF183-qPCR	4.76	Spike	P	0 - 25

Reference Method: SOP-PCR-1.2
Batch ID: P395427

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2233396	GULL2-qPCR	7.71	Spike	P	0 - 25

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.2
Batch ID: P395537

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2234087	GULL2-qPCR	6.29	Spike	P	0 - 25

Reference Method: SOP-PCR-1.3
Batch ID: P395427

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2233396	GFD-qPCR	4.35	Spike	P	0 - 25

Reference Method: SOP-PCR-1.3
Batch ID: P395537

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2234087	GFD-qPCR	1.73	Spike	P	0 - 25

Reference Method: SOP-PCR-1.4
Batch ID: P395427

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2233396	BacR-qPCR	8.14	Spike	P	0 - 25

Reference Method: SOP-PCR-1.4
Batch ID: P395537

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2234087	BacR-qPCR	1.67	Spike	P	0 - 25

Reference Method: SOP-PCR-1.5
Batch ID: P395427

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2233396	DG3-qPCR	0.0886	Spike	P	0 - 25

Reference Method: SOP-PCR-1.5
Batch ID: P395537

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2234087	DG3-qPCR	4.15	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Quality Assurance Report Surrogates

Lab Sample ID: 2234082
Field Sample ID: G3SD0203

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	86.1	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	65.9	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	73.6	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	86.5	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	80.4	P	50 - 300

Lab Sample ID: 2234083
Field Sample ID: G3SD0196

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	72.8	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	56.4	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	74.6	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	80.8	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	72.4	P	50 - 300

Lab Sample ID: 2234084
Field Sample ID: G3SD0197

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	91.0	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	64.7	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	79.4	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	83.1	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	84.6	P	50 - 300

Lab Sample ID: 2234085
Field Sample ID: G3SD0198

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	72.4	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	73.4	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	75.7	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	75.1	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	68.5	P	50 - 300

Lab Sample ID: 2234086
Field Sample ID: G3SD0199

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	82.8	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	82.1	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	80.5	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	78.3	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	78.9	P	50 - 300

Lab Sample ID: 2234087
Field Sample ID: G3SD0200

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	105	P	50 - 300
SOP-PCR-1.0	SKETA-qPCR	109	P	50 - 300

Quality Assurance Report Surrogates

Lab Sample ID: 2234087
Field Sample ID: G3SD0200

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.2	SKETA-qPCR	93.7	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	94.1	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	93.0	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	94.5	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	96.3	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	102	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	87.4	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	92.8	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			LCS	Precision SMP	MS
SOP-PCR-1.0	HF183-qPCR	99.1	95.5	92.0	101	87.3			9.62
	HF183-qPCR	99.0	88.9	105	99.9	83.6			4.76
SOP-PCR-1.2	GULL2-qPCR	89.3	87.3	81.5	88.1	72.6			7.71
	GULL2-qPCR	103	90.9	65.8	70.1	49.7			6.29
SOP-PCR-1.3	GFD-qPCR	93.0	84.6	90.3	86.5	103			4.35
	GFD-qPCR	94.4	106	107	109	125			1.73
SOP-PCR-1.4	BacR-qPCR	92.5	90.4	83.0	76.5	76.5			8.14
	BacR-qPCR	91.6	91.8	88.8	87.3	74.6			1.67
SOP-PCR-1.5	DG3-qPCR	94.6	86.4	93.7	93.8	94.3			0.0886
	DG3-qPCR	95.2	88.5	97.1	101	91.7			4.15

Reference Method Descriptions

Method	Description	Associated Samples
Colilert-18	E. coli by Colilert-18/QT by Sanders in Fort Myers	2234088, 2234089, 2234090, 2234091, 2234092, 2234093
Enterolert/QT	Enterococci by Enterolert/QT by Sanders in Fort Myers	2234094, 2234095, 2234096, 2234097, 2234098, 2234099
SOP-PCR-1.0	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2234082, 2234083, 2234084, 2234085, 2234086, 2234087
SOP-PCR-1.2	Detection and quantification of coastal bird specific Catellicoccus marimammalium Gull2 genetic marker with quantitative polymerase chain reaction	2234082, 2234083, 2234084, 2234085, 2234086, 2234087
SOP-PCR-1.3	Detection and quantification of bird specific Helicobacter GFD genetic marker with quantitative polymerase chain reaction	2234082, 2234083, 2234084, 2234085, 2234086, 2234087
SOP-PCR-1.4	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	2234082, 2234083, 2234084, 2234085, 2234086, 2234087
SOP-PCR-1.5	Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction	2234082, 2234083, 2234084, 2234085, 2234086, 2234087

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
Colilert-18	03/25/2021	03/25/2021 16:00		03/26/2021 12:00	Sanders-Fort Myers	2234088, 2234089, 2234090, 2234091, 2234092, 2234093
Enterolert/QT	03/25/2021	03/25/2021 15:55		03/26/2021 16:10	Sanders-Fort Myers	2234094, 2234095, 2234096, 2234097, 2234098, 2234099
SOP-PCR-1.0	03/26/2021	03/26/2021 13:40	DeAsia Armster	03/30/2021 12:15	Mailin Lopez	2234082, 2234083, 2234084, 2234085, 2234086
	03/26/2021	03/26/2021 13:40	DeAsia Armster	04/06/2021 08:31	Mailin Lopez	2234087
SOP-PCR-1.2	03/26/2021	03/26/2021 13:40	DeAsia Armster	04/05/2021 12:20	Mailin Lopez	2234082, 2234083, 2234084, 2234085, 2234086
	03/26/2021	03/26/2021 13:40	DeAsia Armster	04/20/2021 08:21	Mailin Lopez	2234087
SOP-PCR-1.3	03/26/2021	03/26/2021 13:40	DeAsia Armster	04/01/2021 10:28	Mailin Lopez	2234082, 2234083, 2234084, 2234085, 2234086
	03/26/2021	03/26/2021 13:40	DeAsia Armster	04/21/2021 08:14	Mailin Lopez	2234087
SOP-PCR-1.4	03/26/2021	03/26/2021 13:40	DeAsia Armster	03/31/2021 08:26	Mailin Lopez	2234082, 2234083, 2234084, 2234085, 2234086
	03/26/2021	03/26/2021 13:40	DeAsia Armster	04/07/2021 09:13	Mailin Lopez	2234087
SOP-PCR-1.5	03/26/2021	03/26/2021 13:40	DeAsia Armster	03/31/2021 09:08	Mailin Lopez	2234082, 2234083, 2234084, 2234085, 2234086
	03/26/2021	03/26/2021 13:40	DeAsia Armster	04/07/2021 09:52	Mailin Lopez	2234087