

McCoy, Ian

From: Musson, Curtis
Sent: Monday, April 12, 2021 10:12 AM
To: McCoy, Ian
Cc: Ayres, Joshua
Subject: RE: Late SMP Cooler - RQ-2021-04-05-62
Attachments: SMP Login Protocol _02.14.2021.docx

Ian, salvage what you can per the protocol.
Thanks,
Curtis

From: McCoy, Ian <Ian.McCoy@FloridaDEP.gov>
Sent: Monday, April 12, 2021 10:02 AM
To: Musson, Curtis <Curtis.Musson@FloridaDEP.gov>
Cc: Ayres, Joshua <Joshua.Ayres@dep.state.fl.us>
Subject: Late SMP Cooler - RQ-2021-04-05-62

Good morning, I did a pick up from FedEx on Saturday for the Piney Point Tampa project and they handed me an SMP cooler they had in the back at the same time.

When I received it (4/10/21) it was already late (sampled on the 8th) and was out of temp (10.6 Celsius). I was advised to wait until Monday to try and sort it out, what would you like us to do with it?

Ian McCoy
Laboratory Technician IV
850-245-8062
Florida Department of Environmental Protection

SMP Project

Login Protocol February 14, 2021

The SMP project can't (with certain exceptions) use either Y or Q qualified data and would rather have Receiving not login these samples. It's considered a waste of laboratory resources to analyze affected samples that will be qualified, and their data will not be used by the SMP project.

1. If the sample set contains an SCI login all bottles and run all tests regardless of hold time or temperature issues.
2. The SMP project does not want "Y" qualified preserved nutrients, unpreserved nutrients, microbiology, Chlorophyll, or metals data. (I.e. preservation NCR; acid or ice).
 - Preservation Exception: qPCR and organic samples (They still want these data)
 - Preservation NCR ("Y" qualifier) are acceptable for temperature and chlorine detections for these analyses.

Note: *Unpreserved metals samples may be preserved/acidified in the lab upon receipt and do not need to be qualified if they are analyzed 24 or more hours after acidification.*

3. The SMP project does not want "Q" qualified preserved or unpreserved nutrients data. (I.e. Out of hold time).
 - Hold Time Exception: microbiology, qPCR, and organic samples (They still want these data)
 - Out of hold time ("Q" qualifiers) are acceptable for these analyses.

RQ-2019-07-29-45	
Printed: 10/24/2019 10:15:58 AM	
Date of Request:	10-JUL-2019
Created By:	REISTAD_N On: 10-JUL-2019
Modified By:	JASROTIA_P On: 11-JUL-2019
Customer:	SO-DIST
Project:	SMP
Division:	Division of Environmental Assessment and Restoration
District:	South District
Sampling Event:	2019 SMP: Nowhere
Send C	
Phone: 239-344	
FLDEP South D	
2295 Victoria A	
Fort Myers, FL	
Attn: Nicole Rei	

Example of SMP Project RQ

If a preservation or holding time issue is observed, notify John Watts, Curtis Musson, and Joshua Ayres.

RQ-2021-04-05-62

Login Checklist

Login Station ID: #2

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 4/10/2021 9:35

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
10.6				13		✓			9293 80116376

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO₃ and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 °C (above 10.0 °C for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# 8765
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR#
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR#
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# 8765

Chain of Custody/ Field Sheet(s) Included?

Yes ☒ No ☐

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes ☒ No ☐

CONTAINER CHECK

Evidence Tape on Bottles?

Yes ☐ No ☐ NA ☒Evidence Tape intact? Yes ☐ No ☐

If Criminal, photographs taken?

Yes ☐ No ☐Containers intact? Yes ☒ No ☐

Caps on tight?

Yes ☒ No ☐

Sufficient Sample Volume:

Yes ☒ No ☐If NO is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR#

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes ☒ No ☐ Init: IM

Chlorine detected? (One container checked per Field ID)

Yes ☐ No ☒ Init: IM

If chlorine is detected, generate an NCR listing affected sample IDs . NCR#

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH < 2.0?

Yes ☒ No ☐ NA ☐ Init: IM

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?

Yes ☐ No ☐ NA ☒ Init: IM

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR#

Coolers Unpacked/Checked by: IM

Date: 4/10/2021

Event contains NCRs (Y/N)? ☒

Event ID:

2021 SMP : Okee Canals
SO-DIST-2021-04-12-01 (SMP)
Date Received: 10-APR-2021 09:35

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	IR TEMP GUN #2 exp:10/28/21
pH Test Strips 0 – 6	
pH Paper 0 – 3	
pH Paper 0 – 13	231019 exp: 11/1/22
Chlorine Test Strips	0129 exp: 03/2023

1 of 2 coolers
received - IM 4/12/21

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

**FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM**

Date: 4/8/2021 **Collected By:** Chris Hormuth, William Mullen
Customer: SO-DIST **Sampling Agency:** FDEP
RQ: RQ-2021-04-05-62 **Project ID:** SMP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 2

Delivery Method: FedEx

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
Harney Pond Canal @ SR 70	 G4SD0173
Indian Prairie Canal @ SR 70	 G4SD0174
C-41 @ SR 70	 G4SD0175
L-49	 G4SD0190

RELINQUISHED BY(SIGNATURE):

William S. Mullen

DATE/TIME:

04/08/2021 1500pm

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By:

IM

Rec'd/Inspected

Date:

4/10/21

*IM
4/12/21*

*Overflow
Micro
for this
site logged
in 4/12/21
IM*

*Not
Received
-IM
4/12/21*



RQ-2021-04-05-62	Collected By: Chris Hormuth, William Mullen
Customer: FDEP	Field Report Prepared by: Chris Hormuth, William Mullen
Project ID: SMP	Sampling Agency: FDEP
WIN ID/Field ID:  WIN ID/Field ID: G4SD0173	Comments:

Location: Harney Pond Canal @ SR 70

Matrix: Fresh

(Check One) ☒ Grab ☐ Composite

Date and Time	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPT)
4/8/2021 1040	7.83	90.9	22.6	7.58	0.3	0.4	0.5	178.3	0.08

Central Lab please use top row for login purposes

Parameter Suite		Parameter Methods								Preservation				pH Check		# Bottles sent to Lab		Bottle Group	
Preserved Nutrients (P-500ML)		X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP						X	Ice	X	H2SO4*		X	<2	1	B		
		Lot #			SA0353110			Exp:		1/11/22									
Metals (P-500ML)			W-ICPMS			W-ICP			W-HARD			Ice		HNO3*			<2		
		Lot #						Exp:											
Filtered Nutrients (P125ML)		X	W-PO4-F			X	Field Filtered 0.45 um Filter			X	Ice					1	B		
		Filter Lot #			17101170														
		Syringe Lot #			118593														
Chlorophyll (BP-1L)		X	CHLSUITE-W						X	Ice			1			B			
Physical/Aggregate (Fresh) (P-1L)		X	Alkalinity / W-F / W-TSS / TURBIDITY / W-CH-IC / W-COLOR / W-SO4-IC / W- TDS						X	Ice			1			B			
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY						Ice											
Macroinvertebrates (PJ-2L)		MI-FW-QLDC						Ice											
Periphyton (PT-50ML)		ALGAE-ID						Ice											
Microbiology (Contract Lab Bottle)		E Coli			F Coli		Enterococci		Ice										
		Contract Lab																	
Molecular (QPCR-P-500ML)		PCR-HF183			PCR-BacR		PCR-DG3		Ice										
		PCR-GULL2			PCR-GFD														
Tracers (BG-500ML)		X	W-E8321-DI			X	W-E8321-MS			X	Ice					1	B		
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI			W-E8321-MS			W-PSNP-TQ		Ice									
								W-DIELDIN											
		W-PCL-SQ-R			W-CARB-AA (5 ml of MCAA** Buffer Solution)			W-CT-CL-R											
Phytoplankton		DTY-QN-C			PKD-QN-BV					Ice									



RQ-2021-04-05-62	Collected By: Chris Hormuth, William Mullen
Customer: FDEP	Field Report Prepared by: Chris Hormuth, William Mullen
Project ID: SMP	Sampling Agency: FDEP
WIN ID/Field ID:  WIN ID/Field ID: G4SD0174	Comments:
Location: Indian Prairie Canal @ SR 70	

Matrix: Fresh

(Check One) ☒ Grab ☐ Composite

Date and Time	DO (mg/L)	DO (%SAT)	Temp. ©	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPTh							
4/8/2021 1110	8.31	97.1	23.2	7.5	0.2	0.4	0.4	175.1	0.08							
Central Lab please use top row for login purposes																
Parameter Suite		Parameter Methods				Preservation		pH Check		# Bottles sent to Lab	Bottle Group					
Preserved Nutrients (P-500ML)		X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				X	Ice	X	H2SO4*	X	<2	1	C		
		Lot #		SA0353110		Exp:		1/11/22								
Metals (P-500ML)			W-ICPMS		W-ICP		W-HARD			Ice		HNO3*		<2		
		Lot #				Exp:										
Filtered Nutrients (P125ML)		X	W-PO4-F		X	Field Filtered 0.45 um Filter				X	Ice			1	C	
		Filter Lot #		17101170												
		Syringe Lot #		118593												
Chlorophyll (BP-1L)		X	CHLSUITE-W				X	Ice			1					C
Physical/Aggregate (Fresh) (P-1L)		X	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W- TDS				X	Ice			1					C
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY				Ice										
Macroinvertebrates (PJ-2L)		MI-FW-QLDC				Ice										
Periphyton (PT-50ML)		ALGAE-ID				Ice										
Microbiology (Contract Lab Bottle)		E Coil		F Coil		Enterococci		Ice								
		Contract Lab														
Molecular (QPCR-P-500ML)		PCR-HF183		PCR-BacR		PCR-DG3		Ice								
		PCR-GULL2		PCR-GFD												
Tracers (BG-500ML)		W-E8321-DI		W-E8321-MS		Ice										
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI		W-E8321-MS		W-PSNP-TQ		X	Ice	4	C					
		W-PCL-SQ-R		W-CARB-AA (5 ml of MCAA** Buffer Solution)		X	W-DIELDRIN									
Phytoplankton		DTY-QN-C		PKD-QN-BV		Ice										

RQ-2021-04-05-62

Collected By: Chris Hormuth, William Mullen



Customer: FDEP

Field Report Prepared by: Chris Hormuth, William Mullen

Project ID: SMP

Sampling Agency: FDEP

 WIN ID/Field ID: 
 WIN ID/Field ID: G4SD0175

Comments:

Location: C-41 A @ SR 70

Matrix: Fresh

(Check One) ☒ Grab ☐ Composite

Date and Time	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPT)
4/8/2021 1130	8.64	102.6	23.8	7.68	0.3	0.6	0.6	254.4	0.12

Central Lab please use top row for login purposes

Parameter Suite	Parameter Methods							Preservation		pH Check	# Bottles sent to Lab	Bottle Group			
Preserved Nutrients (P-500ML)	X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP					X	Ice	X	H2SO4*	X	<2	1	B	
		Lot #		SA0353110		Exp:		1/11/22							
Metals (P-500ML)		W-ICPMS		W-ICP		W-HARD			Ice		HNO3*		<2		
		Lot #				Exp:									
Filtered Nutrients (P125ML)	X	W-PO4-F		X	Field Filtered 0.45 um Filter			X	Ice				1	B	
		Filter Lot #		17101170											
		Syringe Lot #		118593											
Chlorophyll (BP-1L)	X	CHLSUITE-W					X	Ice		1			B		
Physical/Aggregate (Fresh) (P-1L)	X	Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W-TDS					X	Ice		1			B		
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY						Ice							
Macroinvertebrates (PJ-2L)		MI-FW-QLDC						Ice							
Periphyton (PT-50ML)		ALGAE-ID						Ice							
Microbiology (Contract Lab Bottle)		E Coli		F Coli		Enterococci			Ice						
		Contract Lab													
Molecular (QPCR-P-500ML)		PCR-HF183		PCR-BacR		PCR-DG3			Ice						
		PCR-GULL2		PCR-GFD											
Tracers (BG-500ML)	X	W-E8321-DI		X	W-E8321-MS			X	Ice		1	B			
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI		W-E8321-MS		W-PSNP-TQ			Ice						
						W-DIELDRIN									
		W-PCL-SQ-R		W-CARB-AA (5 ml of MCAA** Buffer Solution)		W-CT-CL-R									
Phytoplankton		DTY-QN-C		PKD-QN-BV					Ice						

RQ-2021-04-05-62

Collected By: Chris Hormuth, William Mullen

Not Received - IM
4/12/21



Customer: FDEP

Field Report Prepared by: Chris Hormuth, William Mullen

Project ID: SMP

Sampling Agency: FDEP

WIN ID/Field ID:



WIN ID/Field ID: G4SD0190

Comments: Microbiology sample(s) submitted to contract laboratory

Location: L-49

Matrix: Fresh

(Check One) ☒ Grab ☐ Composite

Date and Time	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPT)			
4/8/2021 1220	7.98	96.3	24.7	8.25	0.3	1	1.4	874	0.43			
Central Lab please use top row for login purposes												
Parameter Suite	Parameter Methods				Preservation		pH Check	# Bottles sent to Lab	Bottle Group			
Preserved Nutrients (P-500ML)	X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP			X	Ice	X	H2SO4*	X	<2	1	A
		Lot #		SA0353110	Exp:	1/11/22						
Metals (P-500ML)		W-ICPMS		W-ICP	W-HARD	Ice	HNO3*		<2			
		Lot #			Exp:							
Filtered Nutrients (P125ML)	X	W-PO4-F		X	Field Filtered 0.45 µm Filter		X	Ice			1	A
		Filter Lot #		17101170								
		Syringe Lot #		118593								
Chlorophyll (BP-1L)	X	CHLSUITE-W			X	Ice					1	A
Physical/Aggregate (Fresh) (P-1L)	X	Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W-TDS			X	Ice					1	A
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-BR-IC / W-F / W-TSS / TURBIDITY				Ice						
Macroinvertebrates (PJ-2L)		MI-FW-QLDC				Ice						
Periphyton (PT-50ML)		ALGAE-ID				Ice						
Microbiology (Contract Lab Bottle)	X	E Coli			F Coli	Enterococci	X	Ice			1	A
	X	Contract Lab										
Molecular (QPCR-P-500ML)		PCR-HF183			PCR-BacR	PCR-DG3		Ice				
		PCR-GULL2			PCR-GFD							
Tracers (BG-500ML)	X	W-E8321-DI		X	W-E8321-MS		X	Ice			1	A
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI			W-E8321-MS			Ice				
					W-PSNP-TQ							
					W-DIELDRIN							
		W-PCL-SQ-R			W-CARB-AA (5 ml of MCAA** Buffer Solution)			W-CT-CL-R				
Phytoplankton		DTY-QN-C			PKD-QN-BV			Ice				

Site not received,
 Overflow Micros
 logged in -IM 4/12/21



CHAIN OF CUSTODY RECORD

Client Florida Dept. of Environmental Protection
Address 2600 Blairstone Rd. Tallahassee, FL 32399
Phone 850-245-8085 239-470-0873
Fax

Report To: DEP-OverflowMicro@dep.state.fl.us
Bill to: Carina Tull
P.O. # LAB #039

Preservative: HCL = H, HNO₃ = N, Na₂S₂O₃ = ST
H₂SO₄ = S, NaOH = SH, NH₄Cl = NH

Project #
(Lab Use Only)

Project Name: SMP
Project Location: Okie Canals
Customer Type: Florida DEP South ROC
Kit #:

Requested Due Date:

Sampled By (PRINT) William Mullen

Sampler Signature [Signature]

Sample Description

FA BAYDOR

Date 04/03/10 Time 1100 Type grab

Preservatives

Ice ☒ S ☐

Analysis Requested

E. coli
Enterococcus
Fecal

Sample ID #
(Lab Use Only)

Notes

Samples are ambient water

2021
RQ-2019-04-05-62
11

Obtained By/Initials

Client Initial:

Samples On Ice

☒ Yes ☐ No

Received By/Initials

William Mullen / FDEP

Date 04/08 Time 1100

Accepted By/Initials

Date

Date of Request: 22-MAR-2021
 Created By: HORMUTH_C On: 22-MAR-2021
 Modified By: JASROTIA_P On: 23-MAR-2021
 Customer: SO-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: South District
 Event Description: 2021 SMP : Okee Canals

Send Coolers To:

Phone: 239-344-5718
 FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: Chris Hormuth
 Cooler Ship EMail: Chris.Hormuth@FloridaDEP.gov

Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 23-MAR-2021
 Biology Request Reviewed By: JASROTIA_P On: 23-MAR-2021
 Sampling Kit Required: YES Ship on: 26-MAR-2021
 Sampling Kit Shipped: YES On: 25-MAR-2021
 Sampling Kit Packed By: KLUG_K
 Preservatives Needed: NO
 Date to Receive Samples: 05-APR-2021
 Logged In By:

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: Chris Hormuth
 Report Notification EMail:
 Nicole.Reistad@FloridaDEP.gov; Kirby.Wolfe@dep.state.fl.us; Gary.Snorek@dep.state.fl.us; William.Mullen@FloridaDEP.gov; Chris.Hormuth@FloridaDEP.gov

Comments: Group A: (L-49) Freshwater Nutrients, E. coli, Tracers
 Group B: (C-41A, Harney) Freshwater Nutrients, Tracers
 Group C: (Indian Prairie) Freshwater Nutrients, W-CT-CI-R

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B-2011) True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2011) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2011) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML-WI-THI	Number of Bottles: 1	Preserved With: ICE
SD-SND-ECQ	Template: DEFAULT	(Colilert-18) E. coli by Colilert-18/QT by Sanders in Fort Myers
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 2 Samples:

Bottle Type: P-500ML		Number of Bottles: 2	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0)	Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0)	Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0)	Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0)	Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011)	Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML		Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0)	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: P-1L		Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011)	Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0)	Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1)	Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B-2011)	True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)			
W-F	Template: DEFAULT	(SM 4500 F-C-2011)	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1)	Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2011)	Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2011)	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L		Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.))	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: BG-500ML		Number of Bottles: 2	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B)	Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B)	Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-1L		Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011)	Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0)	Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1)	Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B-2011)	True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)			
W-F	Template: DEFAULT	(SM 4500 F-C-2011)	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1)	Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2011)	Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2011)	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L		Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.))	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: BG-500ML		Number of Bottles: 4	Preserved With: ICE
W-CT-CI-R	Template: DEFAULT	(EPA 8276)	Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
Bottle Type: P-500ML		Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0)	Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0)	Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0)	Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0)	Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011)	Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML		Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0)	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L